

Exercise 1: Graduate Admission Prediction using Logistic Regression

A researcher is interested in how variables such as GRE, GPA and prestige of the undergraduate institution effect admission into graduate school. The response variable (admit/don't admit) is binary.

```
# CH.SC.U4CSE24163 HARISH.R

import pandas as pd
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LogisticRegression
from sklearn import metrics
import seaborn as sn
```

Importing Dataset

```
col_names = ['sno', 'gre', 'toefl', 'rating', 'sop', 'lor', 'cg', 'research', 'chance']
df = pd.read_csv('../Data/Admission_Predict.csv', header=None, skiprows=1, names=col_names)
print(f"Shape: {df.shape}")
df.head()
```

Shape: (400, 9)

	sno	gre	toefl	rating	sop	lor	cg	research	chance
0	1	337	118	4	4.5	4.5	9.65	1	0.92
1	2	324	107	4	4.0	4.5	8.87	1	0.76
2	3	316	104	3	3.0	3.5	8.00	1	0.72
3	4	322	110	3	3.5	2.5	8.67	1	0.80
4	5	314	103	2	2.0	3.0	8.21	0	0.65

Checking for any null values in dataset

```
df.isnull().sum()
```

```
sno      0
gre      0
```

```
toefl      0
rating     0
sop        0
lor        0
cg         0
research   0
chance     0
dtype: int64
```

✓ Assigning dependent and independent variables

Categorise chance ≥ 0.75 as 1 (admitted) since logistic regression expects categorical output.

```
feat_cols = ['gre', 'toefl', 'rating', 'sop', 'lor', 'cg', 'research']
x = df[feat_cols]
y = (df['chance'] >= 0.75).astype(int)
```

✓ Splitting the dataset into Training and Testing Dataset

```
xtrain, xtest, ytrain, ytest = train_test_split(x, y, test_size=0.2, random_state=42)
display(xtrain.shape, xtest.shape, ytrain.shape, ytest.shape)
```

```
(320, 7)
(80, 7)
(320,)
(80,)
```

✓ Fitting the Model (Logistic Regression)

```
mdl = LogisticRegression(solver='lbfgs', max_iter=1000)
```

```
mdl.fit(xtrain, ytrain)
ypred = mdl.predict(xtest)
```

✓ Evaluation Metrics

```
conf_mat = metrics.confusion_matrix(ytest, ypred)
print('Confusion Matrix: ', conf_mat)
acc_score = metrics.accuracy_score(ytest, ypred)
```

```
print('Accuracy: ', acc_score)
print('Accuracy in percentage: ', int(acc_score * 100), '%')
```

```
Confusion Matrix: [[43  4]
 [ 2 31]]
Accuracy: 0.925
Accuracy in percentage: 92 %
```

✓ Confusion Matrix Heatmap

```
conf_mat = pd.crosstab(ytest, ypred, rownames=['Actual'], colnames=['Predicted']
sn.heatmap(conf_mat, annot=True)
```

<Axes: xlabel='Predicted', ylabel='Actual'>



