

Query 1:

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team)WHERE  
  t.name = "England" and l.name = "Indian Premier League" RETURN p.name  
as PlayerName
```

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team)WHERE t.n...
```



Table



Text



Code

PlayerName

"Butler"

"Bairstow"

Query 2:

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team)WHERE  
  t.name = "India" or t.name = "Australia" and l.name = "Indian Premier  
  League" RETURN p.name as PlayerName
```

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team)WHERE t.n...
```



Table



Text



Code

PlayerName

"Bumrah"

"Hardik"

"Jadeja"

"Rohit"

"Virat"

"Maxwell"

"Warner"

"Smith"

Query 3:

```
$ match (l:League)-[PLAYS_FOR]-(p:Player) WHERE l.name = "Indian Premier League" RETURN count(p.name) as Number_of_players_playing_IPL
```

```
$ match (l:League)-[PLAYS_FOR]-(p:Player) WHERE l.name = "Indian Premier..."
```



Table

Number_of_players_playing_IPL

14



Text



Code

Query 4:

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team) WHERE l.name = "Indian Premier League" or l.name = "Big Bash League" RETURN p.name as Players
```

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team) WHERE l....
```



Table

Players

"Gayle"

"Butler"

"Bravo"

"Pollard"

"Hetmeyer"

"Bairstow"

"Maxwell"

"Warner"

"Smith"

"Bumrah"

"Hardik"

"Jadeja"

"Rohit"

"Virat"

Query 5:

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team) WHERE  
  l.name = "Big Bash League" RETURN t.name as team
```

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team) WHERE l...
```



Table



Text



Code

team

"England"

"Australia"

"England"

"Australia"

"Australia"

"Australia"

"Australia"

Query 6:

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[ROLE]-(s:skill) WHERE s.name =  
  "Batting" and l.name = "Indian Premier League" RETURN p.name as  
  PlayerName
```

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[ROLE]-(s:skill) WHERE s.name ...
```



Table



Text



Code

PlayerName

"Warner"

"Hetmeyer"

"Smith"

"Pollard"

"Virat"

"Bravo"

"Bairstow"

"Maxwell"

"Rohit"

"Gayle"

"Butler"

Query 7:

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[ROLE]-(s:skill) WHERE l.name = "Big Bash League" and s.name = "Bowling" RETURN p.name as PlayerName
```

Table

Text

Code

PlayerName
"Anderson"
"Broad"
"Starc"
"Hazlewood"

Query 8:

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[ROLE]-(s:skill) WHERE s.name = "Batting" RETURN count(p.name) as Batsmancount
```

Table

Text

Code

Batsmancount
19

Query 9:

```
$ match (s:skill)-[ROLE]-(p:Player)-[REPRESENTS]-(t:Team) WHERE t.name =  
"Australia" and s.name = "Batting" or t.name = "India" and s.name =  
"Batting" RETURN p.name as Players
```

```
$ match (s:skill)-[ROLE]-(p:Player)-[REPRESENTS]-(t:Team) WHERE t.name =...
```



Table



Text



Code

Players

"Rohit"

"Virat"

"Maxwell"

"Warner"

"Smith"

Query 10:

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team) WHERE  
l.name = "Indian Premier League" and t.name = "Australia" RETURN  
p.name as Players
```

```
$ match (l:League)-[PLAYS_FOR]-(p:Player)-[REPRESENTS]-(t:Team) WHERE l.name = "Indian Premier League" and t.name = "Australia" RETURN p.name as Players
```



Table



Text



Code

Players

"Maxwell"

"Warner"

"Smith"