

Cloud Shell Editor interface showing a terminal session with various Linux commands and their outputs.

Terminal Output:

```
Welcome to Cloud Shell! Type "help" to get started, or type "geminl" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use "gcloud config set project [PROJECT_ID]".
You can view your projects by running "gcloud projects list".
harishrajan77@cloudshell:~$ uname
Linux
harishrajan77@cloudshell:~$ uptime
07:42:17 up 2:06, 0 user, load average: 0.06, 0.07, 0.02
harishrajan77@cloudshell:~$ hostname
cs-969494873647-default
harishrajan77@cloudshell:~$ dmesg
dmesg: read kernel buffer failed: Operation not permitted
harishrajan77@cloudshell:~$ free
              total        used        free      shared  buff/cache   available
Mem:           8138096       2268784       4715208         1144       1403852       5869312
Swap:              0               0
```

Explorer view shows files: `folder1`, `fi`, `fi2`, `hello.txt`, `README-cloudshell.txt`.

Bottom status bar: 34°C, Party sunny, Cloud Code - No Project, Ln 1, Col 8, Spaces: 4, UTF-8, LF, Plain Text, Layout: US, 13:12, 14-05-2025.

Cloud Shell Editor interface showing a terminal window with the output of the `top` command. The terminal output includes system statistics and a list of running processes.

```
Swap: 0 0 0
harishrajan77@cloudshell:~$ top
top - 07:43:05 up 2:07, 0 user, load average: 0.16, 0.09, 0.03
Tasks: 32 total, 1 running, 31 sleeping, 0 stopped, 0 zombie
%Cpu(s): 2.8 us, 1.7 sy, 0.0 ni, 95.0 id, 0.0 wa, 0.0 hi, 0.3 si, 0.2 st
MiB Mem : 7947.4 total, 4594.9 free, 2225.4 used, 1371.0 buff/cache
MiB Swap: 0.0 total, 0.0 free, 0.0 used, 5722.0 avail Mem
```

PID	USER	PR	NI	VRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
421	root	20	0	1234268	10288	5464	S	0.7	0.1	0:04.69	editor-proxy
730	harishr+	20	0	11.3g	144340	50832	S	0.3	1.8	0:19.99	node
1613	harishr+	20	0	1093912	89808	48300	S	0.3	1.1	0:14.88	node
2066	harishr+	20	0	42.4g	738932	61976	S	0.3	9.1	0:47.91	node
1	root	20	0	4324	2704	2424	S	0.0	0.0	0:00.09	bash
9	syslog	20	0	222140	3696	2332	S	0.0	0.0	0:00.06	rsyslogd
25	root	20	0	38768	25716	8608	S	0.0	0.3	0:01.75	python
26	root	20	0	6196	1304	1744	S	0.0	0.0	0:00.00	logger
68	root	10	-10	12804	3912	2796	S	0.0	0.0	0:00.07	sshd
335	root	20	0	2087444	54984	31668	S	0.0	0.7	0:01.40	dockerd
423	root	20	0	16328	4780	3856	S	0.0	0.1	0:00.01	sudo
436	root	20	0	1226100	1664	920	S	0.0	0.0	0:00.01	tmux-agent
458	root	20	0	1793224	31668	10804	S	0.0	0.4	0:09.33	containerd
654	root	20	0	2696	1192	1092	S	0.0	0.0	0:00.00	sleep
670	harishr+	10	-10	7016	2428	1892	S	0.0	0.0	0:00.02	tmux
671	harishr+	10	-10	8796	4644	2788	S	0.0	0.1	0:00.08	bash
707	root	20	0	9196	3380	3004	S	0.0	0.0	0:00.00	runuser
709	harishr+	20	0	4324	2588	2324	S	0.0	0.0	0:00.00	sh
1602	root	10	-10	13996	7564	6192	S	0.0	0.1	0:00.03	sshd
1604	harishr+	10	-10	14256	5684	3948	S	0.0	0.1	0:00.00	sshd

Cloud Shell Editor interface showing a terminal window with system information and a list of running processes.

Terminal Output:

```
11.3% Tasks: 34, 100 thr, 0 kthr; 1 running
11.9% Load average: 0.19 0.08 0.02
1.92G/7.76G Uptime: 02:07:45
0K/0K
```

Process List:

PID	USER	PR	NI	VIRT	RES	SHR	S	CPU	MEM	TIME+	Command
6316	harishraja	20	0	8432	4868	3768	R	1.3	0.1	0:00.05	htop
730	harishraja	20	0	11.3G	140M	50832	S	0.7	1.8	0:15.96	/google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-
1613	harishraja	20	0	1068M	80816	40300	S	0.7	1.1	0:13.98	/google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for-
2066	harishraja	20	0	42.4G	721M	61976	S	0.7	9.1	0:33.11	/google/devshell/editor/code-oss-for-cloud-shell/node --dns-result-order-ipv4first /google/
1	root	20	0	4324	2704	2424	S	0.0	0.0	0:00.07	/bin/bash /google/scripts/onrun.sh sleep infinity
9	syslog	20	0	216M	3696	2332	S	0.0	0.0	0:00.00	/usr/sbin/rsyslogd
10	syslog	20	0	216M	3696	2332	S	0.0	0.0	0:00.02	/usr/sbin/rsyslogd
11	syslog	20	0	216M	3696	2332	S	0.0	0.0	0:00.00	/usr/sbin/rsyslogd
12	syslog	20	0	216M	3696	2332	S	0.0	0.0	0:00.02	/usr/sbin/rsyslogd
25	root	20	0	36768	25716	8608	S	0.0	0.3	0:01.75	/usr/bin/python /usr/bin/supervisord -n -c /google/devshell/supervisord.conf --pidfile=/var
26	root	20	0	5196	1984	1744	S	0.0	0.0	0:00.00	logger -t supervisord
68	root	10	10	12024	3012	2796	S	0.0	0.0	0:00.07	sshd: /usr/sbin/sshd -p 22 -o AuthorizedKeysFile=/etc/ssh/keys/authorized keys [listener] 0
335	root	20	0	2038M	54984	31668	S	0.0	0.7	0:00.22	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gc
391	root	20	0	2038M	54984	31668	S	0.0	0.7	0:00.24	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gc
392	root	20	0	2038M	54984	31668	S	0.0	0.7	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gc
393	root	20	0	2038M	54984	31668	S	0.0	0.7	0:00.05	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gc
394	root	20	0	2038M	54984	31668	S	0.0	0.7	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gc
421	root	20	0	1705M	10280	5464	S	0.0	0.1	0:00.80	/google/devshell/editor/proxy/editor-proxy -static-content-dir=/google/devshell/editor/code
422	root	20	0	2038M	54984	31668	S	0.0	0.7	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gc
423	root	20	0	2038M	54984	31668	S	0.0	0.7	0:00.00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gc
424	root	20	0	16328	4780	3856	S	0.0	0.1	0:00.01	sudo /google/devshell/tmux-agent

Bottom status bar: 34°C, Party sunny, Cloud Code - No Project, 13:13, 14-05-2025.


The screenshot displays the Google Cloud Shell Editor interface. The top bar shows the URL 'shell.cloud.google.com/?pli=1&show=ide%2CTerminal'. The interface is divided into several sections:


- File Explorer (Left):** Shows a project named 'HARISHRAJAN77' with a folder 'folder1' containing files 'f1', 'f2', 'practice', 'hello.txt', and 'README-cloudshell.txt'.
- Terminal (Main Area):** Displays the output of a 'ps aux' command, showing a list of system processes including 'node', 'bash', 'rsyslogd', 'python', 'logger', 'sshd', 'dockerd', 'editor-proxy', 'sudo', 'tmux-agent', 'sleep', 'tmux', 'bash', 'runuser', 'sh', and 'sshd'. Below this, the user has entered several commands: 'htop', 'lsc_release', 'lsof_release', and 'arch', with their respective outputs.
- Bottom Bar:** Shows the status bar with 'Ln 1, Col 8', 'Spaces: 4', 'UTF-8', 'LF', 'Plain Text', and 'Layout: US'.

The screenshot displays the Google Cloud Shell Editor interface. The top navigation bar includes the 'Cloud Shell' logo, a search bar, and a 'Ask Gemini' button. The main workspace is divided into three panes: the Explorer on the left, the Editor in the center, and the Terminal on the right. The Explorer pane shows a file tree with 'HARISHRAJAN77' as the root, containing 'folder1', 'backup', 'new', 'practice', and 'README-cloudshell.txt'. The Editor pane shows a file named 'hello.txt' with the following content:

```
1 linux command :  
Welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.  
To set your Cloud Platform project in this session use "gcloud config set project [PROJECT_ID]".  
You can view your projects by running "gcloud projects list".  
harishrajan77@cloudshell:~$ ls  
folder1 new practice README-cloudshell.txt  
harishrajan77@cloudshell:~$ pwd  
/home/harishrajan77  
harishrajan77@cloudshell:~$ cd folder1  
harishrajan77@cloudshell:~/folder1$ pwd  
/home/harishrajan77/folder1  
harishrajan77@cloudshell:~/folder1$ cd ..  
harishrajan77@cloudshell:~$ mkdir newd  
harishrajan77@cloudshell:~$ rmdir newd  
harishrajan77@cloudshell:~$ cd folder1  
harishrajan77@cloudshell:~/folder1$ touch f2  
harishrajan77@cloudshell:~/folder1$ touch f1  
harishrajan77@cloudshell:~/folder1$ rm f2  
harishrajan77@cloudshell:~/folder1$ touch f1  
harishrajan77@cloudshell:~/folder1$ touch f2  
harishrajan77@cloudshell:~/folder1$ cp f1 f2  
harishrajan77@cloudshell:~/folder1$ cd ..  
harishrajan77@cloudshell:~$ mv f1 new/  
mv: cannot stat 'f1': No such file or directory  
harishrajan77@cloudshell:~$ cd folder1  
harishrajan77@cloudshell:~/folder1$ mkdir backup  
harishrajan77@cloudshell:~/folder1$ mv f1 backup/  
harishrajan77@cloudshell:~/folder1$ cd ..  
harishrajan77@cloudshell:~$
```

The Terminal pane on the right shows the 'bash' shell prompt. The bottom status bar indicates the current file is 'Ln 1, Col 1', the encoding is 'UTF-8', and the layout is 'US'. The system tray at the bottom shows the date and time as '14:31 14-05-2025'.





The screenshot displays a web-based Cloud Shell Editor interface. The top navigation bar includes a 'Cloud Shell' tab, a search bar with 'Ask Gemini', and standard browser controls. Below this, the 'Cloud Shell Editor' header is visible. The interface is divided into three main sections: a left-hand 'EXPLORER' pane, a central editor area, and a bottom status bar.

The 'EXPLORER' pane on the left shows a file tree structure under the name 'HARISHRAJAN77'. It includes folders like 'folder1', 'backup', and 'f1', 'f2', 'notes', 'new', 'practice', and a file named 'README-cloudshell.txt'.

The central editor area contains a terminal window with the following commands and output:

```
harishrajan77@cloudshell:~$ cd folder1
harishrajan77@cloudshell:~/folder1$ ls
backup  f1  f2  notes
harishrajan77@cloudshell:~/folder1$ chmod u+x f1
harishrajan77@cloudshell:~/folder1$ sudo chown harishrajan77 f1
harishrajan77@cloudshell:~/folder1$ ls
backup  f1  f2  notes
harishrajan77@cloudshell:~/folder1$ sudo chgrp harishrajan77 f1
harishrajan77@cloudshell:~/folder1$ ls
backup  f1  f2  notes
harishrajan77@cloudshell:~/folder1$ umask
bash: umask: command not found
harishrajan77@cloudshell:~/folder1$ stat f1
  File: f1
  Size: 87          Blocks: 8          IO Block: 4096   regular file
Device: 8,17   Inode: 131664      Links: 1
Access: (0744/-rwxr--r--)  Uid: ( 1000/harishrajan77)   Gid: ( 1000/harishrajan77)
Access: 2026-05-14 09:07:41.074161254 +0000
Modify: 2026-05-15 00:11:25.107049913 +0000
Change: 2026-05-15 03:00:27.347145381 +0000
 Birth: 2026-05-14 09:07:41.074161254 +0000
harishrajan77@cloudshell:~/folder1$ lsattr f1
-----e----- f1
harishrajan77@cloudshell:~/folder1$ sudo chattr +i f1
harishrajan77@cloudshell:~/folder1$ ls
backup  f1  f2  notes
harishrajan77@cloudshell:~/folder1$
```

The bottom status bar shows the current cursor position as 'Ln 2, Col 6', the file encoding as 'UTF-8', and the layout as 'Plain Text'. The system tray at the very bottom indicates a temperature of 26°C, a sunny weather icon, and the date and time as 08:41 on 15-05-2026.

Cloud Shell

shell.cloud.google.com/?show-ide%2CTerminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

- HARISHRAJAN77
 - folder1
 - backup
 - f1
 - f2
 - notes
 - new
 - practice
 - README-cloudshell.txt

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
welcome to Cloud Shell! Type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use "gcloud config set project [PROJECT_ID]".
You can view your projects by running "gcloud projects list".
harishrajan77@cloudshell:~$ cd folder1
harishrajan77@cloudshell:~/folder1$ ifconfig
docker0: flags=4099<UP,BROADCAST,MULTICAST> mtu 1460
    inet 172.17.0.1 netmask 255.255.0.0 broadcast 172.17.255.255
    ether 8a:cb:50:40:0a:14 txqueuelen 0 (Ethernet)
    RX packets 0 bytes 0 (0.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 0 bytes 0 (0.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1460
    inet 10.88.0.4 netmask 255.255.0.0 broadcast 10.88.255.255
    ether 4e:dd:4b:1a:a6:04 txqueuelen 1000 (Ethernet)
    RX packets 13762 bytes 12049101 (12.0 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 10965 bytes 32438167 (32.4 MB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    loop txqueuelen 1000 (Local Loopback)
    RX packets 25223 bytes 81802763 (81.8 MB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 25223 bytes 81802763 (81.8 MB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

harishrajan77@cloudshell:~/folder1$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
```

main* 26°C Sunny

Cloud Code - No Project

Ln 2, Col 6 Spaces: 4 UTF-8 LF Plain Text Layout: US

08:45 15-05-2025

The screenshot shows a Google Cloud Shell terminal window with the following content:

```
valid ift forever preferred ift forever
harishrajan77@cloudshell:~/folder1$ ip route
default via 10.88.0.1 dev eth0
10.88.0.0/16 dev eth0 proto kernel scope link src 10.88.0.4
172.17.0.0/16 dev docker0 proto kernel scope link src 172.17.0.1 linkdown
harishrajan77@cloudshell:~/folder1$ ping google.com
PING google.com (74.125.200.139) 56(84) bytes of data:
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=1 ttl=117 time=0.784 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=2 ttl=117 time=0.397 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=3 ttl=117 time=0.360 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=4 ttl=117 time=0.393 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=5 ttl=117 time=0.322 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=6 ttl=117 time=0.459 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=7 ttl=117 time=0.495 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=8 ttl=117 time=0.446 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=9 ttl=117 time=0.395 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=10 ttl=117 time=0.138 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=11 ttl=117 time=0.526 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=12 ttl=117 time=0.405 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=13 ttl=117 time=0.319 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=14 ttl=117 time=0.386 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=15 ttl=117 time=0.508 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=16 ttl=117 time=0.434 ms
64 bytes from sa-in-f139.1e100.net (74.125.200.139): icmp_seq=17 ttl=117 time=0.357 ms
^C
--- google.com ping statistics ---
17 packets transmitted, 17 received, 0% packet loss, time 16375ms
rtt min/avg/max/mdev = 0.319/0.431/0.784/0.107 ms
harishrajan77@cloudshell:~/folder1$ netstat -a
netstat: option '-a' is ambiguous; possibilities: '--ax25' '--all'
usage: netstat [-WenKcF] [-af] -r netstat [-V|--version] -h|--help]
netstat [-WenKcF] [-af] -r netstat [-V|--version] -h|--help]
netstat [-WenKcF] [-af] -r netstat [-V|--version] -h|--help]
netstat [-WenKcF] [-af] -r netstat [-V|--version] -h|--help]
```

The terminal window is titled "Cloud Shell Editor" and shows the user "harishrajan77". The left sidebar contains a file explorer with a folder named "HARISHRAJAN77" and a file named "README-cloudshell.txt". The bottom status bar shows the temperature as 26°C, the time as 08:45, and the date as 15-05-2025.

Cloud Shell

shell.cloud.google.com/?show-ide%2Cterminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

- HARISHRAJAN77
 - folder1
 - backup
 - fl
 - fl
 - notes
 - new
 - practice
 - README-cloudshell.txt

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
big := {established|syn-sent|fin-wait-{1,2}|closed|close-wait|last-ack|listening|closing}
harishrajan77@cloudshell:~/folder1$ sudo apt install traceroute
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
  traceroute
0 upgraded, 1 newly installed, 0 to remove and 2 not upgraded.
Need to get 60.5 kB of archives.
After this operation, 162 kB of additional disk space will be used.
Get:1 http://archive.ubuntu.com/ubuntu noble/universe amd64 traceroute amd64 1:2.1.5-1 [60.5 kB]
Fetched 60.5 kB in 0s (1.176 kB/s)
debconf: delaying package configuration, since apt-utils is not installed
Selecting previously unselected package traceroute.
(Reading database ... 121190 files and directories currently installed.)
Preparing to unpack .../traceroute_1:2.1.5-1_amd64.deb ...
Unpacking traceroute (1:2.1.5-1) ...
Setting up traceroute (1:2.1.5-1) ...
update-alternatives: using /usr/bin/traceroute.db to provide /usr/bin/traceroute (traceroute) in auto mode
update-alternatives: warning: skip creation of /usr/share/man/man1/traceroute.1.gz because associated file /usr/share/man/man1/traceroute.db.1.gz (of link group traceroute) doesn't exist
update-alternatives: using /usr/bin/traceroute6.db to provide /usr/bin/traceroute6 (traceroute6) in auto mode
update-alternatives: warning: skip creation of /usr/share/man/man1/traceroute6.1.gz because associated file /usr/share/man/man1/traceroute6.db.1.gz (of link group traceroute6) doesn't exist
update-alternatives: using /usr/bin/lft.db to provide /usr/bin/lft (lft) in auto mode
update-alternatives: warning: skip creation of /usr/share/man/man1/lft.1.gz because associated file /usr/share/man/man1/lft.db.1.gz (of link group lft) doesn't exist
update-alternatives: using /usr/bin/traceproto.db to provide /usr/bin/traceproto (traceproto) in auto mode
update-alternatives: warning: skip creation of /usr/share/man/man1/traceproto.1.gz because associated file /usr/share/man/man1/traceproto.db.1.gz (of link group traceproto) doesn't exist
update-alternatives: using /usr/sbin/tcptraceroute.db to provide /usr/sbin/tcptraceroute (tcptraceroute) in auto mode
update-alternatives: warning: skip creation of /usr/share/man/man8/tcptraceroute.8.gz because associated file /usr/share/man/man8/tcptraceroute.db.8.gz (of link group tcptraceroute) doesn't exist
```

main 26°C Sunny

Cloud Code - No Project

Ln 2, Col 6 Spaces: 4 UTF-8 LF Plain Text Layout: US

08:46 15-05-2025

The screenshot displays the Google Cloud Shell Editor interface. The top navigation bar includes the 'Cloud Shell' title, a search bar with 'harishrajan77', and an 'Ask Gemini' button. The main workspace is divided into three panes: Explorer, Problems, and Terminal. The Explorer pane on the left shows a file tree with folders like 'folder1', 'backup', 'f1', 'f2', 'notes', 'new', 'practice', and a file 'README-cloudshell.txt'. The Terminal pane on the right shows the execution of two commands. The first command is `wget https://example.com/file.zip`, which results in a 404 Not Found error. The second command is `nslookup google.com`, which returns a list of IP addresses for google.com. The bottom status bar shows the current cursor position (Ln 2, Col 6), encoding (UTF-8), and layout (US).

```
Cloud Shell
shell.cloud.google.com/?show-ide%2CTerminal

Cloud Shell Editor
harishrajan77

EXPLORER
HARISHRAJAN77
  folder1
    backup
    f1
    f2
    notes
    new
    practice
    README-cloudshell.txt

TERMINAL
harishrajan77@cloudshell:~/folder1$ wget https://example.com/file.zip
--2026-05-15 03:14:42-- https://example.com/file.zip
Resolving example.com (example.com)... 104.20.23.154, 172.66.147.243, 2606:4700:10::6814:179a, ...
Connecting to example.com (example.com)[104.20.23.154]:443... connected.
HTTP request sent, awaiting response... 404 Not Found
2026-05-15 03:14:43 ERROR 404: Not Found.

harishrajan77@cloudshell:~/folder1$ nslookup google.com
Server:      169.254.169.254
Address:     169.254.169.254#53

Non-authoritative answer:
Name:   google.com
Address: 142.251.18.113
Name:   google.com
Address: 142.251.18.100
Name:   google.com
Address: 142.251.18.102
Name:   google.com
Address: 142.251.18.101
Name:   google.com
Address: 142.251.18.138
Name:   google.com
Address: 142.251.18.139
Name:   google.com
Address: 2004:6800:4003:c00::8b
Name:   google.com
Address: 2004:6800:4003:c00::71
Name:   google.com
Address: 2004:6800:4003:c00::8a
Name:   google.com
Address: 2004:6800:4003:c00::164

Ln 2, Col 6  Spaces: 4  UTF-8  LF  Plain Text  Layout: US
26°C Sunny  Search  ENG IN  08:46 15-05-2026
```

Cloud Shell

shell.cloud.google.com/?show-ide%2CTerminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

- HARISHRAJAN77
 - folder1
 - backup
 - f1
 - f2
 - notes
 - new
 - practice
 - README-cloudshell.txt

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
Address: 2404:6800:4003:c00::71
Name: google.com
Address: 2404:6800:4003:c00::8a
Name: google.com
Address: 2404:6800:4003:c00::64

harishrajan77@cloudshell:~/folder1$ dig google.com

; <<>> 016 9.18.30-0ubuntu0.24.04.3-Ubuntu <<>> google.com
;; global options: +cmd
;; Got answer:
;; ->HEADER<<- opcode: QUERY, status: NOERROR, id: 25008
;; flags: qr rd ra; QUERY: 1, ANSWER: 6, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags; udp: 512
;; QUESTION SECTION:
;google.com.                IN      A

;; ANSWER SECTION:
google.com.                285     IN      A      142.251.10.113
google.com.                285     IN      A      142.251.10.100
google.com.                285     IN      A      142.251.10.102
google.com.                285     IN      A      142.251.10.101
google.com.                285     IN      A      142.251.10.130
google.com.                285     IN      A      142.251.10.139

;; Query time: 1 msec
;; SERVER: 169.254.169.254#53(169.254.169.254) (UDP)
;; WHEN: Fri May 15 03:15:16 UTC 2026
;; MSG SIZE rcvd: 135
```

harishrajan77@cloudshell:~/folder1\$

main* 26°C Sunny

Cloud Code - No Project

Ln 2, Col 6 Spaces: 4 UTF-8 LF Plain Text Layout: US

ENG IN 08:46 15-05-2026

Cloud Shell

shell.cloud.google.com/?show-ide%2CTerminal

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

- HARISHRAJAN77
 - folder1
 - backup
 - fi
 - notes
 - test.py
 - new
 - practice
 - README-cloudshell.txt

test.py

```
1 a = 5
2 b = 6
3 print(f'sum of (a) and (b) is {a+b}')
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

Welcome to Cloud Shell! type "help" to get started, or type "gemini" to try prompting with Gemini CLI.
To set your Cloud Platform project in this session use 'gcloud config set project [PROJECT_ID]'.
You can view your projects by running 'gcloud projects list'.
cdharishrajan77@cloudshell:~\$ cd folder1
harishrajan77@cloudshell:~/folder1\$ ps

PID	TTY	TIME	CMD
6767	pts/10	00:00:00	bash
7181	pts/10	00:00:00	ps

harishrajan77@cloudshell:~/folder1\$ pgrep firefox
harishrajan77@cloudshell:~/folder1\$ ls
backup fi notes test.py
harishrajan77@cloudshell:~/folder1\$ pkill firefox
harishrajan77@cloudshell:~/folder1\$ ls
backup fi notes test.py
harishrajan77@cloudshell:~/folder1\$ bg
bash: bg: current: no such job
harishrajan77@cloudshell:~/folder1\$ fg
bash: fg: current: no such job
harishrajan77@cloudshell:~/folder1\$ jobs
harishrajan77@cloudshell:~/folder1\$ nice -n python test.py
nice: invalid adjustment 'python'
harishrajan77@cloudshell:~/folder1\$ renice 5 -p 1234
renice: failed to get priority for 1234 (process ID): No such process
harishrajan77@cloudshell:~/folder1\$ ps -aux

main* 0 0 Cloud Code - No Project

Ln 3, Col 37 Spaces: 4 UTF-8 LF Python 3.12.3 64-bit Layout US

26°C Sunny

Search

ENG IN 08:53 15-05-2025

Cloud Shell Editor interface showing a terminal window with a list of processes and their details.

The terminal output shows a list of processes with columns: USER, PID, %CPU, %MEM, VSZ, RSS, TTY, STAT, START, TIME, and COMMAND. The processes are listed in descending order of RSS (memory usage).

USER	PID	%CPU	%MEM	VSZ	RSS	TTY	STAT	START	TIME	COMMAND
root	1	0.0	0.0	4324	3244	?	Ss	03:02	0:00	/bin/bash /google/scripts/onrun.sh sleep infinity
syslog	9	0.0	0.0	222140	3832	?	ssl	03:02	0:00	/usr/sbin/rsyslogd
root	25	0.0	0.3	38768	28088	?	S	03:02	0:00	/usr/bin/python /usr/bin/supervisord -n -c /google/devshell/supervisord.conf --pidfile=/var
root	26	0.0	0.0	6196	2680	?	S	03:02	0:00	logger -t supervisord
root	67	0.0	0.0	12024	4004	?	Scs	03:02	0:00	sshd: /usr/sbin/sshd -p 22 -o AuthorizedKeysFile=/etc/ssh/keys/authorized_keys [listener] 0
root	320	0.0	1.0	2021836	65440	?	Sl	03:02	0:00	/usr/bin/dockerd -p /var/run/docker.pid --mtu=1460 --registry-mirror=https://asia-mirror.gc
root	419	0.1	0.1	1234268	13060	?	Sl	03:02	0:02	/google/devshell/editor/proxy-editor-proxy -static-content-dir=/google/devshell/editor/code
root	420	0.0	0.0	16328	6460	?	S	03:02	0:00	sudo /google/devshell/tmux-agent
root	440	0.0	0.0	1226100	2664	?	Sl	03:02	0:00	/google/devshell/tmux-agent
root	460	0.1	0.5	1793480	45800	?	SSL	03:02	0:01	containerd --config /var/run/docker/containerd/containerd.toml
root	497	0.0	0.1	13996	9832	?	Scs	03:02	0:00	sshd: harishrajan77 [priv]
root	507	0.0	0.1	13996	9708	?	Scs	03:02	0:00	sshd: harishrajan77 [priv]
harishr+	561	0.0	0.0	14384	6368	?	Sc	03:02	0:00	sshd: harishrajan77@pts/0
harishr+	613	0.0	0.0	7340	3704	pts/0	Scs	03:02	0:00	bash -c (sudo touch /var/run/google/devshell/36299 8) trap "sudo rm -f /var/run
harishr+	617	0.0	0.0	7604	4532	pts/0	Sc+	03:02	0:00	/bin/bash --nrc --noprofile
harishr+	618	0.0	0.0	14256	6336	?	Sc	03:02	0:00	sshd: harishrajan77@pts/1
harishr+	656	0.0	0.0	7340	3612	pts/1	Scs+	03:02	0:00	bash -c if [-f /google/devshell/start-shell.sh]; then /google/devshell/start-shell.sh
harishr+	657	0.0	0.0	7340	3616	pts/1	Sc+	03:02	0:00	/bin/bash /google/devshell/start-shell.sh 697694143 false
harishr+	658	0.0	0.0	6880	3440	pts/1	Sc+	03:02	0:00	tmux new-session -A -0 -n cloudshell -s 697694143
harishr+	660	0.0	0.0	7816	2680	?	Scs	03:02	0:00	tmux new-session -A -0 -n cloudshell -s 697694143
harishr+	661	0.0	0.0	8796	5944	pts/2	Scs+	03:02	0:00	bash
root	707	0.0	0.0	2606	1576	?	S	03:02	0:00	sleep infinity
root	709	0.0	0.0	9196	3956	?	S	03:02	0:00	nmuser -l harishrajan77 -c export GOPATH=/home/harishrajan77/gopath:/google/gopath HOME=/h
harishr+	710	0.0	0.0	4324	3184	?	Ss	03:02	0:00	sh ./bin/code-oss-cloudshell --host=0.0.0.0 --port=971
harishr+	731	0.9	1.3	11838836	112802	?	Sl	03:02	0:11	/google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for
harishr+	1491	0.6	1.0	1127720	84256	?	Sl	03:03	0:08	/google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for
harishr+	1502	0.0	0.0	9020	6140	pts/3	Ss+	03:03	0:00	/bin/bash --init-file /google/devshell/editor/code-oss-for-cloud-shell/out/vs/workbench/con
harishr+	1956	3.4	10.6	44602152	864888	?	Sl	03:03	0:42	/google/devshell/editor/code-oss-for-cloud-shell/node --dns-result-order=ipatfirst /google/
harishr+	1984	0.1	0.8	1263052	68332	?	Sl	03:03	0:02	/google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for
harishr+	2001	0.0	0.7	1016302	62736	?	Sl	03:03	0:00	/google/devshell/editor/code-oss-for-cloud-shell/node /google/devshell/editor/code-oss-for
harishr+	2050	0.1	1.0	1944040	88116	?	Sl	03:03	0:01	/home/harishrajan77/.cache/cloud-code/cloudcode/cli/cloudcode/cli/fba419fa/cloudcode cli du

The interface also includes a file explorer on the left showing the project structure, and a status bar at the bottom indicating the current file, line, column, and other details.

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

- HARISHRAJAN77
 - folder1
 - backup
 - ft
 - notes
 - testpy
 - new
 - practice
 - README-cloudshell.txt

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
harishrajan77@cloudshell:~$ cd folder1
harishrajan77@cloudshell:~/folder1$ df
Filesystem            1K-blocks    Used Available Use% Mounted on
overlay                98831908  76312576  22502948   78% /
tmpfs                  65536      0    65536    0% /dev
/dev/sda1              98831908  76312576  22502948   78% /root
/dev/disk/by-id/google-home-part1 5018272  160716  4579080    4% /home
/dev/root              2019696  1288424  731272    64% /usr/lib/modules
shm                    65536      0    65536    0% /dev/shm
harishrajan77@cloudshell:~/folder1$ du -h
8.0K  ./backup
24K  .
harishrajan77@cloudshell:~/folder1$ sudo mkfs.ext4 /dev/sdb1
mkfsfs 1.47.0 (5-Feb-2023)
/dev/sdb1 is apparently in use by the system; will not make a filesystem here!
harishrajan77@cloudshell:~/folder1$ mount
overlay on / type overlay (rw,relatime,lowerdir=206/fs:199/fs:198/fs:196/fs:193/fs:192/fs:190/fs:189/fs:188/fs:187/fs:185/fs:184/fs:183/fs:182/fs:181/fs:180/f
s:179/fs:178/fs:177/fs:176/fs:175/fs:174/fs:173/fs:172/fs:163/fs:162/fs:161/fs:160/fs:157/fs:156/fs:155/fs:152/fs:151/fs:148/fs:146/fs:143/fs:142/fs:141/fs:14
0/fs:139/fs:138/fs:137/fs:136/fs:133/fs:132/fs:128/fs:126/fs:125/fs:123/fs:119/fs:118/fs:116/fs:114/fs:110/fs:107/fs:106/fs:105/fs:104/fs:102/fs:99/fs:97/fs:9
5/fs:94/fs:91/fs:90/fs:85/fs:84/fs:83/fs:82/fs:80/fs:78/fs:69/fs:68/fs:67/fs:66/fs:65/fs:64/fs:63/fs:62/fs:6/fs:upperdir=/var/lib/containerd/io.containerd.sna
pshotter.v1.gcfs/snapshotter/snapshots/318/workdir=/var/lib/containerd/io.containerd.snapshotter.v1.gcfs/snapshotter/snapshots/318/work)
proc on /proc type proc (rw,nosuid,nodev,noexec,relatime)
tmpfs on /dev type tmpfs (rw,nosuid,size=65536k,mode=755)
devpts on /dev/pts type devpts (rw,nosuid,noexec,relatime,gid=5,mode=620,ptmxmode=666)
mqueue on /dev/mqueue type mqueue (rw,nosuid,nodev,noexec,relatime)
sysfs on /sys type sysfs (ro,nosuid,nodev,noexec,relatime)
cgroup on /sys/fs/cgroup type cgroup2 (rw,nosuid,nodev,noexec,relatime)
/dev/sda1 on /root type ext4 (rw,relatime,commit=30)
/dev/disk/by-id/google-home-part1 on /home type ext4 (rw,relatime,commit=30)
/dev/dm-0 on /usr/lib/modules type ext2 (ro,relatime)
/dev/sda1 on /etc/hosts type ext4 (rw,relatime,commit=30)
/dev/sda1 on /etc/hostname type ext4 (rw,relatime,commit=30)
/dev/sda1 on /etc/resolv.conf type ext4 (rw,relatime,commit=30)
```

Ln 3, Col 37 Spaces: 4 UTF-8 LF Python 3.12.3 64-bit Layout US

Light rain In the afternoon

Search

ENG IN 08:56 15-05-2025

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

- HARISHRAJAN77
 - folder1
 - backup
 - ft
 - notes
 - test.py
 - new
 - practice
 - README-cloudshell.txt

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
harishrajan77@cloudshell:~/folder1$ sudo umount /dev/sdb1
sudo: umount: command not found
harishrajan77@cloudshell:~/folder1$ sudo blkid
/dev/sdb1: UUID="b9f0e455-8c03-483b-a0d6-629a47561fb9" BLOCK_SIZE="4096" TYPE="ext4" PARTUUID="5245a676-01"
/dev/dm-0: LABEL="ROOT-A" SEC_TYPE="ext2" BLOCK_SIZE="4096" TYPE="ext4"
/dev/sda4: PARTLABEL="KERN-B" PARTUUID="76f23ba4-cdd3-1143-93d2-9a5f7372c111"
/dev/sda2: PARTLABEL="KERN-A" PARTUUID="2762bea5-16e2-5a94-b00a-f19370e6ab65"
/dev/sda12: SEC_TYPE="msdos" LABEL_FATBOOT="EFI-SYSTEM" LABEL="EFI-SYSTEM" UUID="78E5-F008" BLOCK_SIZE="512" TYPE="vfat" PARTLABEL="EFI-SYSTEM" PARTUUID="1b9d-2508-4204-1a41-81b8-2ddc3bf9b40"
/dev/sda9: PARTLABEL="reserved" PARTUUID="9634bb25-70d7-1a45-8b09-3648a7de5fea"
/dev/sda10: PARTLABEL="reserved" PARTUUID="9f5dc8da-5cc5-f44e-8289-f09f0a682b1d"
/dev/sda7: PARTLABEL="ROOT-C" PARTUUID="9bf2b5b6-8aac-994a-b087-360efbffa8b7"
/dev/sda5: PARTLABEL="ROOT-B" PARTUUID="969395aa-4a21-b54f-a5ae-3d373edd8009"
/dev/sda3: LABEL="ROOT-A" SEC_TYPE="ext2" BLOCK_SIZE="4096" TYPE="ext4" PARTLABEL="ROOT-A" PARTUUID="cald3ffc-74bb-1a4c-872e-8923bf79698e"
/dev/sda1: LABEL="STATE" UUID="9f2dbcb8-9534-4465-bea2-68140599ab88" BLOCK_SIZE="4096" TYPE="ext4" PARTLABEL="STATE" PARTUUID="3154d2f0-8b5c-4447-a5e0-0c5082396a44"
/dev/sda11: PARTLABEL="RAW" PARTUUID="bfed8244-2587-ec88-adfc-b7a9c3bbbae"
/dev/sda8: LABEL="OEM" UUID="7c475393-34ab-4c9b-aebb-a9cea7244704" BLOCK_SIZE="4096" TYPE="ext4" PARTLABEL="OEM" PARTUUID="d2d9c06d-32cf-1b49-a5e8-e9c15ebb7dc5"
/dev/sda6: PARTLABEL="KERN-C" PARTUUID="9ea468af-861b-9946-a767-3bfe1912f69e"
harishrajan77@cloudshell:~/folder1$ lsblk
NAME        MAJ:MIN RM  SIZE RO TYPE MOUNTPOINTS
sda          8:0    0 100G  0 disk
└─sda1       8:1    0  95.8G  0 part /run/google/devshell
                       /var/lib/docker
                       /etc/sh/keys
                       /var/config/tmux
                       /etc/resolv.conf
                       /etc/hostname
                       /etc/hosts
                       /root
sda2         8:2    0   16M  0 part
sda3         8:3    0    2G  0 part
```

OUTLINE

TIMELINE

main* Cloud Code - No Project

Ln 3, Col 37 Spaces: 4 UTF-8 LF Python 3.12.3 64-bit Layout US

Light rain In the afternoon

Search

ENG IN 08:56 15-05-2025

Cloud Shell Editor

File Edit Selection View Go Run Terminal Help

EXPLORER

- HARISHRAJAN77
 - folder1
 - backup
 - ft
 - notes
 - testpy
 - new
 - practice
 - README-cloudshell.txt

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL

```
harishrajan77@cloudshell:~/folder1$ sudo tune2fs -l /dev/sda1
tune2fs 1.47.0 (5-Feb-2023)
Filesystem volume name: STATE
Last mounted on: /var
Filesystem UUID: 9f2dbcb8-9534-4465-bea2-481409599ab8
Filesystem magic number: 0xEF53
Filesystem revision #: 1 (dynamic)
Filesystem features: has_journal ext_attr resize_inode dir_index filetype needs_recovery extent 64bit flex_bg sparse_super large_file huge_file dir_nlink
extra_isize metadata_csum
Filesystem flags: signed_directory_hash
Default mount options: user_xattr acl
Filesystem state: clean
Errors behavior: Remount read-only
Filesystem OS type: linux
Inode count: 6258720
Block count: 25126305
Reserved block count: 0
Overhead clusters: 418418
Free blocks: 5636223
Free inodes: 4791636
First block: 0
Block size: 4096
Fragment size: 4096
Group descriptor size: 64
Reserved GDT blocks: 609
Blocks per group: 32768
Fragments per group: 32768
Inodes per group: 8160
Inode blocks per group: 510
Flex block group size: 16
Filesystem created: Fri May 8 10:15:28 2026
Last mount time: Fri May 15 02:39:33 2026
Last write time: Fri May 15 02:39:33 2026
```

OUTLINE

TIMELINE

main* 0 0 Cloud Code - No Project

Ln 3, Col 37 Spaces: 4 UTF-8 LF Python 3.12.3 64-bit Layout: US

Light rain In the afternoon

ENG IN 08:56 15-05-2026

