



Add file to Repository in GitHub

Objective for Exercise

- To add file to repository on GitHub
- To add file to repository on GitHub through command line

Note: These instructions works on BASH terminal on Windows & Mac terminals.

Click 'Add file' to add a file

Branch: master

Go to file

Add file

Code

mskill committed 6726854 12 minutes ago

Create new file

Upload files

0 tags

README.md

first commit

12 minutes ago

README.md

demo_test1

Provide the file name and add a description to that file. To commit the changes in the repository, click 'Commit New File'

demo_test1 / newfile.txt Cancel

<> Edit new file

Preview

1 This is a remote file created in remote repository



Commit new file

Create newfile.txt

Add an optional extended description...

☒ Commit directly to the `master` branch.

☐ Create a new branch for this commit and start a pull request. [Learn more about pull requests.](#)

Commit new file

Cancel

Adding a file remotely will not be there in the local directory. Check the files using `dir`

```
Skill07@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (master)
$ dir
README.md
```

As per the screenshot above, there is 1 file in the repository.

To pull the file that is added in remote repository to local repository, we use PULL command `git pull`

```
Skill07@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (master)
$ git pull
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), done.
From github.com:mskill/demo_test1
   6726854..664421a  master    -> origin/master
Updating 6726854..664421a
Fast-forward
 newfile.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 newfile.txt
```

After pull, if I check the local repository using `dir`, there are 2 files as shown:

```
Skill07@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (master)
$ dir
newfile.txt  README.md
```

To add a branch in master branch `git branch branchname`

Switch the branch `git checkout branchname`

Adding a file in branch `echo "#content">> filename.txt`

Then add the file and push the file. To create the branch remotely we have to use `git push --set-upstream origin branchname`

```

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (mybranch)
$ echo "#stuff on branch" >> stuffonbranch.txt

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (mybranch)
$ git add stuffonbranch.txt
warning: LF will be replaced by CRLF in stuffonbranch.txt.
The file will have its original line endings in your working directory

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (mybranch)
$ git commit -m "add to the branch"
[mybranch 889cf83] add to the branch
1 file changed, 1 insertion(+)
create mode 100644 stuffonbranch.txt

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (mybranch)
$ git push
fatal: The current branch mybranch has no upstream branch.
To push the current branch and set the remote as upstream, use

    git push --set-upstream origin mybranch

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (mybranch)
$ git push --set-upstream origin mybranch
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 4 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 331 bytes | 165.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0)
remote:
remote: Create a pull request for 'mybranch' on GitHub by visiting:
remote:   https://github.com/mskill/demo_test1/pull/new/mybranch
remote:
To github.com:mskill/demo_test1.git
 * [new branch]      mybranch -> mybranch
Branch 'mybranch' set up to track remote branch 'mybranch' from 'origin'.

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (mybranch)
$ git push
Everything up-to-date

```

Switch the branch again to the master using `git checkout master`

Merge command to merge the branches `git merge mybranch`

As the merge command is used the new create branch will be merged to the master branch and the file will be inserted to it. Previously, we have 2 file in the master, now there are 3 files. Make sure to push the files using `git push`

```

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (mybranch)
$ git merge mybranch
Already up to date.

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (mybranch)
$ git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (master)
$ git merge mybranch
Updating 664421a..889cf83
Fast-forward
 stuffonbranch.txt | 1 +
1 file changed, 1 insertion(+)
create mode 100644 stuffonbranch.txt

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (master)
$ git merge mybranch
Already up to date.

Skill107@DESKTOP-FR7C17B MINGW64 ~/Downloads/demo_test1 (master)
$ git push
Total 0 (delta 0), reused 0 (delta 0)
To github.com:mskill/demo_test1.git
 664421a..889cf83 master -> master

```


Now, the file which is in the branch, is now in the master branch

Branch: master

Go to file

Add file

Code

 mskill committed 889cf83 13 minutes ago

3 commits2 branches0 tags

README.md	first commit	41 minutes ago
newfile.txt	Create newfile.txt	25 minutes ago
stuffonbranch.txt	add to the branch	13 minutes ago

README.md

demo_test1

Author(s)

Malika Singla

Other Contributor(s)

Lavanya

Changelog

Date	Version	Changed by	Change Description
2020-08-25	2.0	Lavanya	Migrated Lab to Markdown and added to course repo in GitLab

© IBM Corporation 2020. All rights reserved.