

FULL STACK WEB DEVELOPMENT LAB
MINI PROJECT - Front End Development

TITLE: Atlas travel ticketing

Team Members

V L Harisudhan (1934010)

K P Nithish Kumaar (1934026)

HTML, CSS, JAVASCRIPT CODE:

1) Home page - Flight ticket booking page

HTML Code:

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>ATLAS: Explore Outdoors</title>
<link rel="stylesheet" type="text/css" href="style.css">
<link href="https://fonts.googleapis.com/css2?family=Rampart+One&display=swap" rel="stylesheet">
<link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
<link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">

<!-- Navigation bar-->
<header>
    <div class="header">
        
        <h1 style="margin-top: 5px;">atlas</h1>
        
        <a    class="four"    href="Home_page.html"    style="margin-left: 340px;    margin-top: -55px;">Flights</a>
        
        <a class="four" href="train.html" style="margin-left: 480px; margin-top: -55px;">Trains</a>
        
        <a class="four" href="bus.html" style="margin-left: 610px; margin-top: -55px;">Bus</a>
        
        <a    class="four"    href="login_signup.html"    style="margin-left: 1345px;    margin-top: -55px;">Login/signup</a>
        
        <a    class="four"    href="customer_care.html"    style="margin-left: 1145px;    margin-top: -55px;">Customer care</a>
    </div>
</header>

</head>

<body>
    <div id="cf">
        
        
        
        
```

>

= "bottom"

```
<div class="text-block">
<form style="display: inline-block; float: right;">
    <label><b>From</b></label>
    <select id="from", name="from">
        <option value="chennai">MAA - Chennai, India</option>
        <option value="bangalore">BLR - Bangaluru, India</option>
        <option value="Hyderabad">HYD - Hyderabad, India</option>
        <option value="Mumbai">BOM - Mumbai, India</option>
        <option value="Delhi">DEL - New Delhi, India</option>
    </select>&emsp;

    <label><b>To</b></label>
    <select id="from", name="from">
        <option value="chennai">MAA - Chennai, India</option>
        <option value="bangalore">BLR - Bangaluru, India</option>
        <option value="Hyderabad">HYD - Hyderabad, India</option>
        <option value="Mumbai">BOM - Mumbai, India</option>
        <option value="Delhi">DEL - New Delhi, India</option>
    </select>&emsp;

    <label><b>Departure</b></label>
    <input type="date" name="departure" value="date">&emsp;

    <label><b>Return</b></label>
    <input type="date" name="return" value="date">&emsp;

    <label><b>Class</b></label>
    <select id="class", name="class">
        <option value="economy">Economy</option>
        <option value="business">Business</option>
        <option value="premium_economy">Premium economy</option>
    </select>&emsp;

    <!-- <input type="submit" class="button button3"> -->
    <a class="button button3" href="fight_selection_page.html">Submit</a>

```

</form>

</div>

</div>

<section class="offerimage">

</section>

<section class="offer">

<p id = "offertitle", style="margin-top: 852px; text-align: center; margin-bottom: 6px; padding-top: 10px; padding-bottom: 10px; font-size: 30px;"><i>SPECIAL OFFER</i></p>

<div>

<div class="polaroid rotate_right">

<p class="caption">Kochi, Kerela, India</p>


</div>

<div class="polaroid rotate_left">

```



<b><a href="">Worli island, Maharastra India</a></b></p>






<b><a href="">Assam, India</a></b></p>





<b><a href="">Mahabalipuram, Chennai, India</a></b></p>





<b><a href="">Hawa Mahal, Jaipur, India</a></b></p>





<b><a href="">Jaisalmer, Rajasthan, India</a></b></p>





<b><a href="">Coorg, Karnataka, India</a></b></p>





<b><a href="">Golconda fort, Hyderabad, India</a></b></p>



<!-- Footer -->

<footer class="footer">  
<br>

 &nbsp;  &nbsp; 



<p><a class="one" href="">About us</a> &nbsp; <a class="one" href="">Investors relations</a> &nbsp; <a class="one" href="">CSR</a> &nbsp; <a class="one" href="">Mobile</a> &nbsp; <a class="one" href="">Privacy</a> &nbsp; <a class="one" href="">Terms of use</a> &nbsp; <a class="one" href="">Careers</a> &nbsp; <a class="one" href="">Customer service</a><br><br></p>


```

```

</div><br><br><br><hr>
<p style="margin-left:470px; padding-bottom: 20px; color: white">&copy; 2021 ATLAS Technologies
Pvt Ltd. India. All trademarks of their respective owners.</p>
</footer>

</body>
</html>

```

Common CSS style for all pages.

```

.header img{
    float: left;
    margin-left: 30px;
    position: relative;
    display: inline-block;
    cursor: pointer;
    margin-right: 10px;
}

.header a{
    float: left;
    margin-left: 10px;
    position: relative;
    display: inline-block;
    font-size: 17px;
    text-decoration: none;
    font-family: 'Zen Antique', serif;
}

a.four:link {color:#ff0000;}
a.four:visited {color:black;}
a.four:hover {font-family:monospace;}
a.four:hover {color:red;}

.header h1{
    font-family: 'Rampart One', cursive;
}

#cf {
    position: relative;
}

#cf img {
    animation-name: cf3FadeInOut;
    animation-timing-function: ease-in-out;
/* if you only want to cycle a finite amount of times,
simply change 'infinite' with # of iterations you need */
    animation-iteration-count: infinite;
    animation-duration: 50s;
    animation-direction: alternate; /* not strictly necessary */
    position:absolute;
    height: 600px;
    width: 100%;
}

#cf img:nth-of-type(1) {
    animation-delay: 40s;
}

#cf img:nth-of-type(2) {
    animation-delay: 30s;
}

```

```
#cf img:nth-of-type(3) {
    animation-delay: 20s;
}

#cf img:nth-of-type(4) {
    animation-delay: 10s;
}

#cf img:nth-of-type(5) {
    animation-delay: 0s;
}

@keyframes cf3FadeInOut {
    /* distributing times evenly */
    0% {
        opacity: 1;
    }
    25% {
        opacity: 0;
    }
    75% {
        opacity: 0;
    }
    100% {
        opacity: 1;
    }
}

#cf{
    margin-top: -15px;
}

.text-block {
    position: absolute;
    bottom: -400px;
    right: 100px;
    background-color: black;
    color: white;
    padding-left: 20px;
    padding-right: 20px;
    padding-top: 20px;
    padding-bottom: 20px;
    opacity: 0.7;
    font-size: 20px;
}

.button {
    background-color: #4CAF50; /* Green */
    border: none;
    color: white;
    padding: 5px 16px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 16px;
    margin: 4px 2px;
    transition-duration: 0.4s;
    cursor: pointer;
}

.button3 {
    background-color: white;
    color: black;
```

```
    border: 2px solid #f44336;
}

.button3:hover {
    background-color: #f44336;
    color: white;
}

.offerimage{
    background-image: linear-gradient(to right, #000066, #ccffff , #000066);
    display: inline-block;
    float: right;
    padding-right: 15px;
}

.offer img{
    padding: 10px;
    box-shadow: 8px 10px 10px #888888;
}

#offertitle{
    font-family: 'Oswald', sans-serif;
    background-color: #B0C4DE;
    background-image: linear-gradient(to right, #000066, #ccffff , #000066);
}

div.rotate_right {
    float: left;
    -ms-transform: rotate(7deg); /* IE 9 */
    -webkit-transform: rotate(7deg); /* Safari */
    transform: rotate(7deg);
    margin-top: 40px;
    margin-left: 55px;
}

div.rotate_left {
    float: left;
    -ms-transform: rotate(-8deg); /* IE 9 */
    -webkit-transform: rotate(-8deg); /* Safari */
    transform: rotate(-8deg);
    margin-left: 55px;
    margin-top: 40px;
}

.caption{
    text-align: center;
}

.footer{
    background-image: linear-gradient(#ccffff , #000066);
    margin-top: 680px;
}

.footer_ref{
    display: inline-block;
    float: right;
    margin-right: 395px;
}

a.one:link {color:#ff0000;}
a.one:visited {color:#00008B;}
a.one:hover {color: white}
```

```
.footer img{
    cursor: pointer;
}

.footer hr{
    width: 910px;
}

.card {
    /* Add shadows to create the "card" effect */
    box-shadow: 0 4px 8px 0 rgba(0,0,0,0.3);
    transition: 0.3s;
}

/* On mouse-over, add a deeper shadow */
.card:hover {
    box-shadow: 5px 8px 16px 5px rgba(0,0,0,0.5);
}

/* Add some padding inside the card container */
.container {
    padding: 2px 16px;
    padding-left: 200px;
    padding-right: 200px;
    background-image:
url('https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcR2gOp_o0HxgwsnD2iyj3XXC2eFq5Q8KyYD6A&us
qp=CAU');
    background-repeat: no-repeat;
    background-size: cover;
}

a.five:link {color:#ff0000;text-decoration:none;}
a.five:visited {color:#0000ff;text-decoration:none;}
a.five:hover {text-decoration:underline;}
```

Home Page:

The screenshot shows the homepage of the ATLAS travel website. At the top, there's a navigation bar with icons for Flights, Trains, and Bus, along with Customer care and Login/signup links. Below the header is a large banner featuring a scenic view of a city built on a hillside. A search bar at the bottom of the banner allows users to enter 'From' (MAA - Chennai, India), 'To' (AAK - Ghatotkacha, India), 'Departure' (dd-mm-yyyy), 'Return' (dd-mm-yyyy), and 'Class' (Economy). A 'Submit' button is also present. Below the banner, there are two promotional boxes: one for 'Last-Minute Travel Plans Burning Your Pocket?' offering a flat 12% discount on domestic flights, and another for 'INTRODUCING Domestic flight bookings UP TO '2,000 BACK''. The main content area features a 'SPECIAL OFFER' section with eight thumbnail images of Indian landmarks and landscapes, each with a caption: Kochi, Kerala, India; Worli Island, Maharashtra, India; Assam, India; Mahabalipuram, Chennai, India; Hawa Mahal, Jaipur, India; Jaisalmer, Rajasthan, India; Coorg, Karnataka, India; and Golconda fort, Hyderabad, India. At the bottom, there's a footer with social media links, a search bar, and a copyright notice: © 2021 ATLAS Technologies Pvt Ltd, India. All trademarks of their respective owners.

2) Train ticket booking page:

HTML:

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>Book train tickets</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <link href="https://fonts.googleapis.com/css2?family=Rampart+One&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">
<header>
    <div class="header">
```

```


<h1 style="margin-top: 5px;">atlas</h1>

<a class="four" href="Home_page.html" style="margin-left: 340px; margin-top: -55px;">Flights</a>

<a class="four" href="train.html" style="margin-left: 480px; margin-top: -55px;">Trains</a>

<a class="four" href="bus.html" style="margin-left: 610px; margin-top: -55px;">Bus</a>

<a class="four" href="login_signup.html" style="margin-left: 1345px; margin-top: -55px;">Login/signup</a>

<a class="four" href="customer_care.html" style="margin-left: 1145px; margin-top: -55px;">Customer care</a>
</div>
</header>
</head>
<body>
<section>
<div id="cf">





<div class="text-block">
<form style="display: inline-block; float: right;">
<label><b>From</b></label>
<select id="from", name="from">
<option value="chennai">MAA - Chennai, India</option>
<option value="bangalore">BLR - Bangalore, India</option>
<option value="Hyderabad">HYD - Hyderabad, India</option>
<option value="Mumbai">BOM - Mumbai, India</option>
<option value="Delhi">DEL - New Delhi, India</option>
</select>&nbsp;&nbsp;&nbsp;&nbsp;
<label><b>To</b></label>
<select id="to", name="to">
<option value="chennai">MAA - Chennai, India</option>
<option value="bangalore">BLR - Bangalore, India</option>
<option value="Hyderabad">HYD - Hyderabad, India</option>
<option value="Mumbai">BOM - Mumbai, India</option>
<option value="Delhi">DEL - New Delhi, India</option>
</select>&nbsp;&nbsp;&nbsp;&nbsp;
<label><b>Class</b></label>
<select id="class", name="class">
<option value="Unreserved General Class (UR)">Unreserved General Class (UR)</option>
<option value="Second Seating AC (2S)">Second Seating AC (2S)</option>
<option value="Sleeper Class (SL)">Sleeper Class (SL)</option>
<option value="Three Tier AC Class (3A)">Three Tier AC Class (3A)</option>
<option value="Two Tier AC Class (2AC)">Two Tier AC Class (2AC)</option>
<option value="First Class AC (1AC)">First Class AC (1AC)</option>
<option value="Executive AC Chair Car (1A)">Executive AC Chair Car (1A)</option>
<option value="AC Chair Car (CC)">AC Chair Car (CC)</option>

```

```

        </select>&emsp;&emsp;&emsp;&emsp;

        <label><b>Date</b></label>
        <input type="date" name="departure" value="date">&emsp;&emsp;&emsp;

        <input type="submit" class="button button3">
    </form>
    </div>
</div>
</section>

<section>
    <div class="card" style="margin-top: 630px;">
        <div class="container">
            <h3 style="text-align: center; font-size: 25px;"><b><i>Popular IRCTC Train Routes</i></b></h3><hr><br>

            <div style="display: inline-block; float: right;">
                <p>To&nbsp;&nbsp;<b><a class="five" href="">Mumbai</a></b></p>
                <p>Via:&nbsp;&nbsp;<b><a class="five" href="">Pune,</a> <a class="five" href="">Hyderabad,</a> <a class="five" href="">Ahmedabad</a></b></p><br><br>
                <div style="display: inline-block; float: right; margin-top: -140px; margin-right: 325px;">
                    <p>To&nbsp;&nbsp;<b><a class="five" href="">Patna</a></b></p>
                    <p>Via:&nbsp;&nbsp;<b><a class="five" href="">Bangalore,</a> <a class="five" href="">Chennai,</a> <br><a class="five" href="">Vijayawada,</a> <a class="five" href="">Mumbai</a></b></p><br><br>
                </div>
                <div style="margin-top:-140px; margin-left: 310px;">
                    <p>To&nbsp;&nbsp;<b><a class="five" href="">Goa</a></b></p>
                    <p>Via:&nbsp;&nbsp;<b><a class="five" href="">Delhi,</a> <a class="five" href="">Jaipur,</a> <a class="five" href="">Mumbai</a></b></p><br><br>
                </div>
                <div style="display: inline-block; float: right; margin-right: 25px;">
                    <p>To&nbsp;&nbsp;<b><a class="five" href="">Kolkata</a></b></p>
                    <p>Via:&nbsp;&nbsp;<b><a class="five" href="">Delhi,</a> <a class="five" href="">Jaipur,</a> <a class="five" href="">Bangalore</a></b></p><br><br>
                </div>
                <p>To&nbsp;&nbsp;<b><a class="five" href="">Pune</a></b></p>
                <p>Via:&nbsp;&nbsp;<b><a class="five" href="">Bangalore,</a> <a class="five" href="">Tirupati,</a><br><a class="five" href="">Mumbai,</a> <a class="five" href="">Ahmedabad</b></p><br><br>
                <div style="display: inline-block; float: right; margin-top: -140px; margin-right: 320px;">
                    <p>To&nbsp;&nbsp;<b><a class="five" href="">Chennai</a></b></p>
                    <p>Via:&nbsp;&nbsp;<b><a class="five" href="">Bangalore,</a> <a class="five" href="">Tirupati,</a> <a class="five" href="">Madurai,</a> <br><a class="five" href="">Coimbatore</a></b></p><br><br>
                </div>
            <div style="margin-top:-140px; margin-left: 310px;">

```

```

<p>To&nbsp;&nbsp;<b><a class="five" href="">Jaipur</a></b></p>
<p>Via:&nbsp;&nbsp;<b><a class="five" href="">Pune,</a> <a class="five"
href="">Mumbai,</a> <a class="five" href="">Delhi,</a><br><a class="five"
href="">Ahmedabad</b></p><br><br>
</div>

</div>
</div>
</section>

<section class="offerimage" style="margin-top: 10px;">
<p id = "offertitle" style="margin-top: 15px; text-align: center; font-size: 30px; padding-top: 5px;
padding-bottom: 5px;"><i>SPECIAL OFFER</i></p>


</section>

<footer class="footer" style="margin-top: 340px;">
<br>
<div style="margin-bottom: -40px; margin-left: 30px;">
 &nbsp;  &nbsp; 
</div>
<div class="footer_ref">
<p><a class="one" href="">About us</a> &nbsp; <a class="one" href="">Investors relations</a> &nbsp; <a class="one" href="">CSR</a> &nbsp; <a class="one" href="">Mobile</a> &nbsp; <a class="one" href="">Privacy</a> &nbsp; <a class="one" href="">Terms of use</a> &nbsp; <a class="one" href="">Careers</a> &nbsp; <a class="one" href="">Customer service</a> <br><br><br></p>
</div><br><br><br><hr>
<p style="margin-left:470px; padding-bottom: 20px; color: white">&copy; 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.</p>
</footer>
</body>
</html>

```

Train page:

The screenshot shows the ATLAS travel booking website interface. At the top, there's a navigation bar with icons for Flights, Trains, and Bus, along with Customer care and Login/signup links. Below the navigation is a large image of a bridge over water. Overlaid on this image is a search bar with fields for 'From' (MAA-Chennai, India), 'To' (MAA-Chennai, India), 'Class' (Unreserved/General Class (UR)), and a date selector set to '01-01-2023'. A 'Submit' button is also visible. Below the search bar, the page title 'Popular IRCTC Train Routes' is displayed. This section lists eight popular train routes with their respective via points:

To	Via
Bangalore	Pune, Hyderabad, Delhi, Ahmedabad
Goa	Delhi, Jaipur, Patna, Mumbai
Patna	Bangalore, Chennai, Vijayawada, Mumbai
Mumbai	Pune, Hyderabad, Delhi, Ahmedabad
Pune	Bangalore, Mumbai, Tirupati, Ahmedabad
Jaipur	Pune, Mumbai, Delhi, Ahmedabad
Chennai	Bangalore, Madurai, Tirupati, Coimbatore
Kolkata	Delhi, Jaipur, Patna, Bangalore

Below this, there's a 'SPECIAL OFFER' section featuring two promotional banners:

- Book Train E-Tickets & get 100% CASHBACK on Payment Gateway Charges**
Promocode: TZERO
Applicable on your first booking. T&C Apply.
- FLAT ₹100 CASHBACK ON RAIL E-TICKETS AT IRCTC WEBSITE**
IndiaKaaOffer.COM
Minimum rail e-ticket of ₹100
Total limit per user: ₹1000

At the bottom of the page, there are social media icons (Facebook, Twitter, Instagram) and a footer with links to About us, Investors relations, CSR, Mobile, Privacy, Terms of use, Careers, and Customer service. The footer also includes a copyright notice: © 2021 ATLAS Technologies Pvt Ltd, India. All trademarks of their respective owners.


3) Bus ticket booking page

HTML:

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>Book Bus</title>

    <link rel="stylesheet" type="text/css" href="style.css">
    <link href="https://fonts.googleapis.com/css2?family=Rampart+One&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">

    <!-- Navigation bar-->
    <header>
        <div class="header">
            
            <h1 style="margin-top: 5px;">atlas</h1>
            
```

-55px;" >Flights
 
 Trains
 
 Bus
 
 User
 -55px;" >Login/signup
 
 Customer care


```

        class="one" href="">Privacy</a> &emsp; <a class="one" href="">Terms of use</a> &emsp; <a class="one"
        href="">Careers</a> &emsp; <a class="one" href="">Customer service</a> <br><br> </p>
        </div><br><br><br><hr>
        <p style="margin-left:470px; padding-bottom: 20px; color: white">&copy; 2021 ATLAS Technologies
        Pvt Ltd. India. All trademarks of their respective owners.</p>
        </footer>

    </body>
    </html>

```

Bus page:

Top Tourist Bus Routes

- Bangalore To Ooty
- Trichy To Ooty
- Bangalore To Salem
- Trivandrum To Kozhikode
- Chennai To Bangalore
- Chennai To Vizag
- Chennai To Coimbatore
- Chennai To Madurai
- Pondicherry To Chennai
- Pondicherry To Chittor
- Pondicherry To Tirupati
- Bangalore To Mangalore
- Mysore To Chennai
- Mysore To Kakinada
- Mysore To Mangalore
- Coimbatore To Mangalore

About us | Investors relations | CSR | Mobile | Privacy | Terms of use | Careers | Customer service

© 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.

4) Customer care page:

HTML:

```

<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>customer_care</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <link href="https://fonts.googleapis.com/css2?family=Rampart+One&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">

    <!-- Navigation bar -->
    <header>
        <div class="header">
            
            <h1 style="margin-top: 5px;">atlas</h1>

```

```


<a class="four" href="Home_page.html" style="margin-left: 340px; margin-top: -55px;">Flights</a>

<a class="four" href="train.html" style="margin-left: 480px; margin-top: -55px;">Trains</a>

<a class="four" href="bus.html" style="margin-left: 610px; margin-top: -55px;">Bus</a>

<a class="four" href="login_signup.html" style="margin-left: 1345px; margin-top: -55px;">Login/signup</a>

<a class="four" href="" style="margin-left: 1145px; margin-top: -55px;">Customer care</a>
</div>
</header>

<style>
.Container {
    position: relative;
    font-family: Arial;
}

.Text-block {
    position: absolute;
    bottom: 100px;
    right: 900px;
    background-color: black;
    color: white;
    padding-left: 20px;
    padding-right: 20px;
    opacity: 0.7;
    padding-bottom: 20px;
}

.button {
    background-color: #4CAF50; /* Green */
    border: none;
    color: white;
    padding: 16px 32px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 16px;
    margin: 4px 2px;
    transition-duration: 0.4s;
    cursor: pointer;
}

.button2 {
    background-color: white;
    color: black;
    border: 2px solid #008CBA;
}

.button2:hover {
    background-color: #008CBA;
    color: white;
}

</style>
</head>
<body>
<div class="Container">

```

```



<div class="Text-block">
<h3><b>Thanks for your interest in ATLAS</b></h3>
<p>For queries write to us.</p>
<form>
    <label for="name"><b>Name:</b></label>&emsp;&emsp;
    <input type="text" name="name" placeholder=" Enter Name" style="height: 30px; border-radius: 5px;" required pattern="[a-zA-Z]{1,15}" title="Only Alphabets." size="40"><br><br>
    <label for="email"><b>Email:</b></label>&emsp;&emsp;
    <input type="text" placeholder=" Enter Email" name="email" style="height: 30px; border-radius: 5px;" required pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,4}$" title="Enter a valid E-mail address." size="40"><br><br>
    <label for="text"><b>Queries:</b></label>&emsp;
    <input type="text" name="query" placeholder=" Enter your queries" style="height: 70px; border-radius: 5px;" required pattern="[a-zA-Z0-9]{1,100}" title="Only Alphabets." size="40"><br><br>
    <input class="button button3" style="margin-left: 153px; padding: 10px 20px; border-radius: 5px;" type="submit" name="submit">
</form><br>
<center>
    <p>Reach us out here:</p>
    <p><b>Mail:</b> atlas.travel@gmail.com</p>
    <p><b>Phone no:</b> (+91) 9546218964</p>
</center>
</div>
</div>

<!-- Footer -->
<footer class="footer" style="margin-top: 0px;">
    <br>
    <div style="margin-bottom: -40px; margin-left: 30px;">
        
    </div>
    <div class="footer_ref">
        <p><a class="one" href="">About us</a> &emsp; <a class="one" href="">Investors relations</a> &emsp; <a class="one" href="">CSR</a> &emsp; <a class="one" href="">Mobile</a> &emsp; <a class="one" href="">Privacy</a> &emsp; <a class="one" href="">Terms of use</a> &emsp; <a class="one" href="">Careers</a> &emsp; <a class="one" href="">Customer service</a> <br><br></p>
    </div><br><br><br><hr>
    <p style="margin-left:470px; padding-bottom: 20px; color: white">&copy; 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.</p>
</footer>


</body>
</html>



```

Customer care page:



Validation done through regular expression pattern, for verification refer the above code which are highlighted.





5) Sign up page

HTML:

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>Login/Signup</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <link href="https://fonts.googleapis.com/css2?family=Rampart+One&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">
    <script src="javascript_signup.js"></script>
    <!-- Navigation bar-->
<header>
    <div class="header">
        
        <h1 style="margin-top: 5px;">atlas</h1>
        
        <a    class="four"    href="Home_page.html"    style="margin-left: 340px;    margin-top:
-55px;">Flights</a>
        
```

```

<a class="four" href="train.html" style="margin-left: 480px; margin-top: -55px;">Trains</a>

<a class="four" href="bus.html" style="margin-left: 610px; margin-top: -55px;">Bus</a>

<a class="four" href="login_signup.html" style="margin-left: 1345px; margin-top: -55px;">Login/signup</a>

<a class="four" href="customer_care.html" style="margin-left: 1145px; margin-top: -55px;">Customer care</a>
</div>
</header>

<style>
body {font-family: Arial, Helvetica, sans-serif;}
* {box-sizing: border-box}

/* Full-width input fields */
input[type=text], input[type=password] {
    width: 100%;
    padding: 15px;
    margin: 5px 0 22px 0;
    display: inline-block;
    border: none;
    background: #f1f1f1;
}

input[type=text]:focus, input[type=password]:focus {
    background-color: #ddd;
    outline: none;
}

hr {
    border: 1px solid #f1f1f1;
    margin-bottom: 25px;
}

/* Set a style for all buttons */
button {
    background-color: #04AA6D;
    color: white;
    padding: 14px 20px;
    margin: 8px 0;
    border: none;
    cursor: pointer;
    width: 100%;
    opacity: 0.9;
}

button:hover {
    opacity: 1;
}

/* Extra styles for the cancel button */
.cancelbtn {
    padding: 14px 20px;
    background-color: #f44336;
}

/* Float cancel and signup buttons and add an equal width */
.cancelbtn, .signupbtn {
    float: left;
    width: 50%;
}

```

```

/* Add padding to container elements */
.container {
    padding: 16px;
    margin-top: -15px;
}

/* Clear floats */
.clearfix::after {
    content: "";
    clear: both;
    display: table;
}

/* Change styles for cancel button and signup button on extra small screens */
@media screen and (max-width: 300px) {
    .cancelbtn, .signupbtn {
        width: 100%;
    }
}

```

</style>

</head>

<body>

<form action="/action_page.php" style="border:1px solid #ccc">

<div class="container">

<h2>Sign Up</h2>

<p>Please fill in this form to create an account.</p>

<hr>

<label for="email">Email</label>

<input type="text" placeholder="Enter Email" name="email" required pattern="[\w\.-]+\@[a-zA-Z]+\.[a-zA-Z]{2,4}\$" title="Enter a valid E-mail address.">

<label for="psw">Password</label>

<input type="password" placeholder="Enter Password" name="psw" required pattern="^(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{8,}\$" title="Must contain at least one number and one uppercase and lowercase letter, and at least 8 or more characters">

<label for="psw-repeat">Repeat Password</label>

<input type="password" placeholder="Repeat Password" name="psw-repeat" required>

<label>

Remember me

</label>

<p>By creating an account you agree to our Terms & Privacy.</p>

<p>Already having an account Click Here</p>

<div class="clearfix">

<button type="button" class="cancelbtn">Cancel</button>

<button type="submit" class="signupbtn">Sign Up</button>

</div>

</div>

</form>

<!-- Footer -->

<footer class="footer" style="margin-top: 2px;">

<div style="margin-bottom: -40px; margin-left: 30px;">

```

         &nbsp;  &nbsp; 
    </div>
    <div class="footer_ref">
        <p><a class="one" href="">About us</a> &nbsp; <a class="one" href="">Investors relations</a> &nbsp; <a class="one" href="">CSR</a> &nbsp; <a class="one" href="">Mobile</a> &nbsp; <a class="one" href="">Privacy</a> &nbsp; <a class="one" href="">Terms of use</a> &nbsp; <a class="one" href="">Careers</a> &nbsp; <a class="one" href="">Customer service</a> <br><br></p>
    </div><br><br><br><hr>
    <p style="margin-left:470px; padding-bottom: 20px; color: white">&copy; 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.</p>
</footer>
</body>
</html>

```

Signup page

Sign Up

Please fill in this form to create an account.

Email

Password

Repeat Password

Remember me

By creating an account you agree to our [Terms & Privacy](#).

Already having an account [Click Here](#)

[Cancel](#) [Sign Up](#)

About us Investors relations CSR Mobile Privacy Terms of use Careers Customer service

© 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.

Validation done through regular expression pattern, for verification refer the above code which are highlighted.

Sign Up

Please fill in this form to create an account.

Email

Password

Repeat Password

Remember me

By creating an account you agree to our [Terms & Privacy](#).

Already having an account [Click Here](#)

[Cancel](#) [Sign Up](#)

Sign Up

Please fill in this form to create an account.

Email
sudhanhari58@gmail.com

Password
....

Repeat Password
....

Remember me

By creating an account you agree to our [Terms & Privacy](#).

Already having an account [Click Here](#)

Cancel **Sign Up**

6) Login page

HTML:

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>Login</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <link href="https://fonts.googleapis.com/css2?family=Ramport+One&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">

    <!-- Navigation bar-->
    <header>
        <div class="header">
            
            <h1 style="margin-top: 5px;">atlas</h1>
            
            <a class="four" href="Home_page.html" style="margin-left: 340px; margin-top: -55px;">Flights</a>
            
            <a class="four" href="train.html" style="margin-left: 480px; margin-top: -55px;">Trains</a>
            
            <a class="four" href="bus.html" style="margin-left: 610px; margin-top: -55px;">Bus</a>
            
            <a class="four" href="login_signup.html" style="margin-left: 1345px; margin-top: -55px;">Login/signup</a>
            
            <a class="four" href="customer_care.html" style="margin-left: 1145px; margin-top: -55px;">Customer care</a>
        </div>
    </header>

    <style>
        body {font-family: Arial, Helvetica, sans-serif;}
        * {box-sizing: border-box}

        /* Full-width input fields */
        input[type=text], input[type=password] {
            width: 100%;
            padding: 15px;
            margin: 5px 0 22px 0;
            display: inline-block;
            border: none;
        }
    </style>

```

```

background: #f1f1f1;
}

input[type=text]:focus, input[type=password]:focus {
background-color: #ddd;
outline: none;
}

hr {
border: 1px solid #f1f1f1;
margin-bottom: 25px;
}

/* Set a style for all buttons */
button {
background-color: #04AA6D;
color: white;
padding: 14px 20px;
margin: 8px 0;
border: none;
cursor: pointer;
width: 100%;
opacity: 0.9;
}

button:hover {
opacity:1;
}

/* Extra styles for the cancel button */
.cancelbtn {
padding: 14px 20px;
background-color: #f44336;
}

/* Float cancel and signup buttons and add an equal width */
.cancelbtn, .signupbtn {
float: left;
width: 50%;
}

/* Add padding to container elements */
.container {
padding: 16px;
margin-top: -15px;
}

/* Clear floats */
.clearfix::after {
content: "";
clear: both;
display: table;
}

/* Change styles for cancel button and signup button on extra small screens */
@media screen and (max-width: 300px) {
.cancelbtn, .signupbtn {
width: 100%;
}
}

</style>
</head>
<body>
```

```

<form action="/action_page.php" style="border:1px solid #ccc">
  <div class="container">
    <h2>Login</h2>
    <p>Please fill in this form to create an account.</p>
    <hr>

    <label for="email"><b>Email</b></label>
    <input type="text" placeholder="Enter Email" name="email" required pattern="[a-zA-Z_.%+-]+@[a-zA-Z.-]+\.[a-zA-Z]{2,4}$" title="Enter a valid E-mail address.">

    <label for="psw"><b>Password</b></label>
    <input type="password" placeholder="Enter Password" name="psw" required pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).{8,}" title="Must contain at least one number and one uppercase and lowercase letter, and at least 8 or more characters">

    <label>
      <input type="checkbox" checked="checked" name="remember" style="margin-bottom:15px">
      Remember me
    </label>

    <p>By creating an account you agree to our <a href="#" style="color:dodgerblue">Terms & Privacy</a>.</p>

    <div class="clearfix">
      <button type="button" class="cancelbtn">Cancel</button>
      <button type="submit" class="signupbtn">Sign Up</button>
    </div>

    <div style="margin-left: 450px">
      
      <p>Trusted over by 100 million Indians</p>
    </div>

    <div style="display: inline-block; float: right; margin-top: -105px; margin-right: 450px;">
      
      <p>Fast and secure payments</p>
    </div>
  </div>
</form>

<!-- Footer -->
<footer class="footer" style="margin-top: 2px;">
  <br>
  <div style="margin-bottom: -40px; margin-left: 30px;">
    
  </div>
  <div class="footer_ref">
    <p><a class="one" href="">About us</a> &nbsp; <a class="one" href="">Investors relations</a> &nbsp;
    <a class="one" href="">CSR</a> &nbsp; <a class="one" href="">Mobile</a> &nbsp; <a class="one" href="">Privacy</a> &nbsp; <a class="one" href="">Terms of use</a> &nbsp; <a class="one" href="">Careers</a> &nbsp; <a class="one" href="">Customer service</a> <br><br><br><br>
    </p>
    <p style="margin-left:470px; padding-bottom: 20px; color: white">&copy; 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.</p>
  </div>
</footer>

</body>
</html>

```

Login page:

The screenshot shows the ATLAS login page. At the top, there is a navigation bar with icons for Flights, Trains, and Bus. On the right side of the navigation bar are links for Customer care and Login/signup. Below the navigation bar, the page title "Login" is displayed, followed by a sub-instruction "Please fill in this form to create an account." There are two input fields: "Email" (with placeholder "Enter Email") and "Password" (with placeholder "Enter Password"). A checked checkbox labeled "Remember me" is present. Below these fields is a link to "Terms & Privacy". At the bottom of the form area are "Cancel" and "Sign Up" buttons. The background features a gradient from light blue to dark blue at the bottom. In the center, there is a shield icon with a checkmark and a lock icon, with the text "Trusted over by 100 million Indians" and "Fast and secure payments". Below the main form, there is a footer with links for About us, Investors relations, CSR, Mobile, Privacy, Terms of use, Careers, and Customer service. The footer also includes a copyright notice: "© 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners."

Validation done through regular expression pattern, for verification refer the above code which are highlighted.

This screenshot shows the same ATLAS login page as above, but with validation errors. The "Email" field contains "sudhanhari58@gmail.com", which is highlighted in red. A validation message box appears next to the field, stating "Please match the requested format. Enter a valid E-mail address." The "Password" field contains "....", which is also highlighted in red. Another validation message box appears next to it, stating "Please match the requested format. Must contain at least one number and one uppercase and lowercase letter, and at least 8 or more characters." The rest of the page structure is identical to the first screenshot, including the navigation bar, form fields, and footer.

This screenshot shows the ATLAS login page with detailed validation messages. Both the "Email" and "Password" fields are highlighted in red. The "Email" field has a validation message box with the text "Please match the requested format. Enter a valid E-mail address.". The "Password" field has a validation message box with the text "Please match the requested format. Must contain at least one number and one uppercase and lowercase letter, and at least 8 or more characters.". The rest of the page structure is identical to the previous screenshots.

7) Flight selection page:

HTML:

```
<html>
<head>
    <meta charset="utf-8">
    <title>Select flight</title>
    <link rel="stylesheet" type="text/css" href="c.css">
    <link rel="stylesheet" type="text/css" href="style.css">
    <link href="https://fonts.googleapis.com/css2?family=Rampart+One&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">

    <!-- Navigation bar-->
<header>
    <div class="header" style="background-color: white;">
        
        <h1 style="margin-top: 15px;">atlas</h1>
        
        <a    class="four"    href="Home_page.html"    style="margin-left:    290px;    margin-top:
-50px;">Flights</a>
        
        <a class="four" href="train.html" style="margin-left: 430px; margin-top: -50px;">Trains</a>
        
        <a class="four" href="bus.html" style="margin-left: 560px; margin-top: -50px;">Bus</a>
        
        <a    class="four"    href="login_signup.html"    style="margin-left:    1195px;    margin-top:
-50px;">Login/signup</a>
        
        <a    class="four"    href="customer_care.html"    style="margin-left:    995px;    margin-top:
-50px;">Customer care</a>

    </div>
</header>
<style type="text/css">
    .flight1{
        border-style: inset;
        border-radius: 15px;
        border-width: 2px;
        background-color: rgb(135,206,235);
        font-family: Courier New;
    }
    .position{
        height: 70px;
        width: 925px;
        top: 50px;
        position: relative;
    }
    .position1{
        height: 70px;
        width: 925px;
        top: 75px;
        position: relative;
    }
    .position2{
        height: 70px;
        width: 925px;
        top: 100px;
        position: relative;
    }

```

```
        }
    .position3{
        height: 70px;
        width: 925px;
        top: 125px;
        position: relative;
    }
    .flposition{
        position: relative;
        top: -10px;
        left: 80px;
    }
    .tiposition{
        position: relative;
        top: 5px;
        left: 120px;
    }
    .destination{
        position: relative;
        top: 30px;
        left: -120px;
    }
    .rateposition1{
        position: relative;
        top: 5px;
        left: 125px;
    }
    .rateposition2{
        position: relative;
        top: 5px;
        left: 135px;
    }
    .rateposition3{
        position: relative;
        top: 5px;
        left: 105px;
    }
    .rateposition4{
        position: relative;
        top: 5px;
        left: 95px;
    }
    .book {
        border: none;
        color: white;
        padding: 15px 32px;
        text-align: center;
        text-decoration: none;
        display: inline-block;
        font-size: 16px;
        margin: 4px 2px;
        cursor: pointer;
        border-radius: 10px;
        background-color: rgb(255,126,0);
        position: relative;
        top: 5px;
        left: 200px;
    }
    .align1{
        position: relative;
        left: 190px;
    }
    .align3{
```

```

        position: relative;
        left: 173px;
    }
    .align4{
        position: relative;
        left: 155px;
    }
}
div
{
    float: left;
}
.advertisement{
    float: right;
}

```

</style>

</head>

<body style="background-image: url('background.jpg');">

<div class="flight1 position" style="background-image: url('indigo.png');background-repeat: no-repeat;background-size: 55px 60px;">

<div id='fname' class='flposition'>

<p>Indigo</p>

<p>2E3451</p>

</div>

<div id="time" class="tiposition">

<p>14:15 ----- 17:00</p>

</div>

<div id="destination" class="destination">

<p><center>Chennai to New Delhi</center></p>

</div>

<div id='rate' class='rateposition1'>

<p>Rs.7399</p>

</div>

<div id="button" class="buttonposition">

<!--<button class="book align1">BOOK</button>-->

BOOK

</div>

</div>

<div class="flight1 position1" style="background-image: url('vistara.png');background-repeat: no-repeat;background-size: 55px 60px;">

<div id='fname' class='flposition'>

<p>Vistara</p>

<p>673AB7</p>

</div>

<div id="time" class="tiposition">

<p>1:00 ----- 3:15</p>

</div>

<div id="destination" class="destination">

<p><center>Chennai to New Delhi</center></p>

</div>

<div id='rate' class='rateposition2'>

<p>Rs.8000</p>

</div>

<div id="button" class="buttonposition">

<!--<button class="book align2">BOOK</button>-->

BOOK

</div>

</div>

```

<div class="flight1 position2" style="background-image: url('spicejet.png');background-repeat: no-repeat;background-size: 55px 60px;">
    <div id='fname' class='flposition'>
        <p>Spicejet</p>
        <p>SP1234</p>
    </div>
    <div id="time" class="tiposition">
        <p><b>11:00</b> ----- <b>13:15</b></p>
    </div>
    <div id="destination" class="destination">
        <p><b><center>Chennai to New Delhi</center></b></p>
    </div>
    <div id='rate' class='rateposition3'>
        <p><b>Rs.7999</b></p>
    </div>
    <div id="button" class="buttonposition">
        <!--<button class="book align3">BOOK</button>-->
        <a class="book align3" href="passenger details.html">BOOK</a>
    </div>
</div>

<div class="flight1 position3" style="background-image: url('air india.png');background-repeat: no-repeat;background-size: 55px 60px;">
    <div id='fname' class='flposition'>
        <p>Air India</p>
        <p>AI6531</p>
    </div>
    <div id="time" class="tiposition">
        <p><b>15:00</b> ----- <b>18:45</b></p>
    </div>
    <div id="destination" class="destination">
        <p><b><center>Chennai to New Delhi</center></b></p>
    </div>
    <div id='rate' class='rateposition4'>
        <p><b>Rs.12999</b></p>
    </div>
    <div id="button" class="buttonposition">
        <!--<button class="book align4">BOOK</button>-->
        <a class="book align4" href="passenger details.html">BOOK</a>
    </div>
</div>


</body>
</html>

```

CSS:

```

.header img{
    float: left;
    position: relative;
    display: inline-block;
    cursor: pointer;
    margin-right: 10px;
}

.header a{
    float: left;
    margin-left: 0px;
    position: relative;
}

```

```

        display: inline-block;
        font-size: 17px;
        text-decoration: none;
        font-family: 'Zen Antique', serif;
    }

a.four:link {color:#ff0000;}
a.four:visited {color:black;}
a.four:hover {font-family:monospace;}
a.four:hover {color:red;}

.header h1{
    font-family: 'Rampart One', cursive;
}

#cf {
    position: relative;
}

#cf img {
    animation-name: cf3FadeInOut;
    animation-timing-function: ease-in-out;
/* if you only want to cycle a finite amount of times,
   simply change 'infinite' with # of iterations you need */
    animation-iteration-count: infinite;
    animation-duration: 50s;
    animation-direction: alternate; /* not strictly necessary */
    position:absolute;
    height: 600px;
    width: 100%;
}

#cf img:nth-of-type(1) {
    animation-delay: 40s;
}

#cf img:nth-of-type(2) {
    animation-delay: 30s;
}

#cf img:nth-of-type(3) {
    animation-delay: 20s;
}

#cf img:nth-of-type(4) {
    animation-delay: 10s;
}

#cf img:nth-of-type(5) {
    animation-delay: 0s;
}

@keyframes cf3FadeInOut {
/* distributing times evenly */
0% {
    opacity: 1;
}
25% {
    opacity: 0;
}
75% {
    opacity: 0;
}

```

```
    100% {
        opacity: 1;
    }
}

#cf{
    margin-top: -15px;
}

.text-block {
    position: absolute;
    bottom: -400px;
    right: 100px;
    background-color: black;
    color: white;
    padding-left: 20px;
    padding-right: 20px;
    padding-top: 20px;
    padding-bottom: 20px;
    opacity: 0.7;
    font-size: 20px;
}

.button {
    background-color: #4CAF50; /* Green */
    border: none;
    color: white;
    padding: 5px 16px;
    text-align: center;
    text-decoration: none;
    display: inline-block;
    font-size: 16px;
    margin: 4px 2px;
    transition-duration: 0.4s;
    cursor: pointer;
}

.button3 {
    background-color: white;
    color: black;
    border: 2px solid #f44336;
}

.button3:hover {
    background-color: #f44336;
    color: white;
}

.offerimage{
    background-image: linear-gradient(to right, #000066, #ccffff , #000066);
    display: inline-block;
    float: right;
    padding-right: 15px;
}

.offer img{
    padding: 10px;
    box-shadow: 8px 10px 10px #888888;
}

#offertitle{
    font-family: 'Oswald', sans-serif;
    background-color: #B0C4DE;
```

```
background-image: linear-gradient(to right, #000066, #ccffff , #000066);
}

div.rotate_right {
    float: left;
    -ms-transform: rotate(7deg); /* IE 9 */
    -webkit-transform: rotate(7deg); /* Safari */
    transform: rotate(7deg);
    margin-top: 40px;
    margin-left: 55px;
}

div.rotate_left {
    float: left;
    -ms-transform: rotate(-8deg); /* IE 9 */
    -webkit-transform: rotate(-8deg); /* Safari */
    transform: rotate(-8deg);
    margin-left: 55px;
    margin-top: 40px;
}

.caption{
    text-align: center;
}

.footer{
    background-image: linear-gradient(#ccffff , #000066);
    margin-top: 680px;
}

.footer_ref{
    display: inline-block;
    float: right;
    margin-right: 380px;
}

a.one:link {color:#ff0000;}
a.one:visited {color:#00008B;}
a.one:hover {color: white}

.footer img{
    cursor: pointer;
}

.footer hr{
    width: 910px;
}
```

Flight selection page:

The screenshot displays a flight search results page. At the top, there's a navigation bar with the 'atlas' logo, search icons for 'Flights', 'Trains', and 'Bus', and links for 'Customer care' and 'Login/signup'. Below the header, four flight options are listed in a grid:

- Indigo** 14:15 - 17:00 Chennai to New Delhi Rs. 7399 [BOOK](#)
- Vistara** 1:00 - 3:15 Chennai to New Delhi Rs. 8000 [BOOK](#)
- Spicejet** 11:00 - 13:15 Chennai to New Delhi Rs. 7999 [BOOK](#)
- Air India** 15:00 - 18:45 Chennai to New Delhi Rs. 12999 [BOOK](#)

A large, scenic image of a green landscape with hills and a river flows across the middle of the page. On the right side, there's a sidebar with an advertisement for Dell Technologies featuring a man in a headset and text about tech advice. Below that is a graphic of an airplane and a promotional offer: "Get Free Cancellation On All Domestic Flights Starting @ ₹399".

8) Passenger details page:

HTML:

```
<!DOCTYPE html>
<html>
<head>
    <meta charset="utf-8">
    <title>passenger details</title>
    <link rel="stylesheet" type="text/css" href="c.css">
    <link href="https://fonts.googleapis.com/css2?family=Rampart+One&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">

    <!-- Navigation bar-->
    <header>
        <div class="header">
            
            <h1 style="margin-top:-30px;">atlas</h1>
            
            <a    class="four"    href="Home_page.html"    style="margin-left: 290px;    margin-top: -30px;">Flights</a>
                
                <a class="four" href="train.html" style="margin-left: 430px; margin-top: -30px;">Trains</a>
                
                <a class="four" href="bus.html" style="margin-left: 560px; margin-top: -30px;">Bus</a>
                
                <a    class="four"    href="login_signup.html"    style="margin-left: 1195px;    margin-top: -30px;">Login/signup</a>
                    
                    <a    class="four"    href="customer_care.html"    style="margin-left: 995px;    margin-top: -30px;">Customer care</a>
            </div>
        </header>

        <style type="text/css">
        *{
            margin: 0;
            padding: 0;
        }
    
```

```
}

body{
    background-image: url("background2.jpg");
    margin-top: 40px;
    background-position: center;
    background-size: cover;
    font-family: sans-serif;
}

.regform{
    width: 800px;
    background-color: rgb(0, 0, 0,0.6);
    margin: auto;
    color: #FFFFFF;
    padding: 10px 0px 10px 0px;
    text-align: center;
    border-radius: 15px 15px 0px 0px;
    font-size: 20px;
    margin-top: 80px;
}

.main{
    background-color: rgb(0, 0, 0,0.5);
    width: 800px;
    margin:auto;
    margin-bottom: 50px;
}

form{
    padding: 10px;
}

#name{
    width: 100%;
    height: 100px;
}

.name{
    margin-left: 25px;
    margin-top: 30px;
    width: 125px;
    color: white;
    font-size: 18px;
    font-weight: 700;
}

.firstname{
    position: relative;
    left: 200px;
    top: -37px;
    line-height: 40px;
    border-radius: 8px;
    padding: 0 22px;
    font-size: 16px;
}

.lastname{
    position: relative;
    left: 417px;
    top: -80px;
    line-height: 40px;
    border-radius: 8px;
    padding: 0 22px;
    font-size: 16px;
    color: #555;
}
```

```
}

.firstlabel{
    position: relative;
    color: #E5E5E5;
    text-transform: capitalize;
    font-size: 14px;
    left: 203px;
    top: -45px;
}

.lastlabel{
    position: relative;
    color: #E5E5E5;
    text-transform: capitalize;
    font-size: 14px;
    left:492px;
    top:-76px;
}

.company{
    position: relative;
    left: 200px;
    top: -37px;
    line-height: 40px;
    width: 480px;
    border-radius: 8px;
    padding: 0 22px;
    font-size: 16px;
    color: #555;
}

.email{
    position: relative;
    left:200px;
    top:-37px;
    line-height: 40px;
    width:480px;
    border-radius: 6px;
    padding: 0 22px;
    font-size: 16px;
    color: #555;
}

.code{
    position: relative;
    left:200px;
    top:-37px;
    line-height: 40px;
    width:95px;
    border-radius: 6px;
    padding: 0 22px;
    font-size: 16px;
    color: #555;
}

.number{
    position: relative;
    left:200px;
    top:-37px;
    line-height: 40px;
    width:255px;
    border-radius: 6px;
    padding: 0 22px;
    font-size: 16px;
    color: #555;
}

.area-code{
```

```
position:relative;
color:#E5E5E5;
text-transform:capitalize;
font-size:16px;
left:54px;
top:-4px;
}

.phone-number{
    position:relative;
color:#E5E5E5;
text-transform:capitalize;
font-size:16px;
left:-100px;
top:-2px;
}

.option{
    position:relative;
left:200px;
top:-37px;
line-height: 40px;
width:532px;
height:40px;
border-radius: 6px;
padding: 0 22px;
font-size: 16px;
color: #555;
outline:none;
overflow:hidden;
}
}

#customer{
    margin-left:25px;
color:white;
font-size:18px;
}

.option option{
    font-size:20px;
}

.radio{
padding-right:70px;
font-size:15px;
margin-left:25px;
margin-top:15px;
color:black;
}
.radio input{
width:20px;
height:20px;
border-radius:50%;
cursor:pointer;
outline:none;
}
button{
background-color:#3BAF9F;
display:block;
margin:20px 0px 0px 20px;
text-align:center;
border-radius:12px;
border:2px solid #366473;
padding:14px 110px;
```

```

outline:none;
color:white;
cursor:pointer;
transition:0.25px;
}

button:hover{
    background-color:#5390F5;
}

</style>

</head>
<body>
    <div class="regform">Passenger Details</div>
    <div class="main">
        <form name="RegForm" action="/submit.php"
            onsubmit="return FORM_VALIDATION()" method="POST">
            <div class="name" style="color: white;"><b><u>Passenger 1:</u></b></div>
            <div id="name">
                <h2 class="name">Name</h2>
                <input class="firstname" type="text" name="first_name" required pattern="[a-zA-Z ]{1,15}", title="Only Alphabets."><br>
                <label class="firstlabel">first name</label>
                <input class="lastname" type="text" name="last_name" required pattern="[a-zA-Z ]{1,15}", title="Only Alphabets."><br>
                <label class="lastlabel">last name</label>
            </div>

            <h2 id="customer">Gender:</h2>
            <!--<label class="radio">
                <input class="radio-one" type="radio" checked="checked" name="rdiobtn">
                <span class="checkmark"></span>
                Male
            </label>

            <label class="radio">
                <input class="radio-two" type="radio" name="rdiobtn">
                <span class="checkmark"></span>
                female
            </label>

            <label class="radio">
                <input class="radio-three" type="radio" name="rdiobtn">
                <span class="checkmark"></span>
                other
            </label>-->

            <select class="radio" >
                <option value="male">Male</option>
                <option value="male">Female</option>
                <option value="male">Others</option>
            </select><br><br>
            <hr>

            <div class="name" style="color: white;"><b><u>Passenger 2:</u></b></div>
            <div id="name">
                <h2 class="name">Name</h2>
                <input class="firstname" type="text" name="first_name" required pattern="[a-zA-Z ]{1,15}", title="Only Alphabets."><br>
                <label class="firstlabel">first name</label>

```

```

<input class="lastname" type="text" name="last_name" required pattern="[a-zA-Z ]{1,15}", title="Only Alphabets."><br>
<label class="lastlabel">last name</label>

</div>

<h2 id="customer">Gender:</h2>
<!--<label class="radio">
    <input class="radio-one" type="radio" checked="checked" name="rdiobtn">
    <span class="checkmark"></span>
    Male
</label>

<label class="radio">
    <input class="radio-two" type="radio" name="rdiobtn">
    <span class="checkmark"></span>
    female
</label>

<label class="radio">
    <input class="radio-three" type="radio" name="rdiobtn">
    <span class="checkmark"></span>
    other
</label>-->
<select class="radio" >
    <option value="male">Male</option>
    <option value="male">Female</option>
    <option value="male">Others</option>
</select><br><br>
<hr>
<h2 class="name">Phone</h2>
<input class="code" type="text" name="area_code" required>
<label class="area-code">Area code</label>
<input class="number" type="text" name="phone" required>
<label class="phone-number">Phone Number</label>

<h2 class="name">Nationality</h2>
<select class="option" name="subject">
    <option disabled="disabled" selected="selected">Nationality</option>
    <option value="">-- select one --</option>
    <option value="afghan">Afghan</option>
    <option value="albanian">Albanian</option>
    <option value="algerian">Algerian</option>
    <option value="american">American</option>
    <option value="andorran">Andorran</option>
    <option value="angolan">Angolan</option>
    <option value="antiguans">Antiguans</option>
    <option value="argentinean">Argentinean</option>
    <option value="armenian">Armenian</option>
    <option value="australian">Australian</option>
    <option value="austrian">Austrian</option>
    <option value="azerbaijani">Azerbaijani</option>
    <option value="bahamian">Bahamian</option>
    <option value="bahraini">Bahraini</option>
    <option value="bangladeshi">Bangladeshi</option>
    <option value="barbadian">Barbadian</option>
    <option value="barbudans">Barbudans</option>
    <option value="batswana">Batswana</option>
    <option value="belarusian">Belarusian</option>
    <option value="belgian">Belgian</option>
    <option value="belizean">Belizean</option>
    <option value="beninese">Beninese</option>
    <option value="bhutanese">Bhutanese</option>

```

```
<option value="bolivian">Bolivian</option>
<option value="bosnian">Bosnian</option>
<option value="brazilian">Brazilian</option>
<option value="british">British</option>
<option value="bruneian">Bruneian</option>
<option value="bulgarian">Bulgarian</option>
<option value="burkinabe">Burkinabe</option>
<option value="burmese">Burmese</option>
<option value="burundian">Burundian</option>
<option value="cambodian">Cambodian</option>
<option value="cameroonian">Cameroonian</option>
<option value="canadian">Canadian</option>
<option value="cape verdean">Cape Verdean</option>
<option value="central african">Central African</option>
<option value="chadian">Chadian</option>
<option value="chilean">Chilean</option>
<option value="chinese">Chinese</option>
<option value="colombian">Colombian</option>
<option value="comoran">Comoran</option>
<option value="congoleser">Congolese</option>
<option value="costa rican">Costa Rican</option>
<option value="croatian">Croatian</option>
<option value="cuban">Cuban</option>
<option value="cypriot">Cypriot</option>
<option value="czech">Czech</option>
<option value="danish">Danish</option>
<option value="djibouti">Djibouti</option>
<option value="dominican">Dominican</option>
<option value="dutch">Dutch</option>
<option value="east timorese">East Timorese</option>
<option value="ecuadorean">Ecuadorean</option>
<option value="egyptian">Egyptian</option>
<option value="emirian">Emirian</option>
<option value="equatorial guinean">Equatorial Guinean</option>
<option value="eritrean">Eritrean</option>
<option value="estonian">Estonian</option>
<option value="ethiopian">Ethiopian</option>
<option value="fijian">Fijian</option>
<option value="filipino">Filipino</option>
<option value="finnish">Finnish</option>
<option value="french">French</option>
<option value="gabonese">Gabonese</option>
<option value="gambian">Gambian</option>
<option value="georgian">Georgian</option>
<option value="german">German</option>
<option value="ghanaian">Ghanaian</option>
<option value="greek">Greek</option>
<option value="grenadian">Grenadian</option>
<option value="guatemalan">Guatemalan</option>
<option value="guinea-bissauan">Guinea-Bissauan</option>
<option value="guinean">Guinean</option>
<option value="guyanese">Guyanese</option>
<option value="haitian">Haitian</option>
<option value="herzegovinian">Herzegovinian</option>
<option value="honduran">Honduran</option>
<option value="hungarian">Hungarian</option>
<option value="icelander">Icelander</option>
<option value="indian">Indian</option>
<option value="indonesian">Indonesian</option>
<option value="iranian">Iranian</option>
<option value="iraqi">Iraqi</option>
<option value="irish">Irish</option>
<option value="israeli">Israeli</option>
```

<option value="italian">Italian</option>
<option value="ivorian">Ivorian</option>
<option value="jamaican">Jamaican</option>
<option value="japanese">Japanese</option>
<option value="jordanian">Jordanian</option>
<option value="kazakhstani">Kazakhstani</option>
<option value="kenyan">Kenyan</option>
<option value="kittian and nevisian">Kittian and Nevisian</option>
<option value="kuwaiti">Kuwaiti</option>
<option value="kyrgyz">Kyrgyz</option>
<option value="laotian">Laotian</option>
<option value="latvian">Latvian</option>
<option value="lebanese">Lebanese</option>
<option value="liberian">Liberian</option>
<option value="libyan">Libyan</option>
<option value="liechtensteiner">Liechtensteiner</option>
<option value="lithuanian">Lithuanian</option>
<option value="luxembourger">Luxembourger</option>
<option value="macedonian">Macedonian</option>
<option value="malagasy">Malagasy</option>
<option value="malawian">Malawian</option>
<option value="malaysian">Malaysian</option>
<option value="maldivan">Maldivan</option>
<option value="malian">Malian</option>
<option value="maltese">Maltese</option>
<option value="marshallse">Marshallse</option>
<option value="mauritanian">Mauritanian</option>
<option value="mauritian">Mauritian</option>
<option value="mexican">Mexican</option>
<option value="micronesian">Micronesian</option>
<option value="moldovan">Moldovan</option>
<option value="monacan">Monacan</option>
<option value="mongolian">Mongolian</option>
<option value="moroccan">Moroccan</option>
<option value="mosotho">Mosotho</option>
<option value="motswana">Motswana</option>
<option value="mozambican">Mozambican</option>
<option value="namibian">Namibian</option>
<option value="nauruan">Nauruan</option>
<option value="nepalese">Nepalese</option>
<option value="new zealander">New Zealander</option>
<option value="ni-vanuatu">Ni-Vanuatu</option>
<option value="nicaraguan">Nicaraguan</option>
<option value="nigerien">Nigerien</option>
<option value="north korean">North Korean</option>
<option value="northern irish">Northern Irish</option>
<option value="norwegian">Norwegian</option>
<option value="omani">Omani</option>
<option value="pakistani">Pakistani</option>
<option value="palauan">Palauan</option>
<option value="panamanian">Panamanian</option>
<option value="papua new guinean">Papua New Guinean</option>
<option value="paraguayan">Paraguayan</option>
<option value="peruvian">Peruvian</option>
<option value="polish">Polish</option>
<option value="portuguese">Portuguese</option>
<option value="qatari">Qatari</option>
<option value="romanian">Romanian</option>
<option value="russian">Russian</option>
<option value="rwandan">Rwandan</option>
<option value="saint lucian">Saint Lucian</option>
<option value="salvadoran">Salvadoran</option>
<option value="samoan">Samoan</option>

```

<option value="san marinese">San Marinese</option>
<option value="sao tomean">Sao Tomean</option>
<option value="saudi">Saudi</option>
<option value="scottish">Scottish</option>
<option value="senegalese">Senegalese</option>
<option value="serbian">Serbian</option>
<option value="seychellois">Seychellois</option>
<option value="sierra leonean">Sierra Leonean</option>
<option value="singaporean">Singaporean</option>
<option value="slovakian">Slovakian</option>
<option value="slovenian">Slovenian</option>
<option value="solomon islander">Solomon Islander</option>
<option value="somali">Somali</option>
<option value="south african">South African</option>
<option value="south korean">South Korean</option>
<option value="spanish">Spanish</option>
<option value="sri lankan">Sri Lankan</option>
<option value="sudanese">Sudanese</option>
<option value="surinamer">Surinamer</option>
<option value="swazi">Swazi</option>
<option value="swedish">Swedish</option>
<option value="swiss">Swiss</option>
<option value="syrian">Syrian</option>
<option value="taiwanese">Taiwanese</option>
<option value="tajik">Tajik</option>
<option value="tanzanian">Tanzanian</option>
<option value="thai">Thai</option>
<option value="togolese">Togolese</option>
<option value="tongan">Tongan</option>
<option value="trinidadian or tobagonian">Trinidadian or Tobagonian</option>
<option value="tunisian">Tunisian</option>
<option value="turkish">Turkish</option>
<option value="tuvaluan">Tuvaluan</option>
<option value="ugandan">Ugandan</option>
<option value="ukrainian">Ukrainian</option>
<option value="uruguayan">Uruguayan</option>
<option value="uzbekistani">Uzbekistani</option>
<option value="venezuelan">Venezuelan</option>
<option value="vietnamese">Vietnamese</option>
<option value="welsh">Welsh</option>
<option value="yemenite">Yemenite</option>
<option value="zambian">Zambian</option>
<option value="zimbabwean">Zimbabwean</option>
</select>

<center><button type="submit" onclick="window.location.href='payement.html'">Pay Securely</button></center>
<!!--<center><a class="button" type="submit" href="payement.html">Pay Securely</a></center>-->
</form>
</div>

<!-- Footer -->
<div class="footer" style="margin-top: 2px;">
    <br>
    <div style="margin-bottom: -40px; margin-left: 30px;">
         &nbsp;  &nbsp; 
    </div>
    <div class="footer_ref" style="margin-top: 20px">
        <p><a class="one" href="#">About us</a> &nbsp; <a class="one" href="#">Investors relations</a> &nbsp; <a class="one" href="#">CSR</a> &nbsp; <a class="one" href="#">Mobile</a> &nbsp; <a class="one" href="#">Privacy</a> &nbsp; <a class="one" href="#">Terms of use</a> &nbsp; <a class="one" href="#">Careers</a> &nbsp; <a class="one" href="#">Customer service</a> <br><br> </p>
    <div style="text-align: center; margin-top: 10px;">
        
    </div>
</div>

```

```

</div><br><br><br><center style="margin-bottom: 20px;"><hr></center>
<p style="margin-left:470px; padding-bottom: 20px; color: white">&copy; 2021 ATLAS Technologies
Pvt Ltd. India. All trademarks of their respective owners.</p>
</footer>

</body>
</html>

```

Passenger details page:

The screenshot shows a travel booking website's passenger details section. The background is a photograph of a waterfall cascading down a green cliff. The form is titled "Passenger Details". It has two sections, "Passenger 1" and "Passenger 2", each with fields for Name (First Name and Last Name), Gender (Male or Female dropdown), Phone (Area Code and Phone Number), and Nationality (dropdown). A "Pay Securely" button is at the bottom. The top navigation bar includes links for atlas, Flights, Trains, Bus, Customer care, and Login/signup.

Java Script for form validation in above pic:

```

<script>
    function FORM_VALIDATION() {
        var firstname =
            document.forms["RegForm"]["first_name"];
        var lastname =
            document.forms["RegForm"]["last_name"];
        var phone =
            document.forms["RegForm"]["phone"];

        if (name.value == "") {
            window.alert("Please enter your name.");
            name.focus();
            return false;
        }

        if (phone.value == "") {
            window.alert(
                "Please enter your telephone number.");
            phone.focus();
        }
    }

```

```


        return false;
    }

    if (phone.value.length < 10 || phone.value.length > 10) {
        window.alert(
            "Please enter a 10 digit phone number");
        phone.focus();
        return false;
    }


    return true;
}

```

</script>



Validation done through regular expression pattern, for verification refer the above code which are highlighted.



9) Payment page:

HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Payment</title>
    <link href="paymentform.css" rel="stylesheet">
    <link href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css" rel="stylesheet"
integrity="sha384-wvfXpqZZVQGK6TAh5PVIOfQNHSoD2xbE+QkPxCAFNEvoEH3Sl0sibVcOQVnN"
crossorigin="anonymous">
    <link rel="stylesheet" type="text/css" href="c.css">
    <link href="https://fonts.googleapis.com/css2?family=Rampart+One&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
    <link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">

    <!-- Navigation bar-->
<header>
    <div class="header" style="background-color: white; padding-top: 10px;">
        
        <h1 style="margin-top: 0px; padding-bottom: 10px">atlas</h1>
        
        <a class="four" href="Home_page.html" style="margin-left: 290px; margin-top: -40px;">Flights</a>
            
            <a class="four" href="train.html" style="margin-left: 430px; margin-top: -40px;">Trains</a>
            
            <a class="four" href="bus.html" style="margin-left: 560px; margin-top: -40px;">Bus</a>
            
            <a class="four" href="login_signup.html" style="margin-left: 1195px; margin-top: -40px;">Login/signup</a>
            
            <a class="four" href="customer_care.html" style="margin-left: 995px; margin-top: -40px;">Customer care</a>
        </div>
    </header>
    <hr>
<style type="text/css">
    *{
        margin: 0;
        padding: 0;
        box-sizing: border-box;
    }
body{
    background-color: #f5f5f5;
    background-image: url('payment_background.jpg');
    font-family: Arial, Helvetica, sans-serif;
}
.wrapper{
    background-color: #fff;
    width: 500px;
    padding: 25px;
    margin: 25px auto 0;
    box-shadow: 0px 0px 20px rgba(0,0,0,0.5);
}
.wrapper h2{
    background-color: #fcfcfc;
    color: #7ed321;
    font-size: 24px;
```

```
padding: 10px;
margin-bottom: 20px;
text-align: center;
border: 1px dotted #333;
}
h4{
padding-bottom: 5px;
color: #7ed321;
}
.input-group{
margin-bottom: 8px;
width: 100%;
position: relative;
display: flex;
flex-direction: row;
padding: 5px 0;
}
.input-box{
width: 100%;
margin-right: 12px;
position: relative;
}
.input-box:last-child{
margin-right: 0;
}
.name{
padding: 14px 10px 14px 50px;
width: 100%;
background-color: #fcfcfc;
border: 1px solid #00000033;
outline: none;
letter-spacing: 1px;
transition: 0.3s;
border-radius: 3px;
color: #333;
}
.name:focus, .dob:focus{
-webkit-box-shadow: 0 0 2px 1px #7ed32180;
-moz-box-shadow: 0 0 2px 1px #7ed32180;
box-shadow: 0 0 2px 1px #7ed32180;
border: 1px solid #7ed321;
}
.input-box .icon{
width: 48px;
display: flex;
justify-content: center;
align-items: center;
position: absolute;
top: 0px;
left: 0px;
bottom: 0px;
color: #333;
background-color: #f1f1f1;
border-radius: 2px 0 0 2px;
transition: 0.3s;
font-size: 20px;
pointer-events: none;
border: 1px solid #00000033;
border-right: none;
}
.name:focus + .icon{
background-color: #7ed321;
color: #fff;
```

```
border-right: 1px solid #7ed321;
border: none;
transition: 1s;
}
.dob{
width: 30%;
padding: 14px;
text-align: center;
background-color: #fcfcfc;
transition: 0.3s;
outline: none;
border: 1px solid #c0fbfb;
border-radius: 3px;
}
.radio{
display: none;
}
.input-box label{
width: 50%;
padding: 13px;
background-color: #fcfcfc;
display: inline-block;
float: left;
text-align: center;
border: 1px solid #c0fbfb;
}
.input-box label:first-of-type{
border-top-left-radius: 3px;
border-bottom-left-radius: 3px;
border-right: none;
}
.input-box label:last-of-type{
border-top-right-radius: 3px;
border-bottom-right-radius: 3px;
}
.radio:checked + label{
background-color: #7ed321;
color: #fff;
transition: 0.5s;
}
.input-box select{
display: inline-block;
width: 50%;
padding: 12px;
background-color: #fcfcfc;
float: left;
text-align: center;
font-size: 16px;
outline: none;
border: 1px solid #c0fbfb;
cursor: pointer;
transition: all 0.2s ease;
}
.input-box select:focus{
background-color: #7ed321;
color: #fff;
text-align: center;
}
button{
width: 100%;
background: transparent;
border: none;
background: #7ed321;
```

```

        color: #fff;
        padding: 15px;
        border-radius: 4px;
        font-size: 16px;
        transition: all 0.35s ease;
    }
    button:hover{
        cursor: pointer;
        background: #5eb105;
    }

```

</style>

</head>

<body>

<form method="POST"> <div class="input-group"> <div class="input-box"> <input type="text" placeholder="Full Name" required class="name" pattern="[a-zA-Z]{1,15}" title="Only Alphabets."> <i class="fa fa-user icon"></i> </div> <div class="input-box"> <input type="text" placeholder="Nick Name" required class="name" pattern="[a-zA-Z]{1,15}" title="Only Alphabets."> <i class="fa fa-user icon"></i> </div> </div> <div class="input-group"> <div class="input-box"> <input type="email" placeholder="Email Adress" required class="name" pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,4}\$" title="Enter a valid E-mail address."> <i class="fa fa-envelope icon"></i> </div> </div> <div class="input-group"> <div class="input-box"> <input type="text" placeholder="DD" class="dob" required> <input type="text" placeholder="MM" class="dob" required> <input type="text" placeholder="YYYY" class="dob" required> </div> <div class="input-box"> <input type="radio" id="b1" name="gendar" checked class="radio"> <label for="b1">Male</label> <input type="radio" id="b2" name="gendar" class="radio"> <label for="b2">Female</label> </div> </div> <div class="input-group"> <div class="input-box"> <input type="radio" name="pay" id="bc1" checked class="radio"> <label for="bc1"><i class="fa fa-cc-visa"></i> Credit Card</label> <input type="radio" name="pay" id="bc2" class="radio"> <label for="bc2"><i class="fa fa-cc-paypal"></i> Paypal</label>

```

        </div>
    </div>
    <div class="input-group">
        <div class="input-box">
            <input type="tel" placeholder="Card Number" required class="name" pattern="[0-9]{16}" title="Enter only 16 digit number.">
            <i class="fa fa-credit-card icon"></i>
        </div>
    </div>
    <div class="input-group">
        <div class="input-box">
            <input type="tel" placeholder="Card CVC" required class="name" pattern="[0-9]{3}" title="Enter only 3 digit number.">
            <i class="fa fa-user icon"></i>
        </div>
    </div>
    <div class="input-box">
        <select>
            <option>01 jun</option>
            <option>02 jun</option>
            <option>03 jun</option>
        </select>
        <select>
            <option>2020</option>
            <option>2021</option>
            <option>2022</option>
        </select>
    </div>
</div>
<div class="input-group">
    <div class="input-box">
        <button type="submit" onclick="window.location.href='ticket_confirmation.html'">PAY NOW</button>
    </div>
</div>
</form>
</div>


<footer class="footer" style="margin-top: 2px;">
    <br>
    <div style="margin-bottom: -40px; margin-left: 30px;">
         &nbsp;  &nbsp; 
    </div>
    <div class="footer_ref" style="margin-top: 20px">
        <p><a class="one" href="">About us</a> &nbsp; <a class="one" href="">Investors relations</a> &nbsp; <a class="one" href="">CSR</a> &nbsp; <a class="one" href="">Mobile</a> &nbsp; <a class="one" href="">Privacy</a> &nbsp; <a class="one" href="">Terms of use</a> &nbsp; <a class="one" href="">Careers</a> &nbsp; <a class="one" href="">Customer service</a> <br><br> </p>
        </div><br><br><br><center style="margin-bottom: 20px;"><hr></center>
        <p style="margin-left: 470px; padding-bottom: 20px; color: white">&copy; 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.</p>
    </div>
</body>
</html>




```

Payment page:

The screenshot shows a payment form titled "Payment Form" on a website with a travel-themed background featuring an airplane wing against a cloudy sky. The form includes fields for Account (Full Name, Nick Name), Email Address, Date of Birth (DD, MM, YYYY), Gender (Male, Female), Payment Details (Credit Card, Paypal), Card Number, Card CVC, and Expiry Date (01 jun, 2020). A large green "PAY NOW" button is at the bottom. The top navigation bar includes links for Flights, Trains, Bus, Customer care, and Login/signup.

Validation done through regular expression pattern, for verification refer the above code which are highlighted.

The screenshot shows the same payment form as above, but with validation errors. The "Email Adress" field has a red border and a yellow warning icon with the message "Please fill out this field." The "Date of Birth" field also has a red border and a similar warning message. The rest of the form appears identical to the successful transaction screenshot.



10) Booking Confirmation page:

HTML:

```
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>Confirmation</title>
<link rel="stylesheet" type="text/css" href="style.css">
<link href="https://fonts.googleapis.com/css2?family=Rampart+One&display=swap" rel="stylesheet">
<link href="https://fonts.googleapis.com/css2?family=Zen+Antique&display=swap" rel="stylesheet">
<link href="https://fonts.googleapis.com/css2?family=Oswald:wght@600&display=swap" rel="stylesheet">
<script src="javascript_signup.js"></script>
<!-- Navigation bar-->
<header>
    <div class="header">
        
        <h1 style="margin-top: 5px;">atlas</h1>
        
        <a class="four" href="Home_page.html" style="margin-left: 340px; margin-top: -55px;">Flights</a>
        
        <a class="four" href="train.html" style="margin-left: 480px; margin-top: -55px;">Trains</a>
        
        <a class="four" href="bus.html" style="margin-left: 610px; margin-top: -55px;">Bus</a>
        
        <a class="four" href="login_signup.html" style="margin-left: 1345px; margin-top: -55px;">Login/signup</a>
        
        <a class="four" href="customer_care.html" style="margin-left: 1145px; margin-top: -55px;">Customer care</a>
    </div>
</header>
<hr>

</head>
<body>
<center><h1 style="font-family: 'Zen Antique', serif;">Booking Confirmation</h1></center>

<div class="card">
    <div class="container" style="padding-bottom: 20px;">
        
        <h4 style="margin-left: 150px;"><b>Dear XXX,</b></h4>
        <p style="margin-left: 150px; font-size: 20px;">Congratulations! Your flight ticket booking is confirmed.</p>
        <p style="margin-left: 150px;"><b>Reference number: DRF45V2K2FG23265</b></p>
    </div>
    <br><br>
</div>

<div class="card">
    <div class="container" style="padding-bottom: 20px;">
        
        <h3 style="margin-left: 150px;"><b>Depart</b></h3>
        <p style="margin-left: 150px; font-size: 20px;"><b>New Delhi</b><br/><b>Abu Dhabi</b><br/><b>Indhra Gandhi International Airport</b><br/><b>Abu Dhabi International Airport</b> <br/><br/> Departure time: FRI, 4/12/2021, 10:30</p>
    </div>
</div>
```

AM          

Arrival time:FRI, 4/12/2021, 02:30 PM

 </p>

</div>

</div>

<div class="card">

<div class="container" style="padding-bottom: 20px;">

<h3 style="margin-left: 150px;">Passenger details</h3>

<p style="margin-left: 150px;">Passenger Name: XXXX   Ticket number: 120364502   Seat no: A - 25 Class: BusinessClass</p>

<h1>HAPPY JOURNEY</h1></center>

</div>

</div>

<!-- Footer -->

<footer class="footer" style="margin-top: 0px;">

<div style="margin-bottom: -40px; margin-left: 30px;">

</div>

<div class="footer_ref">

<p>About us Investors relations CSR Mobile Privacy Terms of use Careers Customer service

</p>

</div>

<hr>

<p style="margin-left: 470px; padding-bottom: 20px; color: white">© 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.</p>

</footer>

</body>

</html>

Ticket Confirmation page:

 [atlas](#) [!\[\]\(79483a1f2e1aa9d6cd5f43e8cc35a843_img.jpg\) Flights](#) [!\[\]\(85c41870f4017eac095b080fb2e1329f_img.jpg\) Trains](#) [!\[\]\(33032c67dfac89038c82403bc6727822_img.jpg\) Bus](#) [!\[\]\(6a36d81faaa1adc745aa6c9843ff609d_img.jpg\) Customer care](#) [!\[\]\(8e2815749e6b5f1087043cf052e3122c_img.jpg\) Login/signup](#)

Booking Confirmation



Dear XXX,

Congratulations! Your flight ticket booking is confirmed.

Reference number: DRF45V2K2FG23265

Depart

 New Delhi Indira Gandhi International Airport Departure time: FRI, 4/12/2021, 10:30 AM	--->	Abu Dhabi Abu Dhabi International Airport Arrival time: FRI, 4/12/2021, 02:30 PM
--	------	---



Passenger details

Passenger Name: XXXX Ticket number: **120364502** Seat no: **A - 25** Class: **BusinessClass**


HAPPY JOURNEY

[!\[\]\(7e963612cc639e7b722bbaa54dd22a7c_img.jpg\)](#) [!\[\]\(16b1f68d836f3e241aec78f2e312d9c8_img.jpg\)](#) [!\[\]\(9fb62ad9763a5974ad926194ebade44d_img.jpg\)](#)


About us [Investors relations](#) [CSR](#) [Mobile](#) [Privacy](#) [Terms of use](#) [Careers](#) [Customer service](#)

© 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.


NAVIGATION for booking a flight ticket:




First click the Login.signup page.



Create an account if not click already having an account as mentioned by black arraow.



Enter the details and click sign up.



Enter the from and to.

Click the submit button mentioned by a white arrow to reach the flight selection page.

A screenshot of the atlas travel website showing flight search results. The header is identical to the previous page. The main content displays four flight options from Chennai to New Delhi: 1. Indigo flight 2E3451 departing at 14:15 and arriving at 17:00, priced at Rs. 7399 with a "BOOK" button. 2. Vistara flight 673AB7 departing at 1:00 and arriving at 3:15, priced at Rs. 8000 with a "BOOK" button. 3. Spicejet flight SP1234 departing at 11:00 and arriving at 13:15, priced at Rs. 7999 with a "BOOK" button. 4. Air India flight AI6531 departing at 15:00 and arriving at 18:45, priced at Rs. 12999 with a "BOOK" button. To the right of the flight list is a sidebar advertisement for Dell Technologies featuring a man in a headset, Intel Evo platform, and a Dell laptop. Below the sidebar is a small graphic of an airplane and text about free cancellation. A white arrow points downwards from the "BOOK" button of the first flight entry.

These are the available flights to Delhi from Chennai, click book button mention by white arrow to enter the passenger details.

Passenger Details

Passenger 1:

- Name: Harisudhan (First Name: VL)
- Gender: Male

Passenger 2:

- Name: Dhevya (First Name: L)
- Gender: Female

Phone: 91 9842532153

Nationality: Indian

Pay Securely

© 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.

Enter the details and click pay securely as mention by white arrow to reach payment page.

Payment Form

Account

- Harisudhan V L
- sudhan
- sudhanhari@gmail.com

Date of Birth 23 08 1994 **Gender** Male Female

Payment Details

- Credit Card
- Paypal
- 2369845326459632
- 235
- 01 jun 2021

PAY NOW

© 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.

Enter the payment details and click pay now.

Ticket booking confirmation page arrives.



Flights Trains Bus

Customer care Login/signup

Booking Confirmation



Dear XXX,

Congratulations! Your flight ticket booking is confirmed.

Reference number: DRF45V2K2FG23265



Depart

New Delhi

Indira Gandhi International Airport



Abu Dhabi

Abu Dhabi International Airport

Departure time: FRI, 4/12/2021, 10:30 AM

Arrival time: FRI, 4/12/2021, 02:30 PM



Passenger details

Passenger Name: XXXX

Ticket number: 120364502

Seat no: A - 25

Class: BusinessClass

HAPPY JOURNEY



About us Investors relations CSR Mobile Privacy Terms of use Careers Customer service

© 2021 ATLAS Technologies Pvt Ltd. India. All trademarks of their respective owners.