I will adopt the role of a **senior Java instructor with NPTEL course experience** and generate 50 carefully curated MCQs with answers that reflect the most examrelevant topics based on your syllabus. I will touch on all 12 weeks, ensuring coverage of OOP, core Java syntax, I/O, multithreading, GUI, networking, JDBC, and packages.

Here's your set of 50 exam-focused MCQs with answers:

Week 1: OOP and Java Overview

- 1. Which of the following is not a feature of Java?
 - a) Object-Oriented
 - b) Platform Dependent
 - c) Secure
 - d) Robust

Answer: b) Platform Dependent

- 2. Which paradigm does Java follow?
 - a) Procedural
 - b) Object-Oriented
 - c) Functional
 - d) Logic

Answer: b) Object-Oriented

- 3. Which method is the entry point of a Java program?
 - a) start()
 - b) init()
 - c) main()
 - d) run()

Answer: c) main()

- 4. Bytecode in Java is executed by:
 - a) JVM
 - b) JDK
 - c) JRE
 - d) Compiler

Answer: a) JVM

Week 2: Java Programming Elements

- 5. Which keyword is used to inherit a class in Java?
 - a) this
 - b) super
 - c) extends
 - d) implements

Answer: c) extends

- 6. Which of the following is a reserved word in Java?
 - a) object
 - b) strictfp
 - c) include
 - d) define

Answer: b) strictfp

- 7. Which data type is used to store a character in Java?
 - a) char
 - b) character
 - c) String
 - d) byte

Answer: a) char

- 8. Which operator is used to compare two values in Java?
 - a) =
 - b) ==
 - c) !=
 - d) :=

Answer: b) ==

Week 3: Input-Output Handling

- 9. Which class is used for reading input from the user?
 - a) Scanner
 - b) Reader
 - c) InputStream
 - d) BufferedReader

Answer: a) Scanner

- 10. Which package contains Java's I/O classes?
 - a) java.util
 - b) java.io
 - c) java.input
 - d) java.lang

Answer: b) java.io

11. Method used to read a line from BufferedReader:

- a) read()
- b) readLine()
- c) next()
- d) getLine()

Answer: b) readLine()

12. Which stream is used for binary data?

- a) CharacterStream
- b) ByteStream
- c) FileStream
- d) InputStreamReader

Answer: b) ByteStream

Week 4: Encapsulation

13. Encapsulation is implemented using:

- a) Public methods
- b) Private data members and public methods
- c) Protected data members
- d) Static methods

Answer: b) Private data members and public methods

14. Getters and setters in Java are used to:

- a) Execute threads
- b) Access and modify private data
- c) Handle exceptions
- d) Create packages

Answer: b) Access and modify private data

Week 5: Inheritance

15. Java supports:

- a) Multiple inheritance through classes
- b) Multiple inheritance through interfaces
- c) Multiple inheritance through packages
- d) Multiple inheritance is not supported

Answer: b) Multiple inheritance through interfaces

16. Keyword used to call superclass constructor:

- a) super()
- b) this()
- c) parent()
- d) extends()

Answer: a) super()

17. Polymorphism allows:

- a) Same method name, different implementations
- b) Multiple classes in one file
- c) Code duplication
- d) Data hiding

Answer: a) Same method name, different implementations

Week 6: Exception Handling

18. Superclass of all exceptions in Java:

- a) Throwable
- b) Exception
- c) Error
- d) RuntimeException

Answer: a) Throwable

19. Which block is always executed?

- a) try
- b) catch
- c) finally
- d) throw

Answer: c) finally

20. Which keyword is used to handle an exception?

- a) throws
- b) trv
- c) catch
- d) handle

Answer: c) catch

21. Checked exceptions are checked at:

a) Compile time

- b) Run time
- c) Both
- d) None

Answer: a) Compile time

Week 7: Multithreaded Programming

22. Which interface must be implemented to create a thread?

- a) Runnable
- b) Threadable
- c) Executable
- d) Startable

Answer: a) Runnable

23. Which method starts a thread?

- a) run()
- b) start()
- c) init()
- d) execute()

Answer: b) start()

24. Thread priority in Java ranges from:

- a) 1 to 5
- b) 0 to 10
- c) 1 to 10
- d) 0 to 5

Answer: c) 1 to 10

25. Method used to pause a thread:

- a) wait()
- b) sleep()
- c) stop()
- d) pause()

Answer: b) sleep()

Week 8: Applets and Servlets

26. Applets run on:

- a) Server side
- b) Client side
- c) Database
- d) Compiler

Answer: b) Client side

27. Servlets are used for:

- a) Client-side scripting
- b) Server-side programming
- c) GUI design
- d) Database design

Answer: b) Server-side programming

28. Method called when an applet is terminated:

- a) destroy()
- b) stop()
- c) end()
- d) finish()

Answer: a) destroy()

29. Servlets are part of which package?

- a) java.servlet
- b) javax.servlet
- c) org.servlet
- d) net.servlet

Answer: b) javax.servlet

Week 9: Java Swing and AWT

30. Swing components are part of:

- a) java.awt
- b) javax.swing
- c) java.swing
- d) org.swing

Answer: b) javax.swing

31. Which is a lightweight component?

- a) AWT
- b) Swing
- c) Applet
- d) Frame

Answer: b) Swing

32. AWT stands for:

- a) Abstract Window Toolkit
- b) Advanced Window Toolkit
- c) Abstract Widget Toolkit
- d) Active Window Toolkit
- Answer: a) Abstract Window Toolkit

33. JButton is used to create:

- a) Label
- b) Text field
- c) Button
- d) Checkbox
- Answer: c) Button

Week 10: Networking with Java

34. Java class for creating server socket:

- a) ServerSocket
- b) Server
- c) SocketServer
- d) Socket
- Answer: a) ServerSocket

35. Port numbers range from:

- a) 0 to 65535
- b) 1 to 1024
- c) 0 to 1024
- d) 1025 to 65535
- **Answer**: a) 0 to 65535

36. Which class represents a URL?

- a) java.net.URL
- b) java.url.URL
- c) java.net.Link
- d) java.link.URL
- Answer: a) java.net.URL

37. Sockets are used for:

- a) File handling
- b) Network communication
- c) GUI
- d) Database connectivity

Answer: b) Network communication

Week 11: Java ODBC (JDBC)

38. JDBC stands for:

- a) Java Database Connectivity
- b) Java Data Base Client
- c) Java Distributed Base Connectivity
- d) Java Database Communication

Answer: a) Java Database Connectivity

39. Which package contains JDBC classes?

- a) java.sql
- b) javax.sql
- c) java.db
- d) java.database

Answer: a) java.sql

40. DriverManager is used to:

- a) Load database drivers
- b) Create GUI
- c) Handle exceptions
- d) Manage threads

Answer: a) Load database drivers

41. Method to execute SQL SELECT query:

- a) executeQuery()
- b) executeUpdate()
- c) execute()
- d) select()

Answer: a) executeQuery()

42. Which interface represents SQL statements?

- a) Connection
- b) Statement
- c) ResultSet
- d) Driver

Answer: b) Statement

Week 12: Interface and Packages

43. A package in Java is a:

- a) Collection of classes and interfaces
- b) Set of objects
- c) Function library
- d) Thread group

Answer: a) Collection of classes and interfaces

44. Keyword used to declare an interface:

- a) interface
- b) implements
- c) package
- d) class

Answer: a) interface

45. An interface can contain:

- a) Method definitions
- b) Method declarations only
- c) Constructors
- d) Static blocks

Answer: b) Method declarations only

46. Default package in every Java program:

- a) java.default
- b) java.lang
- c) java.base
- d) java.core

Answer: b) java.lang

47. Which keyword is used to access packages in Java?

- a) package
- b) include
- c) import
- d) using

Answer: c) import

Mixed & Advanced

48. Java's garbage collector runs:

- a) Manually
- b) Automatically
- c) On compile time
- d) On object creation

Answer: b) Automatically

49. Which is not a Java access modifier?

- a) public
- b) private
- c) protected
- d) internal

Answer: d) internal

50. Which collection class allows duplicate elements?

- a) Set
- b) List
- c) Map
- d) TreeSet

Answer: b) List

This covers all major exam sections, including syntax, OOP principles, I/O, GUIs, multithreading, networking, JDBC, and packages/interfaces.

Q: Can you also provide a last-minute revision cheat sheet summarizing all key Java concepts covered in this course?

Of course — adopting the role of a **senior Java course mentor**, I'll now provide a **powerful Last-Minute Revision Cheat Sheet** precisely aligned to your NPTEL "Programming in Java" course.

It will be compact yet complete, sorted by week/topic for rapid glancing.

Java Last-Minute Revision Cheat Sheet (NPTEL)

M Week 1: OOP & Java Basics

- OOP Concepts: Encapsulation, Inheritance, Polymorphism, Abstraction.
- Java is: Platform-independent (because of JVM), Object-Oriented, Robust, Secure.
- main() method:

```
public static void main(String[] args)
```

Compilation:

```
.java \rightarrow (javac) \rightarrow .class (bytecode) \rightarrow (JVM) \rightarrow machine code.
```

Week 2: Java Programming Elements

- Primitive Types: byte, short, int, long, float, double, char, boolean.
- Operators: Arithmetic (+ * / %), Relational (== != > <), Logical (&& || !), Assignment (= += -=).
- Control Statements: if, if-else, switch, for, while, do-while.

· Scanner for input:

```
Scanner sc = new Scanner(System.in);
```

BufferedReader for input:

```
BufferedReader br = new BufferedReader(new InputStreamReader(System.in));
```

- I/O Streams:
 - o Byte Streams: InputStream, OutputStream.
 - o Character Streams: Reader, Writer.

M Week 4: Encapsulation

- Encapsulation = Private Data + Public Getters/Setters.
- Example:

```
private int age;
public int getAge() { return age; }
public void setAge(int a) { age = a; }
```

M Week 5: Inheritance

- Single inheritance only (class-wise).
- Syntax: class B extends A {}
- super keyword: Calls parent class constructor or method.
- Method Overriding: Same signature, different class (Inheritance).

Week 6: Exception Handling

- try-catch-finally block.
- Checked Exceptions: Must be caught (e.g., IOException).
- Unchecked Exceptions: Runtime errors (e.g., NullPointerException).
- throw vs throws:
 - throw: manually throw exception.
 - throws : declare exception possibility.

Meek 7: Multithreading

- Two ways to create threads:
 - o Extending Thread class
 - Implementing Runnable interface.
- Thread methods:

```
start(), run(), sleep(ms), join(), yield().
```

Thread Life Cycle: New → Runnable → Running → Blocked/Waiting → Dead.

Week 8: Applets and Servlets

- Applet methods: init(), start(), stop(), destroy().
- · Servlet: Java program on the server-side for web apps.
- Servlet lifecycle: init() → service() → destroy().

Meek 9: Java Swing and AWT

- · AWT (heavyweight) vs Swing (lightweight, flexible).
- Common Swing Components: JFrame, JButton, JLabel, JTextField, JPanel.
- Event Handling: ActionListener, MouseListener, etc.

Meek 10: Networking with Java

- · Socket Programming:
 - Client: Socket
 - o Server: ServerSocket
- URL Handling:
- URL url = new URL("http://example.com");
- Important Classes: Socket, ServerSocket, DatagramSocket.

M Week 11: Java Database Connectivity (JDBC)

- JDBC Steps:
 - Load Driver → Class.forName(driverName)
 - 2. Connect to DB \rightarrow DriverManager.getConnection(url, user, pass)
 - 3. Create Statement → createStatement()
 - 4. Execute Query → executeQuery() / executeUpdate()
 - 5. Close Connection.
- Interfaces: Connection, Statement, PreparedStatement, ResultSet.

M Week 12: Interfaces and Packages

- Interfaces: Only abstract methods (Java 7); default & static methods allowed from Java 8.
- Syntax:

```
interface MyInterface {
   void myMethod();
}
```

- Packages:
 - o Group of related classes/interfaces.
 - Import with import package.className;
- Default package: java.lang (imported automatically).

Quick Syntax Snippets

Concept	Syntax Example
Class Definition	<pre>class ClassName {}</pre>
Inheritance	<pre>class Child extends Parent {}</pre>
Interface Implementation	<pre>class A implements InterfaceName {}</pre>
Exception Handling	<pre>try { } catch(Exception e) { }</pre>
Thread Creation	<pre>Thread t = new Thread(obj); t.start();</pre>
Package Declaration	package mypack;

M Common Java Command Line

```
javac Program.java // compile
java Program // run
```

Very Last-Minute 5 Points to Remember

- Always close JDBC Connections.
- Use synchronized keyword for thread safety.
- · Constructors do not have a return type.
- finalize() method for garbage collection.
- · Java does NOT support operator overloading

Would you also like a **visual mind map (flowchart style)** summarizing this for even faster memory retention? If the would be perfect to glance at 1 hour before your exam.)

Q: Can you create a "common mistakes" checklist to avoid while answering Java exam questions?

Absolutely — here's a targeted checklist designed specifically for Java exams like NPTEL's. This will help you avoid common traps and errors students make during the test.

Java Exam: Common Mistakes Checklist (Avoid These!)

- Forgetting semicolon (;) at the end of statements.
- Miswriting the main method signature:

M public static void main(String[] args)

M public void main() or static public void main()

- Using capital letters incorrectly: Java is case-sensitive! (System vs system, String vs string).
- Confusing == (comparison) with = (assignment).

Ø OOP & Inheritance

- Forgetting to use super() to call parent class constructor.
- Thinking Java supports multiple inheritance with classes (it doesn't use interfaces).
- Overriding methods without @Override annotation (not compulsory but prevents mistakes).
- Not distinguishing between method overloading (same class) and method overriding (different classes).

II Exception Handling

- Missing try-catch block around code that throws **checked exceptions** (e.g., IOException).
- Writing catch(Exception e) without handling specific exceptions first.
- Forgetting **finally** is **always executed**, even after return.

Multithreading

- ☐ Confusing run() vs start():

 ☑ Call start() to start a new thread,
 - Calling run() just executes in current thread.
- Forgetting to synchronize shared data between threads (use synchronized).

 Mixing AWT and Swing components (can cause issues). Not using the Event Dispatch Thread (EDT) to update GUI components (SwingUtilities.invokeLater()).
Networking
 Not closing sockets and streams (may cause resource leaks). Using incorrect port numbers or missing try-catch block in networking code.
M JDBC (Database)
 Forgetting to close Connection, Statement, and ResultSet. Using Statement instead of PreparedStatement (less secure). Not handling SQLException properly.
Interfaces & Packages
 Forgetting that interfaces can't have constructors. Using access modifiers incorrectly in interfaces: All methods are implicitly public and abstract (Java 7). Forgetting to import packages/classes before using them.
△ Conceptual Mistakes
 Thinking Java supports operator overloading (it does not). Believing everything in Java is passed by reference — M Primitives = pass by value M Objects = reference is passed by value. Confusing checked and unchecked exceptions. Thinking final = finally = finalize() (they are very different!).
☑ During MCQs
 Not reading all answer options carefully (some have subtle differences). Ignoring keywords like "ALWAYS", "NEVER" in the question. Missing small syntax errors hidden in code-based MCQs. Assuming default access without checking package/class relationships.
Before Submission
 Skipping code compilation mentally — always "simulate" running the code in your head. Not double-checking exception-prone areas (file I/O, networking, database).
Would you also like me to give you a "Last 10-Minute Mental Exam Routine" — a checklist for what exactly to do in the final 10 minutes before you start the exam? (Super useful for calm + accuracy boost.)
Q: Can you list out 20 tricky syntax traps in Java that often show up in NPTEL-style MCQs? Excellent request — here are 20 tricky Java syntax traps carefully selected to match NPTEL exam styles. Many of these are designed to confuse even students who know the concepts but miss small details under pressure.
△ 20 Tricky Java Syntax Traps (Common in NPTEL MCQs)

```
static public void main(String args[]) // ② valid public void main(String[] args) // ② invalid (must be static)
```

2. Misusing == Vs .equals()

```
String s1 = "abc";
String s2 = new String("abc");
System.out.println(s1 == s2);  // false (reference check)
System.out.println(s1.equals(s2)); // true (content check)
```

3. Il Using non-final variables in switch

```
int x = 10;
switch (x) { // B valid
}
```

But:

```
double d = 10.5;
// switch(d) // ☑ invalid: only int, byte, short, char, String allowed
```

4. Forgetting default constructors when parameterized constructor is present

```
class A {
    A(int x) {}
}
// A obj = new A(); // 
    compile error (no default constructor)
```

5. A Overriding with wrong method signature

```
class A {
   void show(int x) {}
}
class B extends A {
   void show(double x) {} // ② this is overloading, not overriding
}
```

6. $\[mathbb{M}$ finally, finalize() confusion

- final: variable/method/class can't change.
- finally: block always executes.
- finalize(): called before GC (deprecated).

7. Multiple catch blocks - order matters

```
try { }
catch (Exception e) { } // ② must come after specific exceptions
catch (ArithmeticException e) { } // ② compile error (unreachable)
```

8. I Using throw without an object

```
throw new ArithmeticException(); // 🗈 valid
// throw ArithmeticException; // 🗈 invalid
```

9. I Thread run() vs start() confusion

```
t.start(); // 🗈 starts new thread
t.run(); // 🗈 just calls method in current thread
```

10. Array indexes starting at 1 (wrong)

```
int[] arr = new int[5];
arr[0] = 10; // ② correct
arr[5] = 20; // ③ ArrayIndexOutOfBoundsException
```

11. Access modifier trap: private members not visible to subclass

```
class A {
    private int x;
}
class B extends A {
    void show() {
        // System.out.println(x); // ② compile error
    }
}
```

12. Il static methods can't access instance variables

```
class A {
  int x;
  static void show() {
      // System.out.println(x); // ② compile error
  }
}
```

13. Assigning incompatible types

```
int i = 10;
double d = i; // ② widening
int j = d; // ② compile error (needs cast)
```

14. I interface methods are public by default

```
interface A {
   void show(); // ② implicitly public abstract
}
```

If implemented as:

```
class B implements A {
   void show() {} // ② compile error (must be public)
}
```

15. ∅ break / continue outside loops

```
if (true) {
    // break; // 
}
```

16. I null can't be assigned to primitive types

```
int x = null; // ② compile error
Integer y = null; // ③ works (autoboxing)
```

17. Ill Forgetting to close JDBC objects

```
Connection con = DriverManager.getConnection(...);
// con.close(); // ② must close
```

18. Wrong package import

```
// import java.util.scanner; // 🗈 wrong (case sensitive)
import java.util.Scanner; // 🗈 correct
```

19. Applet lifecycle methods signature mismatch

```
public void init() { } // ② correct
// public void Init() { } // ③ wrong (Java is case-sensitive)
```

20. Misusing super() in constructors

```
class A {
    A(int x) {}
}
class B extends A {
    B() {
        // super(); // ② compile error (no default constructor)
        super(10); // ③ correct
    }
}
```

These **20 traps** are real MCQ bait in NPTEL, GATE, and other technical exams! Many are meant to check your **attention to syntax, not just concepts**. Memorizing these today will massively improve your score tomorrow.