

# PROJECT:FLYAWAY

## AdminLogin.java:

```
package com.TicketBooking;

import java.io.IOException;
import java.sql.SQLException;
import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

import com.database.Dao;

@WebServlet("/AdminLogin")
public class AdminLogin extends HttpServlet {
    private static final long serialVersionUID = 1L;

    protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {

        String email=request.getParameter("email");
        String password=request.getParameter("password");

        try {
            Dao dao=new Dao();

            if(dao.checkAdmin(email,password)) {
                response.sendRedirect("AdminHome.jsp");
            }
            else {
                HttpSession session=request.getSession();
                session.setAttribute("message", "Invalid Details");
                response.sendRedirect("AdminPage.jsp");
            }
        } catch (ClassNotFoundException | SQLException e) {
            // TODO Auto-generated catch block
            e.printStackTrace();
        }

    }
}
```

## FlightList.java:

```
package com.TicketBooking;
import java.io.IOException;
import java.sql.SQLException;
```

```

import java.util.List;

import javax.servlet.ServletException;
import javax.servlet.annotation.WebServlet;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

import com.database.Dao;

@WebServlet("/FlightList")
public class FlightList extends HttpServlet {
    private static final long serialVersionUID = 1L;

    protected void doPost(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {

        String from=request.getParameter("from");
        String to=request.getParameter("to");
        String departure=request.getParameter("departure");
        String travellers=request.getParameter("travellers");

        try {
            Dao dao = new Dao();
            List<String[]> flights=dao.getAvailableFlights(from, to,
departure);

            HttpSession session=request.getSession();
            session.setAttribute("flights", flights);

        } catch (ClassNotFoundException | SQLException e) {
            // TODO Auto-generated catch block
            e.printStackTrace();
        }
        response.sendRedirect("FlightList.jsp");
    }

    protected void doGet(HttpServletRequest request, HttpServletResponse
response) throws ServletException, IOException {
        response.sendRedirect("FinalTicket.jsp");
    }
}

```

## Forget Password.java:

```

package com.TicketBooking;
import javax.servlet.annotation.WebServlet;
import java.io.IOException;
import java.sql.SQLException;

import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;

```

```

import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

import com.database.Dao;
@WebServlet("/ForgotPassword")
public class ForgotPassword extends HttpServlet {
    private static final long serialVersionUID = 1L;
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {

        String email=request.getParameter("email");
        String password=request.getParameter("password");

        try {
            Dao dao=new Dao();
            HttpSession session=request.getSession();
            if(dao.changeAdminPassword(email,password)) {
                session.setAttribute("message", "Password Changed
Successfully");
            }
            else {
                session.setAttribute("message", "Invalid Details");
            }
        } catch (ClassNotFoundException | SQLException e) {
            // TODO Auto-generated catch block
            e.printStackTrace();
        }
        response.sendRedirect("AdminPage.jsp");
    }
}

```

## InsertFlight.java:

```

package com.TicketBooking;
import javax.servlet.annotation.WebServlet;

import javax.servlet.http.HttpServlet;
import java.io.IOException;
import java.sql.SQLException;
import java.util.HashMap;

import javax.servlet.ServletException;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

import com.database.Dao;

@WebServlet("/InsertFlight")
public class InsertFlight extends HttpServlet {
    private static final long serialVersionUID = 1L;
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {

```

```

String name=request.getParameter("name");
String from=request.getParameter("from");
String to=request.getParameter("to");
String departure=request.getParameter("departure");
String time=request.getParameter("time");
String price=request.getParameter("price");

HashMap<String,String> flight=new HashMap<>();
flight.put("name", name);
flight.put("from", from);
flight.put("to", to);
flight.put("date", departure);
flight.put("time", time);
flight.put("price", price);

try {
    Dao dao=new Dao();
    HttpSession session=request.getSession();
    if(dao.insertFlight(flight)) {

        session.setAttribute("message", "Flight Added
Successfully");
    }
    else {
        session.setAttribute("message", "Invalid Details");
    }
} catch (ClassNotFoundException | SQLException e) {
    // TODO Auto-generated catch block
    System.out.print("error");
    e.printStackTrace();
}
response.sendRedirect("AdminHome.jsp");

}

}

```

## Logout.java:

```

package com.TicketBooking;

import javax.servlet.annotation.WebServlet;
import java.io.IOException;

import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

@WebServlet("/Logout")
public class Logout extends HttpServlet {
    private static final long serialVersionUID = 1L;
    protected void doGet(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {

```

```

        HttpSession session=request.getSession();
        session.setAttribute("user", null);
        response.sendRedirect("HomePage.jsp");
    }
}

```

## UserLogin.java:

```

package com.TicketBooking;
import javax.servlet.annotation.WebServlet;
import java.io.IOException;
import java.sql.SQLException;
import java.util.HashMap;

import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

import com.database.Dao;
@WebServlet("/UserLogin")
public class UserLogin extends HttpServlet {
    private static final long serialVersionUID = 1L;
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {

        String email=request.getParameter("email");
        String password=request.getParameter("password");

        try {
            Dao dao=new Dao();
            HashMap<String,String> user=dao.checkUser(email,password);
            HttpSession session=request.getSession();
            if(user!=null) {
                session.setAttribute("user", user);
                response.sendRedirect("HomePage.jsp");
            }
            else {
                session.setAttribute("message", "Invalid Details");
                response.sendRedirect("UserPage.jsp");
            }
        } catch (ClassNotFoundException | SQLException e) {
            // TODO Auto-generated catch block
            e.printStackTrace();
        }
    }
}

```

## UserRegistration.java:

```

package com.TicketBooking;
import javax.servlet.annotation.WebServlet;
import java.io.IOException;

```

```

import java.sql.SQLException;
import java.util.HashMap;

import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
import javax.servlet.http.HttpSession;

import com.database.Dao;
@WebServlet("/UserLogin")
public class UserLogin extends HttpServlet {
    private static final long serialVersionUID = 1L;
    protected void doPost(HttpServletRequest request, HttpServletResponse response)
    throws ServletException, IOException {

        String email=request.getParameter("email");
        String password=request.getParameter("password");

        try {
            Dao dao=new Dao();
            HashMap<String,String> user=dao.checkUser(email,password);
            HttpSession session=request.getSession();
            if(user!=null) {
                session.setAttribute("user", user);
                response.sendRedirect("HomePage.jsp");
            }
            else {
                session.setAttribute("message", "Invalid Details");
                response.sendRedirect("UserPage.jsp");
            }
        } catch (ClassNotFoundException | SQLException e) {
            // TODO Auto-generated catch block
            e.printStackTrace();
        }

    }
}

```

## Dao.java:

```

package com.database;
import java.sql.Connection;
import java.sql.DriverManager;

import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
import java.util.ArrayList;
import java.util.HashMap;
import java.util.List;
import util.StringUtil;
public class Dao {
    public Connection con=null;
    public Statement st=null;

    public Dao() throws ClassNotFoundException, SQLException{
        Class.forName("com.mysql.cj.jdbc.Driver");
    }
}

```

```

        con=DriverManager.getConnection("jdbc:mysql://localhost:3306/airways","root",
        "Haritha@28");
        System.out.println("connection established with database");
        st=con.createStatement();
    }
    public List<String[]> getAvailableFlights(String f, String t, String d) {

        List<String[]> flights=new ArrayList<>();
        String query="SELECT * FROM flyaway.flights where fromf='"+f+"' and
        tof='"+t+"' and datef='"+d+"'";
        try {
            ResultSet rs=st.executeQuery(query);

            if(rs.next()) {
                String[] flight=new String[3];
                flight[0]=rs.getString("name");
                flight[1]=rs.getString("timef");
                flight[2]=rs.getString("price");
                flights.add(flight);
                return flights;
            }

        } catch (SQLException e) {
            e.printStackTrace();
        }

        return null;
    }

    public HashMap<String, String> checkUser(String email, String password) {

        HashMap<String,String> user=null;
        String query="select * from user where email='"+email+"' and
        password='"+password+"'";
        try {
            ResultSet rs=st.executeQuery(query);
            if(rs.next()) {
                user=new HashMap<>();
                user.put("name", rs.getString("name"));
                user.put("email",rs.getString("email"));
                user.put("phno",rs.getString("phno"));
                user.put("adno",rs.getString("adno"));
            }
            return user;
        } catch (SQLException e) {
            e.printStackTrace();
        }

        return user;
    }

    public boolean insertUser(HashMap<String, String> user) {

        String query="INSERT INTO user (email, password, name, phno, adno)
        values('"+user.get("email")+"','"+user.get("password")+"','"+user.get("name")+"','
        "+user.get("phno")+"','"+user.get("adno")+"')";
    }

```

```

        try {
            st.execute(query);
            return true;
        } catch (SQLException e) {
            e.printStackTrace();
        }
        return false;
    }

    public boolean checkAdmin(String email, String password) {

        try {
            ResultSet rs=st.executeQuery("select * from admin where
email='"+email+"' and password='"+password+"'");
            if(rs.next())
                return true;
        } catch (SQLException e) {
            e.printStackTrace();
        }
        return false;
    }

    public boolean changeAdminPassword(String email, String password) {

        try {
            ResultSet rs=st.executeQuery("select * from admin where
email='"+email+"'");
            if(!rs.next()) {
                return false;
            }
            st.execute("update admin set password='"+password+"' where
email='"+email+"'");
            return true;
        } catch (SQLException e) {
            e.printStackTrace();
        }
        return false;
    }

    public boolean insertFlight(HashMap<String, String> flight) throws SQLException {
        //PreparedStatement stm=con.prepareStatement("INSERT INTO 'flyaway.flights'
('name', 'from', 'to', 'date', 'time', 'price') values(?,?,?,?,?,?)");
        //String sql="INSERT INTO flights
('name','from','to','date','time','price')
values('"+flight.get("name")+"','"+flight.get("from")+"','"+flight.get("to")+"','"
+flight.get("date")+"','"+flight.get("time")+"','"+flight.get("price")+"')";
        String query1 = "INSERT INTO flights (name, fromf, tof, datef, timef,
price) VALUES" + " ("
            + StringUtil.fixSqlFieldValue(flight.get("name")) + "," + "
" + StringUtil.fixSqlFieldValue(flight.get("from")) + "," + " "
            + StringUtil.fixSqlFieldValue(flight.get("to")) + "," + " "
+ StringUtil.fixSqlFieldValue(flight.get("date")) + "," + " "
            + StringUtil.fixSqlFieldValue(flight.get("time")) + "," + "
" + StringUtil.fixSqlFieldValue(flight.get("price")) + ")";

        //String sql="INSERT INTO `flyaway`.`flights` (`name`, `fromf`, `tof`,
`datef`, `timef`, `price`) VALUES ('indigo', 'hyd', 'viz', '2021-04-08', '10:00',
'2000')";
        System.out.println(flight.get("date"));
    }

```



```

        System.out.println(flight.get("time"));
        //String query1="INSERT into flyaway.flights (name,from,to,date,time,price)
values('indigo','hyd','viz','24-02-2022','10:30','2000')";
        try {
            //stm.execute();
            st.execute(query1);
            return true;
        } catch (SQLException e) {
            System.out.print("error");
            e.printStackTrace();
        }
        return false;
    }
}

```

StringUtil.java:

```

package util;
public class StringUtil {
    public static String fixSqlFieldValue(String value) {
        if (value == null) {
            return null;
        }
        int length = value.length();
        StringBuffer fixedValue = new StringBuffer((int)(length*1.1));
        for(int i = 0 ; i < length ;i++) {
            char c = value.charAt(i);
            if ( c == '\'' ) {
                fixedValue.append("''");
            }else {
                fixedValue.append(c);
            }
        }
        return fixedValue.toString();
    }

    public static String encodeHtmlTag(String tag) {
        if (tag==null)
            return null;
        int length = tag.length();
        StringBuffer encodedTag = new StringBuffer(2 * length);
        for(int i = 0 ; i < length;i++) {
            char c = tag.charAt(i);
            if(c=='<')
                encodedTag.append("<");
            else if(c=='>')
                encodedTag.append(">");
            else if(c=='&')
                encodedTag.append("&");
            else if(c=='"')
                encodedTag.append(""");
            else if(c==' ')
                encodedTag.append(" ");
            else
                encodedTag.append(c);
        }
        return encodedTag.toString();
    }
}

```

}

## AdminHome.jsp:

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Admin Home</title>
</head>
<body >
<br>
<a href=HomePage.jsp style="color:black;text-decoration:none ;font-
size:35px;font-weight:bold;">FlyAway</a>
<br><br>
<center>
<h1>Insert New Flight Details</h1>

<div style="border:3px solid black;width:25%;border-radius:20px;padding:20px"
align="center">
<form action=InsertFlight method=post>
    <label for=name>Name :-</label> <input type="text" name=name id=name
/><br><br>
    <label for=from>From :-</label> <input type="text" name=from id=from
/><br><br>
    <label for=to>To :-</label> <input type="text" name=to id=to /><br><br>
    <label for=departure>Departure :-</label> <input type="date"
name=departure id=departure /><br><br>
    <label for=time>Time :-</label> <input type="time" name=time id=time
/><br><br>
    <label for=price>Price :-</label> <input type="text" name=price id=price
/><br><br>
    <input type=submit value=submit /> <input type=reset />
</form>
</div>
</center>
<a href=FlightAvailable.jsp style="font-size:25;color:red;">FlightList</a>

<%
    String message=(String)session.getAttribute("message");
    if(message!=null){
%>
<p style="color:silver;"><%=message %></p>
<%
```

```

        session.setAttribute("message", null);
    }
%>
</body>
</html>

```

## AdminPage.jsp:

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Admin Page</title>
</head>
<body >
<br>
<a href=HomePage.jsp style="color:black;text-decoration:none ;font-size:35px;font-
weight:bold;">FlyAway</a>
<br><br>
<center>
<h2>Admin Login</h2>
<div style="border:3px solid black;width:25%;border-radius:20px;padding:20px"
align="center">
<form action=AdminLogin method=post>
    <label for=email>Email :-</label> <input type="email" name=email id=email
/><br><br>
    <label for=pass>Password :-</label> <input type="password" name=password
id=pass /><br><br>
    <input type=submit value=submit /> <input type=reset />
</form>
</div>
</center><br>
<a href=ForgotPassword.jsp style="font-size:25;color:red;">Forgot Password</a>

<%
    String message=(String)session.getAttribute("message");
    if(message!=null){
%>
<p style="color:silver;"><%=message %></p>
<%
        session.setAttribute("message", null);
    }
%>
</body>
</html>

```

## BookingFlight.jsp:

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<%@ page import="java.util.*" %>
<!DOCTYPE html>

```

```

<html>
<head>
<meta charset="ISO-8859-1">
<title>FlyAway</title>
</head>
<body >
<br>
<a href=HomePage.jsp style="color:neon;text-decoration:none ;font-size:35px;font-weight:bold;">Welcome to FlyAway</a>
<br><br>

<%
    @SuppressWarnings("unchecked")
    HashMap<String,String>
user=(HashMap<String,String>)session.getAttribute("user");
    if(user==null){
        response.sendRedirect("UserPage.jsp");
    }
%>
<a href="Payment.jsp"><button>Proceed to Pay</a></button>
<!--<p align="center" style="color:green;font-size:40px;font-weight:bold">Flight
Booked Successfully</p> -->
</body>
</html>

```

## FinalTicket.jsp:

```

<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>
<%@page import="java.util.*"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Booking Done with FlyAway !!</title>
<link rel="stylesheet" href="styles.css">
</head>
<body>
<a href=HomePage.jsp style="color:neon;text-decoration:none ;font-size:35px;font-weight:bold;">Welcome to FlyAway</a>
<h1>Booking done successfully..Happy Journey!!</h1>
    <div class="container1">
<form>

<%
    @SuppressWarnings("unchecked")
    HashMap<String,String>
user=(HashMap<String,String>)session.getAttribute("user");
%>

<h1 class="item" style="color:blue;">Thank you <%=user.get("name")%> for booking
with FlyAway !</h1>
<h1 class="item">Your AirTicket</h1>
<%
    @SuppressWarnings("unchecked")
    List<String[]> flights=(List<String[]>)session.getAttribute("flights");
%>

```

```

<table border="1">
<tr>
    <th>PassengerName</th>
    <th>FlightName</th>
    <th>DepartureTime</th>
    <th>Price</th>
</tr>

<%
    for(String[] flight:flights){
%>
<tr>
<td><%=user.get("name")%>
<td><%=flight[0]%></td>
<td><%=flight[1]%></td>
<td><%=flight[2]%></td>
</tr>
</table>
<%
    }
%>

    <div ><input type="submit" onclick="window.print()" value="Print ticket"
class="btn" /></div>

</form>
</div>
</body>
</html>

```

## Flight Available.jsp:

```

<%@ page import =
    "java.io.*,java.util.*,java.sql.*"%>

    <%@ page import =
        "javax.servlet.http.*,javax.servlet.*" %>
    <%@ taglib uri =
        "http://java.sun.com/jsp/jstl/core" prefix =
        "c"%>
    <%@ taglib uri =
        "http://java.sun.com/jsp/jstl/sql" prefix =
        "sql"%>
<html>
    <head>
        <title>JSTL sql:query Tag</title>
    </head>
    <a href=HomePage.jsp style="color:neon;text-
decoration:none ;font-size:35px;font-
weight:bold;">Welcome to FlyAway</a>
    <body>

```

```

        <sql:setDataSource var = "snapshot" driver
= "com.mysql.jdbc.Driver"
        url =
"jdbc:mysql://localhost:3306/flyaway"
        user = "root" password = "Hemsri@1"/>
        <sql:query dataSource = "${snapshot}"
var = "result">
        SELECT * from flights;
    </sql:query>
    <table border = "1" width = "100%">
        <tr>
            <th>NAME</th>
            <th>FROM</th>
            <th>TO</th>
            <th>DEPARTURE</th>
            <th>TIME</th>
            <th>PRICE</th>
        </tr>
        <c:forEach var = "row" items =
"${result.rows}">
            <tr>
                <td> <c:out value =
"${row.name}"/></td>
                <td> <c:out value =
"${row.fromf}"/></td>
                <td> <c:out value =
"${row.tof}"/></td>
                <td> <c:out value =
"${row.datef}"/></td>
                <td> <c:out value =
"${row.timef}"/></td>
                <td> <c:out value =
"${row.price}"/></td>
            </tr>
        </c:forEach>
    </table>
</body>
</html>

```

## Flight list.jsp:

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<%@ page import="java.util.*" import="javax.servlet.http.*" %>
<html>
<head>
<meta charset="ISO-8859-1">

```

```

<title>Flight List</title>
</head>
<body >
<br>
<a href=HomePage.jsp style="color:black;text-decoration:none;font-size:35px;font-
weight:bold;">FlyAway</a>
<br><br>
<%
    @SuppressWarnings("unchecked")
    List<String[]> flights=(List<String[]>)session.getAttribute("flights");
    if(flights!=null){
%>

<h1>Available Flights</h1>

<center>
<table border="1">
<tr>
    <th>Name</th>
    <th>Time</th>
    <th>Price</th>
</tr>

<%
    for(String[] flight:flights){
%>

<tr>
<td><%=flight[0]%></td>
<td><%=flight[1]%></td>
<td><%=flight[2]%></td>
</tr>
</table>
</center>
<center><a href=BookFlight.jsp>Book Now</a> </center>

<%
    }
%>

<%
    }
    else{
%>
<h1>There are no available flights</h1>
<%
    }
%>
</body>
</html><u>1</u>

```

## ForgetPassword.jsp:

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

```

```

        pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body >
<br>
<a href=HomePage.jsp style="color:black;text-decoration:none ;font-size:35px;font-
weight:bold;">FlyAway</a>
<br><br>
<center>
<div style="border:3px solid black;width:25%;border-radius:20px;padding:20px"
align="center">
<form action=ForgotPassword method=post>
<label for=email>Email :-</label> <input type="email" name=email id=email
/><br><br>
<label for=pass>New Password :-</label> <input type="password"
name=password id=pass /><br><br>
<input type=submit value=submit /> <input type=reset />
</form>
</div>
</center>
</body>
</html>

```

## HomePage.jsp:

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<%@ page import="java.util.*" %>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>FlyAway</title>
</head>
<body >
<h1>FlyAway</h1>

<div align="right">
<a href="AdminPage.jsp">Admin Login</a>
</div>

<%
    @SuppressWarnings("unchecked")
    HashMap<String,String>
    user=(HashMap<String,String>)session.getAttribute("user");
    if(user!=null){
%>
<p>Welcome <%=user.get("name") %></p>
<a href="Logout">Logout</a>
<%
    }else{
%>
<a href=UserPage.jsp>User Login</a>

```



```

<%
    }
%>
<br><br>
<center>
<div style="border:5px solid black;width:25%;border-radius:20px;padding:20px"
align="center">
<form action=FlightList method=post>
    <label for=from>From :-</label> <input type=text name=from
id=from/><br><br>
    <label for=to>To :-</label> <input type=text name=to id=to/><br><br>
    <label for=departure>Departure :-</label> <input type=date name=departure
id=departure/><br><br>
    <label for=travellers>Travellers :-</label> <input type=number
name=travellers id=travellers/><br><br>
    <input type=submit value=Search /> <input type=reset />
</form>
</div>
</center>
</body>
</html>

```

## Payment.jsp:

```

<%@ page language="java" contentType="text/html; charset=UTF-8"
    pageEncoding="UTF-8"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="UTF-8">
<title>Payment - Ticket Booking</title>
<link rel="stylesheet" href="styles.css">
</head>
<body>
<h1>One step away from flying away !!</h1>
    <div class="container1">
<form action=FlightList method="get">
    <div class="item" ><input type="text" placeholder="Email id" class="tb"
name="emailid" /></div>
    <div class="item" ><input type="text" placeholder="Name on Card" class="tb"
name="nameoncard" /></div>
    <div class="item" ><input type="text" placeholder="Card Number" class="tb"
name="cardnumber" /></div>
    <div class="item" ><input type="text" placeholder="CVV" class="tb"
name="cvv" /></div>
    <div style="color:white; margin: 10px; text-align:center;">Card Expiry
Date</div>
    <div class="item" ><input type="date" class="tb" name="date" /></div>
    <div ><input type="submit" value="Make Payment" class="btn" /></div>
</form>
</div>
</body>
</html>

```

## UserPage.jsp:

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body>
<br>
<a href=HomePage.jsp style="color:black;text-decoration:none ;font-size:35px;font-
weight:bold;">FlyAway</a>
<br><br>
<center>
<h2>User Login</h2>
<div style="border:2px solid black;width:25%;border-radius:20px;padding:20px"
align="center">
<form action=UserLogin method=post >
    <table>
        <tr>
            <td><label for=email>Email</label><br></td>
            <td><input type="email" name=email id=email /></td>
        </tr>
        <tr>
            <td><label for=pass>Password</label><br></td>
            <td><input type="password" name=password id=pass /></td>
        </tr>

        <tr>
            <td><input type=submit value=submit /></td>
            <td><input type=reset /></td>
        </tr>
    </table>

</form>
</div>
</center>
<br><br>
<i>New User-Create account</i>
<h4><a href=UserRegistration.jsp style="font-size:25;color:red;">Create
Account</a></h4>

<%
    String message=(String)session.getAttribute("message");
    if(message!=null){
%>
<p style="color:silver;"><%=message %></p>
<%
        session.setAttribute("message", null);
    }
%>
</body>
</html>

```

## UserRegistration.jsp:

```

<%@ page language="java" contentType="text/html; charset=ISO-8859-1"

```

```
    pageEncoding="ISO-8859-1"%>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<body >
<br>
<a href=HomePage.jsp style="color:black;text-decoration:none ;font-size:35px;font-
weight:bold;">FlyAway</a>
<br><br>
<center>
<div style="border:3px solid black;width:25%;border-radius:20px;padding:20px"
align="center">
<form action=UserRegistration method=post>
    <label for=email>Email :-</label> <input type="email" name=email id=email
/><br><br>
    <label for=pass>Password :-</label> <input type="password" name=password
id=pass /><br><br>
    <label for=name>Name :-</label> <input type="text" name=name id=name
/><br><br>
    <label for=phno>Phone No. :-</label> <input type="text" name=phno id=phno
/><br><br>
    <label for=adno>Aadhaar No. :-</label> <input type="text" name=adno id=adno
/><br><br>
    <input type=submit value=submit /> <input type=reset />
</form>
</div>
</center>
</body>
</html>
```