

Exp-1.2

Impulse Sampling


Name: Ahamed Hariz A

Reg no: 212224060009

```
# Impulse Sampling
import numpy as np
import matplotlib.pyplot as plt
from scipy.signal import resample
fs = 100
t = np.arange(0, 1, 1/fs)
f = 5
signal = np.sin(2 * np.pi * f * t)
plt.figure(figsize=(10, 4))
plt.plot(t, signal, label='Continuous Signal')
plt.title('NAME: AHAMED HARIZ A\nREG NO: 212224060009\n\nContinuous Signal (fs = 100 Hz)')
plt.xlabel('Time [s]')
plt.ylabel('Amplitude')
plt.grid(True)
plt.legend()
plt.show()
t_sampled = np.arange(0, 1, 1/fs)
signal_sampled = np.sin(2 * np.pi * f * t_sampled)
plt.figure(figsize=(10, 4))
plt.plot(t, signal, label='Continuous Signal', alpha=0.7)
plt.stem(t_sampled, signal_sampled, linefmt='r-', markerfmt='ro',
basefmt='r-', label='Sampled Signal (fs = 100 Hz)')
plt.title('Sampling of Continuous Signal (fs = 100 Hz)')
plt.xlabel('Time [s]')
plt.ylabel('Amplitude')
plt.grid(True)
plt.legend()
plt.show()
reconstructed_signal = resample(signal_sampled, len(t))
plt.figure(figsize=(10, 4))
# plt.plot(t, signal, label='Continuous Signal', alpha=0.7)
plt.plot(t, reconstructed_signal, 'r--', label='Reconstructed Signal (fs = 100 Hz)')
plt.title('Reconstruction of Sampled Signal (fs = 100 Hz)')
plt.xlabel('Time [s]')
plt.ylabel('Amplitude')
plt.grid(True)
plt.legend()
plt.show()
```


NAME: AHAMED HARIZ A
REG NO: 212224060009

Continuous Signal ($f_s = 100$ Hz)



Sampling of Continuous Signal ($f_s = 100$ Hz)

