Experiment 7

Student Name: Harleen Kaur **UID: 23BCS10342**
Branch: BE CSE **Section/Group: KRG 3A**
Semester: 6th **Date of Performance: 09/03/26**
Subject Name: Full Stack Development **Subject Code: 23CSH-309**

Aim:
To understand and implement JPA entity mapping, advanced querying, fetch strategies, and database performance optimization techniques in a backend application by building efficient data access layers using Spring Boot, JPA, and Hibernate.

Objective:

1. Implement JPA Entity Mapping
- Create entity classes using JPA annotations.
- Establish One-to-Many relationships between entities.
- Understand how ORM maps objects to relational database tables.

2. Perform Advanced Queries
- Write and execute JPQL queries.
- Implement cursor-based pagination for efficient data retrieval.
- Understand the importance of limiting result sets in large datasets.

3. Explore Fetch Strategies
- Implement Lazy and Eager fetching.
- Analyze how different fetch strategies impact application performance.
- Identify and resolve the N+1 query problem.

4. Improve Backend Performance
- Apply database indexing for frequently queried fields.
- Optimize query execution using query tuning techniques.
- Measure and compare performance improvements.

5. Apply Concepts in Project (HealthHub)
- Integrate optimized entity relationships and queries into the HealthHub backend project.
- Evaluate performance impact in real application scenarios.

Implementation/Code:

PatientController.java:

```
package com.example.healthhub.controller;

import com.example.healthhub.dto.*; import
com.example.healthhub.service.*;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.web.bind.annotation.*; import
org.springframework.data.domain.Page;

@RestController
@RequestMapping("/patients")
public class PatientController {

   @Autowired
   private PatientService patientService;

   @PostMapping
   public PatientDTO createPatient(@RequestBody PatientDTO dto) {
return patientService.savePatient(dto);
   }

   @GetMapping     public
Page<PatientDTO> getPatients(
          @RequestParam int page,
@RequestParam int size) {
      return patientService.getPatients(page, size);
   }

   @GetMapping("/{id}")
   public PatientDTO getPatient(@PathVariable Long id) {
      return patientService.getPatient(id);
   }
}
```

PatientRepository.java:

```
package com.example.healthhub.repository;

import com.example.healthhub.entity.Patient; import
org.springframework.data.jpa.repository.*; import
org.springframework.data.repository.query.Param; import
org.springframework.data.domain.*;

import java.util.*;

public interface PatientRepository extends JpaRepository<Patient, Long> {

    @Query("SELECT p FROM Patient p WHERE p.age > :age")
    List<Patient> findPatientsOlderThan(@Param("age") int age);

    @Query("SELECT p FROM Patient p LEFT JOIN FETCH p.appointments")
    List<Patient> findAllWithAppointments();

    @Query("SELECT p FROM Patient p LEFT JOIN FETCH p.appointments WHERE p.id
= :id")
    Optional<Patient> findByIdWithAppointments(@Param("id") Long id);

    Page<Patient> findAll(Pageable pageable);

    Optional<Patient> findByEmail(String email); }
```

PatientService.java:

```
package com.example.healthhub.service;

import com.example.healthhub.entity.*;
import com.example.healthhub.dto.*; import
com.example.healthhub.repository.*;
import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Service; import
org.springframework.data.domain.*;

import java.util.*;
```

```
@Service
public class PatientService {

    @Autowired
    private PatientRepository patientRepository;

    public PatientDTO savePatient(PatientDTO dto) {
Patient patient = new Patient();
patient.setName(dto.getName());
patient.setEmail(dto.getEmail());
patient.setAge(dto.getAge());

        Patient saved = patientRepository.save(patient);
return convertToDTO(saved);
    }

    public Page<PatientDTO> getPatients(int page, int size) {
Pageable pageable = PageRequest.of(page, size);        return
patientRepository.findAll(pageable)
                .map(this::convertToDTO);
    }

    public PatientDTO getPatient(Long id) {
        Patient patient = patientRepository.findByIdWithAppointments(id)
.orElseThrow(() -> new RuntimeException("Patient not found"));        return
convertToDTO(patient);
    }

    public PatientDTO convertToDTO(Patient patient) {
        PatientDTO dto = new PatientDTO();

        dto.setId(patient.getId());
dto.setName(patient.getName());
dto.setEmail(patient.getEmail());
        dto.setAge(patient.getAge());
```

```
        if (patient.getAppointments() != null) {
            List<String> dates = patient.getAppointments()
                    .stream()
                    .map(Appointment::getDate)
                    .toList();
            dto.setAppointmentDates(dates);
        }

        return dto;
    }
}
```

Output:



CHANDIGARH UNIVERSITY

Discover. Learn. Empower.

GET http://localhost:8080/patients Send

Docs Params Authorization Headers 6 Body Scripts Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

This request does not have a body

Body 200 OK 69 ms 317 B Save Response

{} JSON Preview Visualize


```
[
    {
        "age": 20,
        "email": "harry@gmail.com",
        "id": 1,
        "name": "Harleen kaur",
        "records": []
    },
    {
        "age": 27,
        "email": "aggu@gmail.com",
        "id": 2,
        "name": "Agamjot",
        "records": []
    }
]
```


GET http://localhost:8080/patients/paginated?page=0&size=2 Send

Docs Params Authorization Headers 6 Body Scripts Settings Cookies

Body 200 OK 71 ms 629 B Save Response

{} JSON Preview Visualize


```
            "age": 20,
            "email": "harry@gmail.com",
            "id": 1,
            "name": "Harleen kaur",
            "records": []
        },
        {
            "age": 27,
            "email": "aggu@gmail.com",
            "id": 2,
            "name": "Agamjot",
            "records": []
        }
    ],
    "empty": false,
    "first": true,
    "last": true,
    "number": 0,
    "numberOfElements": 2,
    "pageable": {
        "offset": 0,
        "pageNumber": 0,
        "pageSize": 2,
        "paged": true,
        "sort": {
            "empty": true,
            "sorted": false,
            "unsorted": true
        },
        "unpaged": false
    },
    "size": 2,
    "sort": {
        "empty": true,
```



Learning Outcomes:

1. Ability to design and implement JPA entity classes using appropriate annotations and relationships, particularly One-to-Many mappings.

2. Understanding of Object-Relational Mapping (ORM) concepts and how Java objects are mapped to relational database tables.

3. Ability to write and execute advanced JPQL queries and implement efficient data retrieval techniques such as cursor-based pagination.

4. Understanding the importance of optimizing queries by limiting result sets when working with large datasets.

5. Ability to differentiate between Lazy and Eager fetching strategies and analyze their impact on application performance.