
Remake Dispense Report

DR Number	Remake reason	Customer Name	OrderDate
R342500000680670688581C	Dispenser Error-Frame damaged on adjustment	Master Jacob Briggs	01/11/2022

R342500000546340688898C	Dispenser Error-Inappropriate lens selection at dispense	Mrs Elizabeth Da Silva	02/11/2022
-------------------------	--	------------------------	------------

R342500000049440688959C	Dispenser Error-Inappropriate lens selection at dispense	Mrs Yvonne Gaby	03/11/2022
-------------------------	--	-----------------	------------

DR Number	Remake reason	Customer Name	OrderDate
R34250000049440688959D	Dispenser Error-Inappropriate lens selection at dispense	Mrs Yvonne Gaby	03/11/2022
R342500000369400688997A	Optom Error-Recheck - Change of Prism	Mrs Diane Potter	03/11/2022
R342500000369400688997B	Optom Error-Recheck - Change of Prism	Mrs Diane Potter	03/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000301630689001A	No Worries, NoFuss-Change Rx (outside Optometrist)	Mr Nigel Pearson	03/11/2022
R342500000301630689001B	No Worries, NoFuss-Change Rx (outside Optometrist)	Mr Nigel Pearson	03/11/2022
R342500000625470689006C	Warranty-Coating Breakdown	Mr Lokesh Baskaran	03/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000100830689010B	Warranty-Coating Breakdown	Mr Bradley Mayall	03/11/2022
<hr/>			
R342500000093080689012C	Dispenser Error-Incorrect heights - too low Lab Error-Incorrect Heights Dispenser Error-Incorrect PD/OC	Mrs Anne Paul	03/11/2022
<hr/>			
R342500000489320689014C	Dispenser Error-Lens damaged on adjustment	Mr Marcus Hughes	03/11/2022
<hr/>			

DR Number	Remake reason	Customer Name	OrderDate
R34250000096390689016A	Warranty-Coating Breakdown	Mrs Carol Bellinger	03/11/2022
R342500000743610689077B	Warranty-Frame replacement (discontinued frame)	Mr Sialafau Ioane	03/11/2022
R342500000868730689107A	Optom Error-Recheck - Change of SPH &/or Cyl Power Optom Error-Overcorrected Plus/Minus	Mrs Kayla Ranson	03/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000868730689107B	Optom Error-Recheck - Change of SPH &/or Cyl Power Optom Error-Overcorrected Plus/Minus	Mrs Kayla Ranson	03/11/2022
R342500000876390689114C	No Worries, NoFuss-Ultraclear Removed	Mr Harry McCartney	03/11/2022
R342500000748410689474C	Warranty-Frame replacement (discontinued frame)	Ms Barbara Shelley	04/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000679810689477D	No Worries, NoFuss-Ultraclear Added	Mr Gaganpreet Dhillon	04/11/2022
R342500000884750689496C	No Worries, NoFuss-Px Changed mind	Miss Emily Bencic	04/11/2022
R342500000884750689496D	No Worries, NoFuss-Px Changed mind	Miss Emily Bencic	04/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000853500689502C	Dispenser Error-Inappropriate frame selection - fit	Mr Joel VILLAR	04/11/2022
R342500000770030689717A	Optom Error-Recheck - Change of SPH &/or Cyl Power No Worries, NoFuss-Px Changed mind	Miss Ashleigh Kienhuis	05/11/2022
R342500000770030689717B	Optom Error-Recheck - Change of SPH &/or Cyl Power No Worries, NoFuss-Px Changed mind	Miss Ashleigh Kienhuis	05/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000207660690024A	Optom Error-Inhouse Rx incorrectly captured	Mr Kenneth Mckenzie	07/11/2022
R342500000207660690024B	Optom Error-Inhouse Rx incorrectly captured	Mr Kenneth Mckenzie	07/11/2022
R342500000489730690039E	Dispenser Error-Lens damaged on adjustment	Mr Daravy Kouch	07/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000207380690208C	Lab Error-Lens size (too large/too small)	Mrs Terri Mckenzie	07/11/2022
R342500000039220690211B	Optom Error-Recheck - Change of SPH &/or Cyl Power	Mrs Lorraine Scott	07/11/2022
R342500000858950690218A	Optom Error-Recheck - Change of SPH &/or Cyl Power	Mr Said Aliyar	07/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000858950690218B	Optom Error-Recheck - Change of SPH &/or Cyl Power	Mr Said Aliyar	07/11/2022
R342500000798760690224A	Optom Error-Recheck - Change of Prism	Mrs Julie Gales	07/11/2022
R342500000798760690224B	Optom Error-Recheck - Change of Prism	Mrs Julie Gales	07/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000321760690316C	No Worries, NoFuss-Px Changed mind	Mrs Sheleen Humphrey	08/11/2022
R342500000887920690325C	Dispenser Error-Inappropriate lens selection at dispense	Mrs Roseline Claite	08/11/2022
R342500000879630690343B	No Worries, NoFuss-Px Changed mind	Mrs Loretta Fernandez	08/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000371820690615A	No Worries, NoFuss-Change of lens type	Mr Peter Houben	10/11/2022
R342500000663580690618C	No Worries, NoFuss-Change of lens design (capture original design in Remake Notes)	Ms Suzanne Bourke	10/11/2022
R342500000770580690732A	No Worries, NoFuss-Px Changed mind	Mrs Sharon Beattie	10/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000775180690737B	Dispenser Error-Incorrect heights - too high	Mr Craig Pickard	10/11/2022
R342500000342110690910C	Lab Error-Lens size (too large/too small)	Ms Darna Campbell	10/11/2022
R342500000805850691129C	Dispenser Error-Incorrect heights - too low	Mr Steven Dew	11/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000884460691206D	No Worries, NoFuss-Px Changed mind	Miss Rhia O'Shannessy	11/11/2022
<hr/>			
R342500000164910691250D	Lab Error-Lens size (too large/too small) Lab Error-Lens curvature	Master Sheayne May	11/11/2022
<hr/>			
R342500000135100691338D	Dispenser Error-Incorrect heights - too high	Mrs Wendy Dew	12/11/2022
<hr/>			

DR Number	Remake reason	Customer Name	OrderDate
R342500000866790691498D	No Worries, NoFuss-Px Changed mind	Mrs Kogielevani Moodley	12/11/2022
R342500000766490691572E	Dispenser Error-Frame damaged on adjustment	Ms Honey Mathew	12/11/2022
R342500000394150691623D	Lab Error-Lens size (too large/too small)	Mr Jesse Caminiti	13/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000699430691626D	Warranty-Faulty/broken frame (capture original in Remake Notes)	Mr Jordan Creeley	13/11/2022
R342500000109520691631D	Dispenser Error-Inappropriate frame selection - fit Dispenser Error-Incorrect PD/OC	Mrs Aurora Nagy	13/11/2022
R342500000723180691650A	Optom Error-Recheck - Change of SPH &/or Cyl Power	Miss Shaine Rismedeen	13/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000639400691662C	No Worries, NoFuss-Change of lens type	Mrs Qingwen Yao	13/11/2022
R342500000794200691703E	Lab Error-Lens size (too large/too small)	Mr Balwinder Singh	13/11/2022
R342500000487060691706A	No Worries, NoFuss-Change of lens type Non-Tol to Multifocals-Non tolerance to multifocals	Mr Paul Morris	13/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R34250000032620691708C	No Worries, NoFuss-Change of lens type	Mrs Amarjit Kalra	13/11/2022
R342500000889070691710C	Dispenser Error-Inappropriate lens selection at dispense	Mr Anthony Hira	13/11/2022
R342500000733950691800B	No Worries, NoFuss-Px Changed mind	Mrs Anita Hughes	13/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000870750691898D	Dispenser Error-Inappropriate lens selection at dispense	Mr Neil Davey	14/11/2022
R342500000429850691902A	No Worries, NoFuss-Change of lens design (capture original design in Remake Notes)	Ms Bethany Coburn	14/11/2022
R342500000825360692211B	No Worries, NoFuss-Px Changed mind	Mrs Tayyaba kanwal	15/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000074160692231C	No Worries, NoFuss-Change of lens type	Mr Russell Parsons	15/11/2022
R342500000049440692271E	Lab Error-Faulty frame received	Mrs Yvonne Gaby	15/11/2022
R342500000116160692434C	No Worries, NoFuss-Ultraclear Removed No Worries, NoFuss-Ultraclear Added	Mr David Porter	16/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000127750692453E	No Worries, NoFuss-Px Changed mind	Master Ryan Sam	16/11/2022
R342500000843150692652C	Warranty-Coating Breakdown	Miss Bryley Sloper	17/11/2022
R342500000692990692670C	No Worries, NoFuss-Px Changed mind	Mr Felix Matongo	17/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000505660692969A	Optom Error-Recheck - Change of SPH &/or Cyl Power	Mr Joshua Augustin	18/11/2022
R342500000731460693149C	Dispenser Error-Lens damaged on adjustment	Mrs Rebecca Doyle Walker	18/11/2022
R342500000494920693168F	No Worries, NoFuss-Px Changed mind	Mr Harinder SETHI	18/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000402070693309C	Dispenser Error-Lens damaged on adjustment	Mrs Naushaba Shaikh	19/11/2022
R342500000700010693373A	Optom Error-Recheck - Change of SPH &/or Cyl Power	Mr Ashley Zanol	19/11/2022
R342500000891870693377C	No Worries, NoFuss-Px Changed mind	Mr Isaac Oskolkov	19/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000432510693387A	Optom Error-Recheck - Change of Add Power	Mr Matthew Evans	19/11/2022
R342500000432510693387B	Optom Error-Recheck - Change of Add Power	Mr Matthew Evans	19/11/2022
R342500000160040693403A	Optom Error-Recheck - Change of SPH &/or Cyl Power	Mr Bruno Bageun	19/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000160040693403B	Optom Error-Recheck - Change of SPH &/or Cyl Power	Mr Bruno Bageun	19/11/2022
R342500000036000693569C	Lab Error-Lens curvature	Mr Clinton John Godsall	20/11/2022
R342500000666400693958C	No Worries, NoFuss-Px Changed mind	Ms Catherine Fletcher	21/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000733830693985D	Lab Error-Faulty frame received Lab Error-Lens size (too large/too small)	Mr Syed Hassan	21/11/2022
R342500000111210694187C	No Worries, NoFuss-Px Changed mind	Mr Luke Riley King	22/11/2022
R342500000412640694190A	Optom Error-Recheck - Change of SPH &/or Cyl Power Optom Error-Recheck - Change of Add Power	Mr Swaran Singh	22/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000412640694190B	Optom Error-Recheck - Change of SPH &/or Cyl Power Optom Error-Recheck - Change of Add Power	Mr Swaran Singh	22/11/2022
R342500000349600694428A	Optom Error-Recheck - Change of SPH &/or Cyl Power	Miss Jaime Reynolds	23/11/2022
R342500000349600694428B	Optom Error-Recheck - Change of SPH &/or Cyl Power	Miss Jaime Reynolds	23/11/2022

DR Number	Remake reason	Customer Name	OrderDate
R342500000581950694480A	No Worries, NoFuss-Px Changed mind	Mrs Vicki Gibson	23/11/2022
R342500000857120694500A	Optom Error-Recheck - Change of SPH &/or Cyl Power	Mrs Susan Andrews	23/11/2022
R342500000857120694500B	Optom Error-Recheck - Change of SPH &/or Cyl Power	Mrs Susan Andrews	23/11/2022