

SUMMARY

- A. GENERAL
- B. PRODUCTS
- C. PRODUCT WEBBLOCK
- D. PRODUCT CHARACTERISTICS
- E. PRODUCT BUNDLES
- F. PRODUCT ATTRIBUTES
- G. PRODUCT PACKAGING
- H. PRODUCT CATEGORIES
- I. DISCOUNT RULES
- J. CUSTOMERS
- K. IMAGES
- L. SALES ORDERS
- M. QUOTATIONS
- N. SALES REPRESENTATIVE
- O. SHIPPING TYPE
- P. SALES ORDER PROGRESS STATE
- Q. TAX RATES
- R. OPTION TYPES
- S. OPTION VALUES
- T. PAYMENT TYPE
- U. C# Web Service Call Sample
- V. PHP Web Service Call Sample

A. GENERAL

With the OXATIS API, you can manage Customers, Products, Discount Rules, Images and Sales Orders through a collection of a web services API.

A1) AppID

Under the ISV contract, Oxatis provides you with a unique ID, called an AppID, which must be used in all your Web Service calls. Please contact our development department for more information.

A2) Token

You must obtain a valid token before using Oxatis Web Services.

To do this:

- Go to the administration console.
- Choose "Access rights management" under the "Account/Profiles" menu.
- Select or add a new user. Check "Use Web Services" your changes.
- Go back into this user's profile to retrieve the token generated for Web Services access.

A3) Access Rights

Web Services are linked to the access rights defined in the Oxatis administration console.

This way, the Web Services call is subject to the access rights defined for each user admin account.

These access rights will be automatically applied in the Web Services toolkit.

Access rights for: test test (test@test.com)

Web Services Token: AF027166477AE080B2504B9999

Component	Properties	Text	Classification	Layout	Editing	Classification	Layout
Component - Properties							
Component - Text							
Element - Classification							
Element - Layout							
Category - Editing							
Category - Classification							
Category - Layout							
WEB SERVICES							
Use of Web Services							☒

Example: If only the "Use of Web Services" box is ticked, the user will not be able to make Web Services calls and will receive a 503 error: Unauthorized.

Access rights for: test test (test@test.com)

Web Services Token: AF027166477AE080B2504B3999

	Access	Edit	Insert	Delete	Execute
CATALOGUE					
Products	☒	☒	☒	☒	☒
WEB SERVICES					
Use of Web Services	☒				

If you want to allow the user to create, modify or delete products using Web Services, you must also tick the following boxes in the "CATALOGUE / Products" section: Access, Edit, Insert and Delete.

A4) URL Services

For most calls to Oxatis Web Services API you should use the following URLs:

- Customer Services:
<https://webservices.oxatis.com/webservices/httpservices/UserServices.aspx>
- Discount rules Services:
<https://webservices.oxatis.com/webservices/httpservices/DiscountRuleServices.aspx>
- Product Services:
<https://webservices.oxatis.com/webservices/httpservices/ProductServices.aspx>
- Product Attributes Services:
<https://webservices.oxatis.com/webservices/httpservices/ProductAttributesServices.aspx>
- Product Bundles Services:
<https://webservices.oxatis.com/webservices/httpservices/ProductBundleServices.aspx>
- Product Category Services:
<https://webservices.oxatis.com/webservices/httpservices/CategoryServices.aspx>
- Product Characteristics Services:
<https://webservices.oxatis.com/webservices/httpservices/ProductCharacteristicsServices.aspx>
- Product Packaging Services:
<https://webservices.oxatis.com/webservices/httpservices/ProductPackagingServices.aspx>
- Product WebBlock Services:
<https://webservices.oxatis.com/webservices/httpservices/ProductWebBlockServices.aspx>
- Image Gallery Services:
<https://webservices.oxatis.com/webservices/httpservices/ImageGalleryServices.aspx>
- Option Types Services:
<https://webservices.oxatis.com/webservices/httpservices/OptionTypesServices.aspx>
- Option Values Services:
<https://webservices.oxatis.com/webservices/httpservices/OptionValuesServices.aspx>
- Sales Order Services:
<https://webservices.oxatis.com/webservices/httpservices/OrderServices.aspx>
- Sales Order Progress Log Services:
<https://webservices.oxatis.com/webservices/httpservices/ProgressStateLogServices.aspx>
- Sales Order Progress State Services:
<https://webservices.oxatis.com/webservices/httpservices/ProgressStateServices.aspx>
- Payment Type Services:
<https://webservices.oxatis.com/webservices/httpservices/PaymentTypeServices.aspx>
- Quotation Services:
<https://webservices.oxatis.com/webservices/httpservices/QuotationServices.aspx>
- Sales Representative Services:
<https://webservices.oxatis.com/webservices/httpservices/SalesRepServices.aspx>
- Shipping Type Services:
<https://webservices.oxatis.com/webservices/httpservices/ShippingTypeServices.aspx>
- Tax Rate Services:
<https://webservices.oxatis.com/webservices/httpservices/TaxRateServices.aspx>

Note: Oxatis Web Services requires TLS 1.2 on all connections.

A5) REST Interface

The API uses a **REST**-like interface. This means that our OXATIS method calls are made over the internet by sending HTTP GET or POST requests to the OXATIS server. Nearly any computer language can be used to communicate over HTTP with the REST server.

Note: If you manually form your HTTP POST requests to OXATIS, you must include the request data in the POST body. In addition, you must include a Content-Type: header of application/x-www-form-urlencoded.

A6) Building a Web Page Form

➤ Form Attributes

Forms begin with the <form> tag and end with the </form> tag. The <form> tag must contain the two following mandatory attributes:

- **Action:**

This <form> tag attribute specifies where the information will be sent.

```
action="https://webservices.oxatis.com/webservices/httpservices/ProductServices.aspx"
```

- **Method:**

This <form> tag attribute specifies how the information will be sent to the destination location. The method attribute can be defined as:

```
method="POST"
or
method="GET"
```

With Oxatis Web Services, form data to be submitted is sent using the POST method.

method="POST" is the most common method used to send data from a form to information processing software. The POST method can send much more information than the typical GET method. However, certain browsers may limit the amount of POST information to 32k. With the POST method, data is not sent via the URL, as is the case with the GET method. Instead, it is sent as content invisible to the form user.

- **EncType:**

The final <form> tag attribute specifies how form data will be encoded before it is sent. The default enctype attribute is:

```
enctype="application/x-www-form-urlencoded"
```

➤ <Input> tags

You must specify the three required fields:

- The first is used to define the AppId
`<input id="AppId" name="AppId" type="hidden" value="..." />`
- The second is used to define the token
`<input id="Token" name="Token" type="hidden" value="..." />`
- The second is used to define the API method name for the web services call:
`<input id="Method" name="Method" type="hidden" value="..." />`

➤ <TextArea> tag

This tag is required to submit the XML data in your form:

```
<textarea id="Data" name="Data" value="..." />
```

The optional attributes "cols" and "rows" specify how many characters wide and how many lines deep to make the text area input field. If these attributes are not specified, individual browsers will use their own default sizes.

Here is an example of a Web Service call to the "ProductGet" method:

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
</head>
<body>
<form method="post" action="https://webservices.oxatis.com/webservices/httpservices/productservices.aspx" enctype="application/x-www-form-urlencoded">
<input id="Send" type="submit" value="Post" />
<br/>
<input id="Method" name="Method" type="hidden" value="ProductGet"/>
<input id="Token" name="Token" type="hidden" value="..." />
<input id="AppId" name="AppId" type="hidden" value="..." />
<textarea id="Data" name="Data" cols="128" rows="40">
<?xml version="1.0" encoding="utf-8"?>
<Product xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
<OxID>0</OxID>
<ItemSKU> </ItemSKU>
</Product>
</textarea>
```

```
</form>
</body>
</html>
```

A7) OxID

OxID is an identifier that represents a unique record in OXATIS data tables. If supplied, **OxID** is always given priority over all record identification.

A8) XML Response

Each method call to the API returns a **DataResultService** response which contains:

- ✓ The status code return

Table of error codes that can be returned:

Status Code	Description
200	No errors encountered.
300	Warnings encountered.
500	Errors occurred. For further details, inspect the <i>ErrorDetails</i> from the XML response.
503	Unauthorized.
504	The daily limit of Web Services calls has been reached.
600	Web services maintenance.

Note for Error 503:

4 possible reasons this error occurs:

- The URL of the page doesn't exist.
- The user has not been granted access rights for Web Services.
- The Appld is not valid.
- Unauthorized access to a customer site.

- ✓ The status subcode return

Table of error subcodes that can be returned:

Status Sub Code	Description
1001	Record not found.
1002	Invalid data.
1003	Duplicate id.
1004	Duplicate data.

- ✓ The detailed error messages.
- ✓ The returned data.
- ❖ This is an example of an XML return from "ProductAdd" method call:

```
<DataResultService>
  <StatusCode>200</StatusCode>
  <StatusSubCode>0</StatusSubCode>
  <ErrorDetails />
  <Data>
    <OxID>76763</OxID>
  </Data>
</DataResultService>
```

If the method call to the API is successful, you will obtain an **OxID** greater than 0 and a **StatusCode** value of 200. Otherwise, you will obtain a negative value of **OxID** -1 and you can check the **ErrorDetails** for further information.

- ❖ Another example of an XML return from “*ProductGet*” method call:

```
<DataResultService>
  <StatusCode>200</StatusCode>
  <StatusSubCode>200</StatusSubCode>
  <ErrorDetails />
  <Data>
    <Product>
      <OxID>76762</OxID>
      <ItemSKU>PC</ItemSKU>
      <Name>Personal computer<Name>
    </Product>
  </Data>
</DataResultService>
```

If the method call to the API is successful, you will obtain a Product XML Data structure and a **StatusCode** value of 200. Otherwise no data will be returned and you can check the **ErrorDetails** for further information.

A9) Notes

- ❖ All XML structure description tags below are case sensitive. Therefore, for each Product, Customer or Image XML structure, you must respect upper / lower case tags.
- ❖ XML strings must be encoded to avoid problems with accented and other special characters.

B.PRODUCTS

B1) Product

➤ XML Structure

```
<Product>
<OxID />
<ItemSKU />
<ProductLanguage />
<OptionValues1>
  <OxID />
  <Code />
  <Name />
</OptionValues1>
<OptionValues2 /> similar to <OptionValues1>
<OptionValues3 /> similar to <OptionValues1>
<OptionTypes1>
  <OxID />
  <Name />
</OptionTypes1>
<OptionTypes2 /> similar to <OptionTypes1>
<OptionTypes3 /> similar to <OptionTypes1>
<ParentItemID />
<ParentItemSKU />
<ProductType />
<Name />
<Description />
<Price>
  <Value />
  <VATIncluded />
</Price>
<Price1 /> similar to <Price>
<Price2 /> similar to <Price>
<Price3 /> similar to <Price>
<Price4 /> similar to <Price>
<Price5 /> similar to <Price>
<Price6 /> similar to <Price>
<Price7 /> similar to <Price>
<Price8 /> similar to <Price>
<Price9 /> similar to <Price>
<TaxRate />
<EcoTaxTI />
<LongDescription />
<BigImgFileName />
<SmallImgFileName />
<Category1>
  <OxID />
  <Name />
</Category1>
<Category2>
  <OxID />
  <Name />
</Category2>
<Category2 /> similar to <Category1>
<Category3 /> similar to <Category1>
<Category4 /> similar to <Category1>
<Category5 /> similar to <Category1>
<Category6 /> similar to <Category1>
<Category7 /> similar to <Category1>
<Category8 /> similar to <Category1>
<Category9 /> similar to <Category1>
<Category10 /> similar to <Category1>
<Brand>
  <OxID />
  <Name />
</Brand>
<QuantityInStock>
  <Value />
  <Append />
</QuantityInStock>
<QuantityReorder /> similar to <QuantityInStock>
<ShowInStockNote />
<ShowStockLevel />
<DaysToShip> />
<ShowIfOutOfStock />
<SaleIfOutOfStock />
<SaleIfOutOfStockScenario />
<ShowDaysToShip />
<Weight />
<DimensionHeight />
<DimensionWidth />
<DimensionLength />
<HandlingSurcharge1 ST />
<HandlingSurchargeOthers />
<ShipPrice />
<DiscountGridCode />
<MetaTitle />
<MetaDescription />
<MetaKeywords> </MetaKeywords>
<LastUpdateDate />
<LinkedItemID />
<LinkedItemSKU />
<LinkedItemLanguage />
<LinkedUpdating />
<OptionsIsDefault />
<EANCode />
<ItemCondition />
<Guarantee />
<UnitesForSale />
<UnitesForSale1 />
<UnitesForSale2 />
<UnitesForSale3 />
<UnitesForSale4 />
<UnitesForSale5 />
<UnitesForSale6 />
<UnitesForSale7 />
<UnitesForSale8 />
<UnitesForSale9 />
<Cost />
<ItemType />
<Visible />
<Position />
<MPN />
<StrikethroughPrice>
  <Value />
  <VATIncluded />
</StrikethroughPrice>
<StrikethroughPrice1 /> similar to <StrikethroughPrice>
<StrikethroughPrice2 /> similar to <StrikethroughPrice>
<StrikethroughPrice3 /> similar to <StrikethroughPrice>
<StrikethroughPrice4 /> similar to <StrikethroughPrice>
<StrikethroughPrice5 /> similar to <StrikethroughPrice>
<StrikethroughPrice6 /> similar to <StrikethroughPrice>
<StrikethroughPrice7 /> similar to <StrikethroughPrice>
<StrikethroughPrice8 /> similar to <StrikethroughPrice>
<StrikethroughPrice9 /> similar to <StrikethroughPrice>
<CanonicalURLCustomizedContent />
<TaxCountryISOCODE />
<ReviewRating />
<ReviewCount />
<FamilyName />
<UrlExternalLink />
<Comment />
<DateOfAvailability />
<HighlightType />
<State />
<CreationDate />
<HasAttributes />
<DynamicImages />
<ImagesList>
  <ImageList>
    <ThumbnailImgFileName />
    <ImgFileName />
    <ZoomImgFileName />
  </ImageList>
</ImagesList>
</Product>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<Oxid />	integer		Unique ID stored in OXATIS Product table.	Must be greater than zero.
<ItemSKU />	string	40	Product code.	
<Name />	string	200	Product name.	
<ProductLanguage />	string	2	Product language code.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese.
<OptionValues1> <Oxid />	integer		Unique option value ID stored in OXATIS Option Values table.	Must be greater than zero.
<Code />	string	10	Option Value code.	
<Name />	string	70	Option Value name.	
</OptionValues1>				
<OptionValues2 />			similar to <OptionValues1>.	
<OptionValues3 />			similar to <OptionValues1>.	
<OptionTypes1> <Oxid />	integer		Unique option types ID stored in OXATIS Option Types table.	Must be greater than zero.
<Name />	string	50	Option Type name.	
</OptionTypes1>				
<OptionTypes2 />			similar to <OptionTypes1>.	
<OptionTypes3 />			similar to <OptionTypes1>.	
< ParentItemID />	integer		Unique parent Item ID stored in OXATIS Product table.	Must be greater than zero.
< ParentItemSKU />	string	40	Parent item code.	
<ProductType />	integer		Product type.	Values: 0 Normal 100 Parent item 110 Item with options 200 Bundle
<Description />	string	4kb	Product description.	
<Price> <Value /> <VATIncluded /> </Price>	float boolean		Price 1 value. With VAT included	Must be greater than or equal zero. false default value
<TaxRate />	float		VAT Rate.	
<EcoTaxTI />	float		Ecotax VAT included.	Must be greater than or equal zero.
<LongDescription />	string	16kb	Detailed product description.	
<BigImgFileName />	string	100	Main Image file name.	The file name must exist in the "Image Gallery" otherwise it will not be attached to the product.
<SmallImgFileName />	string	100	Thumbnail file name.	The file name must exist in the "Image Gallery" otherwise it will not be attached to the product.
<Category1> <Oxid />	integer		Unique category ID stored in OXATIS Category table.	Must be greater than zero.
<ParentOxid />	integer		Parent category ID stored in OXATIS Category table.	Must be greater than or equal zero.
<Name />	string	100	Category name.	
</Category1>				
<Category2 />			similar to <Category1>.	
<Category3 />			similar to <Category1>.	
<Category4 />			similar to <Category1>.	
<Category5 />			similar to <Category1>.	
<Category6 />			similar to <Category1>.	
<Category7 />			similar to <Category1>.	
<Category8 />			similar to <Category1>.	
<Category9 />			similar to <Category1>.	
<Category10 />			similar to <Category1>.	
<Brand> <Oxid /> <Name /> </ Brand >	string	50	Unique category ID stored in OXATIS Brand table. Brand name.	Must be greater than zero.
<QuantityInStock> <Value /> <Append /> </QuantityInStock>	Integer boolean		Current quantity in stock. Add a value to existing quantity.	false default value
<QuantityReorder />			Reorder Threshold. similar to <QuantityInStock>	
<ShowInStockNote />	boolean		Display the fact that an item is in stock.	false default value
<ShowStockLevel />	boolean		Display stock level.	false default value
<DaysToShip />	integer		Days to ship.	Must be greater than or equal zero.
<ShowIfOutOfStock />	boolean		Show this item even if unavailable.	false default value
<SaleIfOutOfStock />	boolean		Propose this item for sale even if unavailable.	false default value
<SaleIfOutOfStockScenario />	integer		Unavailability scenario.	Accepted values: 0 None, display nothing 1 Reason #1 (By default "Out of Stock") 2 Reason #2 (By default "Available at Supplier") 3 Reason #3 (By default "Item Discontinued")
<ShowDaysToShip />	boolean		Display the number of days to ship.	false default value
<Weight />	integer		Product weight.	Must be greater than or equal zero.
<DimensionHeight />	integer		Product height.	Must be greater than or equal zero.
<DimensionWidth />	integer		Product width.	Must be greater than or equal zero.
<DimensionLength />	integer		Product length.	Must be greater than or equal zero.
<HandlingSurcharge1ST />	float		Cost of handling (excl. VAT) of 1st unit.	
<HandlingSurchargeOthers />	float		Cost of handling (excl. VAT) for further units.	
<ShipPrice />	float		Shipping charges.	Must be greater than or equal zero.
<DiscountGridCode />	string	6	Discount Grid code.	
<MetaTitle />	string	100	Meta title (SEO Properties).	
<MetaDescription />	string	200	Meta description (SEO Properties).	
<MetaKeywords />	string	200	Meta keywords (SEO Properties).	
<Price1 />			similar to <Price>	
<Price2 />			similar to <Price>	
<Price3 />			similar to <Price>	
<Price4 />			similar to <Price>	
<Price5 />			similar to <Price>	
<Price6 />			similar to <Price>	
<Price7 />			similar to <Price>	

Field	Type	Length	Description	Instruction
<Price8 />			similar to <Price>	
<Price9 />			similar to <Price>	
<DiscountRuleId> <OxID />	integer	100	Unique discount rule ID stored in OXATIS Discount Rule table.	Must be greater than zero.
<Name />			Discount Rule name.	
</DiscountRuleId>				
<DiscountRuleId1 />			similar to <DiscountRuleId>.	
<DiscountRuleId2 />			similar to <DiscountRuleId>.	
<DiscountRuleId3 />			similar to <DiscountRuleId>.	
<DiscountRuleId4 />			similar to <DiscountRuleId>.	
<DiscountRuleId5 />			similar to <DiscountRuleId>.	
<DiscountRuleId6 />			similar to <DiscountRuleId>.	
<DiscountRuleId7 />			similar to <DiscountRuleId>.	
<DiscountRuleId8 />			similar to <DiscountRuleId>.	
<DiscountRuleId9 />			similar to <DiscountRuleId>.	
<LastUpdateDate />	date		Date of last update.	
<AdditionalImagesWidth />	integer		Main image width in pixels.	Value between 0 and 999.
<AdditionalImagesHeight />	integer		Main image height in pixels.	Value between 0 and 999.
<AdditionalImagesThumbnailWidth />	integer		Thumbnail image width in pixels	Value between 0 and 999.
<AdditionalImagesZoomWidth />	integer		Zoom image width in pixels.	Value between 0 and 999.
<AdditionalImagesZoomPosition />	integer		Zoom image position.	Accepted values: 2 To the right of the main item image. 4 To the left of the main item image. 5 Replace the main item image
<AdditionalImagesZoomHeight />	integer		Zoom image width in pixels.	Value between 0 and 999.
<AdditionalImagesThumbnailChangeMode />	integer		Image replacement.	Accepted values: 0 Click on thumbnail (manual mode) 1 Hover on thumbnail (automatic mode)
<LinkedItemID />	integer		Unique linked item ID stored in OXATIS Product table.	Must be greater than zero.
<LinkedItemSKU />	String	40	Linked product code.	Note: This is useful for duplicating items through the web service: ProductDuplicate .
<LinkedItemLanguage />	string	2	Linked item language code.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese. Note: This is useful for duplicating items through the web service: ProductDuplicate .
<LinkedUpdating />	boolean		Linked modification (for multi-lingual sites).	false default value. Note: This is useful for duplicating items through the web service: ProductDuplicate .
<OptionsDefault />	boolean		Default option for the item.	false default value
<EANCode />	string	48	EAN code.	
<ItemCondition />	integer		Condition of the item.	Accepted values: 0 Undefined, 1 New, 2 Used, 3 Refurbished
<Guarantee />	integer		Guarantee period in months.	Value between 0 and 256.
<UnitsForSale />	integer		Packing unit.	Must be greater than or equal one.
<UnitsForSale1 />			similar to <UnitsForSale>	
<UnitsForSale2 />			similar to <UnitsForSale>	
<UnitsForSale3 />			similar to <UnitsForSale>	
<UnitsForSale4 />			similar to <UnitsForSale>	
<UnitsForSale5 />			similar to <UnitsForSale>	
<UnitsForSale6 />			similar to <UnitsForSale>	
<UnitsForSale7 />			similar to <UnitsForSale>	
<UnitsForSale8 />			similar to <UnitsForSale>	
<UnitsForSale9 />			similar to <UnitsForSale>	
<Cost />	float		Cost (Excl. VAT)	Must be greater than or equal zero.
<ItemType />	integer		Item type.	Accepted values: 0 Undefined 1 Tangible item 2 Untangible item
<Visible />	boolean		Item published.	
<MPN />	string	32	Manufacturer Part Number.	
<StrikethroughPrice> <Value /> <VATIncluded />	float boolean		Strikethrough Price 1 value. With VAT included.	Must be greater than or equal zero. false default value
</StrikethroughPrice>				
<StrikethroughPrice1 />			similar to <StrikethroughPrice>.	
<StrikethroughPrice2 />			similar to <StrikethroughPrice>.	
<StrikethroughPrice3 />			similar to <StrikethroughPrice>.	
<StrikethroughPrice4 />			similar to <StrikethroughPrice>.	
<StrikethroughPrice5 />			similar to <StrikethroughPrice>.	
<StrikethroughPrice6 />			similar to <StrikethroughPrice>.	
<StrikethroughPrice7 />			similar to <StrikethroughPrice>.	
<StrikethroughPrice8 />			similar to <StrikethroughPrice>.	
<StrikethroughPrice9 />			similar to <StrikethroughPrice>.	
<CanonicalURLCustomizedContent />	string	100	Configurable part of the canonical URL.	All spaces and specials characters will be automatically transformed during the upload.
<TaxCountryISOCode />	string	2		i.e: FR France, IT Italy, GB Great Britain, ES Spain...
<ReviewRating />	float		Item review rate.	
<ReviewCount />	int		Item review count.	
<FamilyName />	string	100	Family name (reserved for ERP).	
<UrlExternalLink />	string	225	URL rewriting.	
<Comment />	string	50	Comment.	
<DateOfAvailability />	datetime		Date of availability	Value between 01/01/1901 and 31/12/2078.
<HighlightType />	integer		Item highlight.	Accepted values: 1 First place 2 Second place 3 Third place
<State />	integer		Element visibility and work progress	visibility
<CreationDate />	datetime		Item date of creation.	
<HasAttributes />	boolean		If product has any text or multiple attributes	
<DynamicImages />	boolean		Product images will be processed dynamically.	Default value: null or false.
<ImagesList> <ImageList> <ThumbnailImgFileName /> <ImgFileName /> <ZoomImgFileName /> </ImageList> </ImagesList>	string string string	100 100 100	Thumbnail image. Main image. Zoom image.	Images file name must exist in the "Image Gallery" otherwise it will not be attached to the product.

B2) Product List

➤ XML Structure

```
<ProductList>
  <PageInformation>
    <PageNumber />
    <PageSize />
    <TotalItems />
    <TotalPages />
  </PageInformation>
  <LatestModifiedDateStart />
  <LatestModifiedDateEnd />
  <Visible />
  <Category1>
    <OxiD />
    <Name />
  </Category1>
  <Category2 /> similar to <Category1>
  <Category3 /> similar to <Category1>
  <Category4 /> similar to <Category1>
  <Category5 /> similar to <Category1>
  <Category7 /> similar to <Category1>
  <Category8 /> similar to <Category1>
  <Category9 /> similar to <Category1>
  <Category10 /> similar to <Category1>
  <ProductsID />
    <ProductID>
      <OxiD />
      <ItemSKU />
      <OptionTypes1>
        <OxiD />
      </OptionTypes1>
      <OptionTypes2 /> similar to <OptionTypes1>
      <OptionTypes3 /> similar to <OptionTypes1>
      <OptionValues1>
        <OxiD />
      </OptionValues1>
      <OptionValues2 /> similar to <OptionValues1>
      <OptionValues3 /> similar to <OptionValues1>
    </ProductID>
  </ProductsID />
</ProductList>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<PageInformation> <PageNumber /> <PageSize /> <TotalItems /> <TotalPages /> </PageInformation>	integer integer integer integer		The page number to request. The page size to request. Total items retrieved in OXATIS Product table. Total pages are calculated according to the total items and the page size.	Must be greater than zero. Must be greater than zero.
<LatestModifiedDateStart />	datetime		Start date must be indicated. This corresponds to the last item record's last modified date.	Must be greater than January 1, 2000.
<LatestModifiedDateEnd />	datetime		End date must be indicated. This corresponds to the last item record's last modified date.	Must be greater than January 1, 2000.
<Visible />	boolean		Filter on published or hidden items.	true Published Items false Hidden items null All items
<Category1> <OxiD /> <ParentOxiD /> <Name /> </Category1>	integer integer string		Unique category ID stored in OXATIS Category table. Parent category ID stored in OXATIS Category table. Category name.	Must be greater than zero. Must be greater than or equal zero.
<Category2 />			similar to <Category1>.	
<Category3 />			similar to <Category1>.	
<Category4 />			similar to <Category1>.	
<Category5 />			similar to <Category1>.	
<Category6 />			similar to <Category1>.	
<Category7 />			similar to <Category1>.	
<Category8 />			similar to <Category1>.	
<Category9 />			similar to <Category1>.	
<Category10 />			similar to <Category1>.	
<ProductsID /> <ProductID> <OxiD /> <ItemSKU /> <OptionTypes1> <OxiD /> </OptionTypes1> <OptionTypes2 /> <OptionTypes3 /> <OptionValues1> <OxiD /> </OptionValues1> <OptionValues2 /> <OptionValues3 /> </ProductID> </ProductsID />	integer string	40	Unique product ID stored in OXATIS Product table. Product Code. Unique option type ID stored in OXATIS Option Types table. similar to <OptionTypes1> similar to <OptionTypes1> Unique option value ID stored in OXATIS Option Values table. similar to <OptionValues1> similar to <OptionValues1>	

➤ XML Structure

➤ Field Definitions, Types and Values

B4) Linked Product

➤ XML Structure

```
<LinkedProduct>
<Item>
  <OxID />
  <ItemSKU />
  <ProductLanguage />
  <ProductType />
  <ParentItemSKU />
  <ParentItemID />
  <OptionValues1>
    <OxID />
    <Code />
    <Name />
  </OptionValues1>
  <OptionValues2 /> similar to <OptionValues1>
  <OptionValues3 /> similar to <OptionValues1>
  <OptionTypes1>
    <OxID />
    <Name />
  </OptionTypes1>
  <OptionTypes2 /> similar to <OptionTypes1>
  <OptionTypes3 /> similar to <OptionTypes1>
</Item>
<LinkItem /> similar to <Item>
<Quantity />
<Fixed />
<Compulsory />
<Deletable />
<Offered />
<Position />
</LinkedProduct>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<Item> <OxID /> <ItemSKU /> <ProductLanguage /> <ProductType /> <ParentItemSKU /> <ParentItemID /> <OptionTypes1> <OxID /> <Name /> </OptionTypes1> <OptionTypes2 /> <OptionTypes3 /> <OptionValues1> <OxID /> <Code /> <Name /> </OptionValues1> <OptionValues2 /> <OptionValues3 /> </Item>	integer string string integer string integer integer string integer string string integer string string	 40 2 40 50 10 70	Unique product ID stored in OXATIS Product table. Product Code. Product Language code. Product Type. Parent Item Code. Unique Parent Item ID stored in OXATIS Product table. Unique option type ID stored in OXATIS Option Types table. Option type name. <i>similar to <OptionTypes1></i> <i>similar to <OptionTypes1></i> Unique option value ID stored in OXATIS Option Values table. Option value code. Option value name. <i>similar to <OptionValues1></i> <i>similar to <OptionValues1></i>	ISO- 639-1 Code Supported language values: fr, en, es, de, it, nl, ca, pt Values: 0 Normal, 100 Parent, 110 WithOptions, 200 Bundle.
<LinkedItem> <OxID /> <ItemSKU /> <ProductLanguage /> <ProductType /> <ParentItemSKU /> <ParentItemID /> <OptionTypes1> <OxID /> <Name /> </OptionTypes1> <OptionTypes2 /> <OptionTypes3 /> <OptionValues1> <OxID /> <Code /> <Name /> </OptionValues1> <OptionValues2 /> <OptionValues3 /> </LinkedItem>	integer string string integer string integer integer string integer string string integer string string	 40 2 40 50 10 70	Unique product ID stored in OXATIS Product table. Product Code. Product Language code. Product Type. Parent Item Code. Unique Parent Item ID stored in OXATIS Product table. Unique option type ID stored in OXATIS Option Types table. Option type name. <i>similar to <OptionTypes1></i> <i>similar to <OptionTypes1></i> Unique option value ID stored in OXATIS Option Values table. Option value code. Option value name. <i>similar to <OptionValues1></i> <i>similar to <OptionValues1></i>	ISO- 639-1 Code Supported language values: fr, en, es, de, it, nl, ca, pt Values: 0 Normal, 100 Parent, 110 WithOptions, 200 Bundle.
<Quantity />	integer		Linked item quantity.	Must be greater than zero and less than 32768.
<Fixed />	boolean		Linked item quantity can't be modified in the shopping cart.	
<Compulsory />	boolean		Linked item is compulsory.	
<Deletable />	boolean		Linked item can be deleted in the shopping cart.	
<Offered />	boolean		Linked item can be offered in the shopping cart.	
<Position />	integer		Linked item position.	Must be greater than or equal zero.

B5) Product Additional Images

➤ XML Structure

```
<ProductImageList>
  <OxID />
  <ImageList>
    <Image>
      <OxID />
      <ThumbnailImgFileName />
      <ImgFileName />
      <ZoomImgFileName />
      <ThumbnailImgUrl />
      <ImgUrl />
      <ZoomImgUrl />
      <Position />
    </Image>
  </ImageList>
</ProductImageList>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description
<OxID />	integer		Unique product ID stored in OXATIS Product table.
<ImageList>			
<Image>			
<OxID />	integer		Unique product ID stored in OXATIS Product table.
<ThumbnailImgFileName />	string	100	Thumbnail image file name.
<ImgFileName />	string	100	Main image file name.
<ZoomImgFileName />	integer	100	Zoom image file name.
<ThumbnailImgUrl />	string	256	Thumbnail image url.
<ImgUrl />	string	256	Main image url.
<ZoomImgUrl />	string	256	Zoom image url.
<Position />	integer		Additional image position.
</Image>			
</ImageList>			

B6) Product Related Items

```
<ProductRelatedItems>
  <OxID />
  <UpSellItems>
    <UpSellItem>
      <OxID />
    </UpSellItem>
  </UpSellItems>
  <CrossSellItems>
    <CrossSellItem>
      <OxID />
    </CrossSellItem>
  </CrossSellItems>
  <LinkedItems>
    <LinkedItem>
      <OxID />
    </LinkedItem>
  </LinkedItems>
</ProductImageList>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description
<OxID />	integer		Unique product ID stored in OXATIS Product table.
<UpSellItems>			
<UpSellItem>			
<OxID />	integer		Unique UpSell item ID stored in OXATIS Product table.
</UpSellItem>			
</UpSellItems>			
<CrossSellItems>			
<CrossSellItem>			
<OxID />			Unique CrossSell item ID stored in OXATIS Product table.
</CrossSellItem>			
</CrossSellItems>			
<LinkedItems>			
<LinkedItem>			
<OxID />			Unique Linked item ID stored in OXATIS Product table.
</LinkedItem>			
</LinkedItems>			

B7) Product Reset Fields

➤ XML Structure

```
<ProductResetFields>
  <Oxid />
  <DateOfAvailability />
</ProductResetFields>
```

➤ Field Definitions, Types and Values

Field	Type	Description
<Oxid />	integer	Unique product ID stored in OXATIS Product table.
<DateOfAvailability />	Boolean	If <u>true</u> then the product availability date will be set to null.

B8) Product, Brand and Category Rules

- ❖ To create or insert a new product, you must define the two following required fields: “ItemSKU” and “Name” (Do not initialize “Oxid” in this current context).
Note: If you need to update or create a product in a specific language, you must use “ItemSKU” in association with “ProductLanguage”.
- ❖ “Oxid” might be used in Get or Updates methods to identify product records in OXATIS Product table.
- ❖ To delete an existing product, you might use either “Oxid” or “ItemSKU”.
- ❖ When you mention a “TaxRate”, make sure that it is among the list of rates belonging to your OXATIS admin account.
- ❖ Before indicating “BigImgFileName” and “SmallImgFileName”, be sure that each file name exists in your Image Gallery otherwise they will not be attached to your product.
- ❖ If you need to update “QuantityInStock”, ensure that the product has no options. Otherwise, the quantity in stock update is ignored.
- ❖ When you define a Discount Grid Code “DiscountGridCode”, make sure that the same code exists in your Discount table. Otherwise, it will be ignored.
- ❖ Updating product brand:

```
<Brand>
  <Oxid>0</Oxid>
  <Name> </Name>
</Brand>
```


- If the “Oxid” is defined in the XML Brand structure, a verification will take place in the OXATIS table of brands to ensure its link to the Product. You can even change the brand name by adding a string value in the “Name” field.
- When only the brand “Name” is defined in the XML Brand structure, a check is made for the given name in the OXATIS table of brands. If it’s not found, then it will be automatically created.

❖ Updating product categories:

```
<Category>
  <OxID>0</OxID>
  <ParentOxId>0</ParentOxId>
  <Name> </Name>
</Category>
```

- If the “OxID” is defined in the XML Category structure, a verification will take place in the OXATIS table of categories to ensure its link to the Product record (This rule also applies to the Customer record and Image record). You can even change the category name by adding a string value in the “Name” field.
- When only the category “Name” is defined in the XML Category structure, a check is made for the given name in the OXATIS table of categories. If it’s not found, then it will be automatically created.

Note: You can use the separator “\” in the category name to create a category tree structure. For example: A category name such as “Shirt\Yellow\Small” will create 3 branches in the category tree structure.



- The “ParentOxID” allows you to check the parent category assigned to the “OxID” category in case it belongs to a tree structure.

❖ If you are using RTF in “Description” or “Detailed Description” fields, you must:

- Convert RTF data to HTML data.
- Add the following string at the beginning of your content:
<!--#WYSIWYG#-->

Example:

The following colored text **Item description** is represented in RTF as follows:

```
{\rtf1\ansi\ansicpg1252\deff0\deflang1036{\fonttbl{\f0\fswiss\fcharset0 Arial;}}
{\colortbl ;\red255\green0\blue255;}
{\*\generator Msftedit 5.41.21.2509;}\viewkind4\uc1\pard\cf1\b\fs20 Item description\cf0\b0\par
}
```

After converting it to HTML you will obtain:

```
<font size="2" color="#ff00ff"><b>Item description</b></font>
```

Once converted, precede the HTML above with the following string:

<!--#WYSIWYG#-->

```
<!--#WYSIWYG#--><font size="2" color="#ff00ff"><b>Item description</b></font>
```

B9) Product with Options Rules

To create or insert a new product with options, you must define the following required fields: “*ItemSKU*”, “*Name*”, “*ParentItemSKU*”, “*ProductType*” and then for each option:

- The option type name.
- The option value code and name.

Example of creating a product with 2 options:

```
<Product>
  <ItemSKU>ShirtPL</ItemSKU>
  <OptionValues1>
    <Code>P</Code>
    <Name>Pink</Name>
  </OptionValues1>
  <OptionValues2>
    <Code>L</Code>
    <Name>Large</Name>
  </OptionValues2>
  <OptionTypes1>
    <Name>Color</Name>
  </OptionTypes1>
  <OptionTypes2>
    <Name>Size</Name>
  </OptionTypes2>
  <ParentItemSKU>Shirt</ParentItemSKU>
  <Name>Shirt</Name>
  <ProductType>110</ProductType>
</Product>
```

B10) Product API Methods

ProductCount <i>Returns the total number of items.</i>	ProductDeleteUpSellItem <i>Deletes a Higher-End item to a product.</i>
ProductCountPerLanguage <i>Returns the total number of items per language.</i>	ProductAddCrossSellItem <i>Adds a related item to an existing product.</i>
ProductGet <i>Returns the whole item.</i>	ProductAddLinkedItem <i>Adds a linked item to an existing product.</i>
ProductGetAdditionalImageList <i>Returns all additional images attached to an item.</i>	ProductAddUpSellItem <i>Adds a Higher-End item to an existing product.</i>
ProductGetAllPrices <i>Returns all prices.</i>	ProductDuplicate <i>Duplicate an existing item.</i>
ProductGetAvailability <i>Returns stock availability.</i>	ProductV2Add <i>Adds a normal item or item with options in OXATIS Product table.</i>
ProductGetBrand <i>Returns item brand.</i>	ProductV2Import <i>Adds or Updates a normal item or item with options in OXATIS Product table.</i>
ProductGetCategories <i>Returns all categories.</i>	ProductResetFields <i>Reset some of product fields.</i>
ProductGetCost <i>Returns item cost.</i>	ProductUpdate <i>Updates an existing item.</i>
ProductGetDescriptions <i>Returns item description and detailed description.</i>	ProductUpdateAllPrices <i>Updates all prices.</i>
ProductGetDiscountGridCode <i>Returns item discount grid code.</i>	ProductUpdateAvailability <i>Updates stock availability.</i>
ProductGetEANCode <i>Returns item EAN code.</i>	ProductUpdateBrand <i>Updates item brand.</i>
ProductGetEcoTaxTI <i>Returns Ecotax VAT included.</i>	ProductUpdateCategories <i>Updates all categories.</i>
ProductGetGuarantee <i>Returns item guarantee.</i>	ProductUpdateCost <i>Updates item cost.</i>
ProductGetHandling <i>Returns Cost of handling (excl. VAT) of 1st unit and further units.</i>	ProductUpdateDescriptions <i>Updates item description and detailed description.</i>
ProductGetImageFileName <i>Returns main and thumbnail file name.</i>	ProductUpdateDiscountGridCode <i>Updates item grid code.</i>
ProductGetItemCode <i>Returns product code.</i>	ProductUpdateEANCode <i>Updates item EAN code.</i>
ProductGetItemCondition <i>Returns item condition.</i>	ProductUpdateEcoTaxTI <i>Updates Ecotax VAT included.</i>
ProductGetItemInStock <i>Returns the item parameters.</i>	ProductUpdateGuarantee <i>Updates item guarantee.</i>
ProductGetLanguage <i>Returns the current display language.</i>	ProductUpdateHandling <i>Updates Cost of handling (excl. VAT) of 1st unit and further units.</i>
ProductGetName <i>Returns item name.</i>	ProductUpdateImagesFileName <i>Updates main and thumbnail file name.</i>
ProductGetPrice <i>Returns item price one.</i>	ProductUpdateItemCode <i>Updates item code.</i>
ProductGetPrice1 <i>Returns item price two.</i>	ProductItemCondition <i>Updates item condition.</i>
ProductGetPrice2 <i>Returns item price three.</i>	ProductUpdateItemInStock <i>Updates the item parameters.</i>
ProductGetPrice3 <i>Returns item price four.</i>	ProductUpdateLanguage <i>Updates the current display language.</i>
ProductGetPrice4 <i>Returns item price five.</i>	ProductUpdateName <i>Updates the item name.</i>
ProductGetQuantityInStock <i>Returns item stock level.</i>	ProductUpdatePrice <i>Updates product price one.</i>
ProductGetQuantityReorder <i>Returns item reorder threshold.</i>	ProductUpdatePrice1 <i>Updates product price two.</i>
ProductGetRelatedItems <i>Returns Upsell, Crossell and linked items.</i>	ProductUpdatePrice2 <i>Updates item price three.</i>
ProductGetSEOProperties <i>Returns meta description, meta keyword and meta title.</i>	ProductUpdatePrice3 <i>Updates item price four.</i>
ProductGetShipPrice <i>Returns shipping price.</i>	ProductUpdatePrice4 <i>Updates item price five.</i>
ProductGetTaxRate <i>Returns item VAT rate.</i>	ProductUpdateQuantityInStock <i>Updates item stock level.</i>
ProductGetUnitsForSale <i>Returns item units for sale.</i>	ProductUpdateQuantityReorder <i>Updates item reorder threshold.</i>
ProductGetWeightAndDimensions <i>Returns weight, height, length and width.</i>	ProductUpdateSEOProperties <i>Updates meta description, meta keyword and meta title.</i>
ProductGetList <i>Returns a paginated list of items OxiD for an interval of dates.</i>	ProductUpdateShipPrice <i>Updates shipping price.</i>
ProductDelete <i>Deletes definitively an item.</i>	ProductUpdateTaxRate <i>Updates item VAT rate.</i>
ProductDeleteAllCrossSellItems <i>Deletes all related items to a product.</i>	ProductUpdateUnitsForSale <i>Updates item units for sale.</i>
ProductDeleteAllLinkedItems <i>Deletes all linked items to a product.</i>	ProductUpdateWeightAndDimensions <i>Updates weight, height, length and width.</i>
ProductDeleteAllUpSellItems <i>Deletes all Higher-End items to a product.</i>	
ProductDeleteCrossSellItem <i>Deletes a related item to a product.</i>	
ProductDeleteLinkedItem <i>Deletes a linked item to a product.</i>	

C.PRODUCT WEBLOCK

➤ XML Structure

```
<ProductWebBlock>
<Oxid />
<DescriptionWebBlock />
<LongDescriptionWebBlock />
</ProductWebBlock >
```

➤ Field Definition, Types and Values

Field	Type	Length	Description	Instruction
<Oxid />	integer		Unique ID stored in OXATIS Product table.	Must be greater than zero.
<DescriptionWebBlock />	string	100	Product WebBlock Description.	
<LongDescriptionWebBlock />	string	100	Product WebBlock Long Description.	

➤ API method

ProductWebBlockUpdate

Updates WebBlock name in the short description as well as the long description.

D. PRODUCT CHARACTERISTICS

D1) Product Characteristics Update

➤ XML Structure

```
<Characteristics>
<Oxid />
<ItemSKU />
<Characteristic>
< Name />
< SysName />
<Values>
<string />
</Values>
</Characteristic>
</Characteristics>
```

➤ Field definition, Types and Values

Field	Type	Length	Description	Instruction
<Oxid />	integer		Unique ID stored in OXATIS Product table.	Must be greater than zero.
<ItemSKU />	string	40	Product code.	
<Characteristic> < Name /> < SysName /> <Values> <string /> </Values> </Characteristic>	string string string	50 50 50	Characteristic's name. Characteristic's system name. Characteristic's value.	Up to 50 characteristic maximum. Up to 300 values maximum.

Example of creating 2 characteristics for a single product:

```
<Characteristics>
<ItemSKU>Product</ItemSKU>
<Characteristic>
<Name>Characteristic 1</Name>
<SysName>Characteristic 1</SysName>
<Values>
<string>value 1</string>
<string>value 2</string>
<string>value 3</string>
<string>value 4</string>
</Values>
</Characteristic>
<Characteristic>
<Name>Characteristic 2</Name>
<SysName>Characteristic 2</SysName>
<Values>
<string>value 5</string>
<string>value 6</string>
</Values>
</Characteristic>
</Characteristics>
```

➤ API Method

ProductCharacteristicsUpdate

Updates product's characteristics.

D2) Product Characteristics Get

➤ XML Structure

```
<CharacteristicsID>
  <ProductID />
  <CharacteristicID>
    <OptionTypeID />
    <OptionValueID />
  </CharacteristicID>
</CharacteristicsID>
```

➤ Field definition, Types and Values

Field	Type	Length	Description	Instruction
<ProductID />	integer		Unique ID stored in OXATIS Product table.	Must be greater than zero.
<CharacteristicID> <OptionTypeID /> <OptionValueID /> </Characteristic>	integer integer		Unique ID stored in Oxatis Option Type table. Unique ID stored in Option value identifier.	

➤ API Method

ProductCharacteristicsGet
Get product's characteristics.

E. PRODUCT BUNDLES

➤ XML Structure

```
<Bundle>
  <OxID>0</OxID>
  <BundledItem>
    <ProductID>
      <OxID>0</OxID>
      <ItemSKU> </ItemSKU>
      <ProductLanguage />
      <OptionValues1>
        <OxID>0</OxID>
        <Name> </Name>
      </OptionValues1>
      <OxID>0</OxID>
      <Name> </Name>
      </OptionValues1> similar to <OptionValues1>
      <OptionValues2 /> similar to <OptionValues1>
      <OptionValues3 /> similar to <OptionValues1>
      <OptionTypes1>
        <OxID>0</OxID>
        <Name> </Name>
      </OptionTypes1>
      <OptionTypes2 /> similar to <OptionTypes1>
      <OptionTypes3 /> similar to <OptionTypes2>
      <ParentItemID />
      <ParentItemSKU />
      <ProductType />
    </ProductID>
    <Quantity>0</Quantity>
  </BundledItem>
</Bundle>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<OxID />	integer		Unique ID stored in OXATIS Product table.	Must be greater than zero.
<ItemSKU />	string	40	Product code.	
<ProductLanguage />	string	2	Product language code.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese.
<OptionValues1> <OxID />	integer		Unique option value ID stored in OXATIS Option Values table.	Must be greater than zero.
<Code /> <Name /> </OptionValues1>	string string	10 70	Option Value code. Option Value name.	
<OptionValues2 />			similar to <OptionValues1>.	
<OptionValues3 />			similar to <OptionValues1>.	
<OptionTypes1> <OxID />	integer		Unique option types ID stored in OXATIS Option Types table.	Must be greater than zero.
<Name /> </OptionTypes1>	string	50	Option Type name.	
<OptionTypes2 />			similar to <OptionTypes1>.	
<OptionTypes3 />			similar to <OptionTypes1>.	
<ParentItemID />	integer		Unique parent item ID stored in OXATIS Product table.	
<ParentItemSKU />	string	40	Parent item code.	
<ProductType />	integer		Product type.	Values: 0 Normal 200 Bundle
<Quantity />	integer		Bundled item quantity.	Value between 1 and 999.

➤ API Methods**ProductBundleGet***Returns a list of bundled OxID for a bundle.***ProductBundleUpdate***Updates or Creates a set of bundled items.*

F. PRODUCT ATTRIBUTES

➤ XML Structure

```

<ProductAttributes>
  <OxId>0</OxId>
  <ItemSKU> </ItemSKU>
  <ProductLanguage />
  <OptionValues1>
    <OxId>0</OxId>
    <Name> </Name>
  </OptionValues1> similar to <OptionValues1>
  <OptionValues2 /> similar to <OptionValues1>
  <OptionValues3 /> similar to <OptionValues1>
  <OptionTypes1>
    <OxId>0</OxId>
    <Name> </Name>
  </OptionTypes1>
  <OptionTypes2 /> similar to <OptionTypes1>
  <OptionTypes3 /> similar to <OptionTypes2>
  <ParentItemID />
  <ParentItemSKU />
  <ProductType />
  <TextAttribute>
    <Text />
    <Type />
  </TextAttribute>
  <MultipleAttribute1>
    <Name />
    <Type />
    <Attributes>
      <Attribute>
        <DisplayedText />
        <AttributeCode />
        <AttributeCodeMethod />
        <AttributeProductType />
        <Price>
          <Value />
          <VATIncluded />
        </Price>
        <Price2 /> similar to <Price>
        <Price3 /> similar to <Price>
        <Price4 /> similar to <Price>
        <Price5 /> similar to <Price>
      </Attribute>
    </Attributes>
  </MultipleAttribute1>
  <MultipleAttribute2 /> similar to <MultipleAttribute1>
</ProductAttributes>

```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<OxId />	integer		Unique ID stored in OXATIS Product table.	Must be greater than zero.
<ItemSKU />	string	40	Product code.	
<ProductLanguage />	string	2	Product language code.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese.
<OptionValues1> <OxId />	integer		Unique option value ID stored in OXATIS Option Values table.	Must be greater than zero.
<Code /> <Name />	string string	10 70	Option Value code. Option Value name.	
</OptionValues1>			<i>similar to <OptionValues1>.</i>	
<OptionValues2 />			<i>similar to <OptionValues1>.</i>	
<OptionValues3 />			<i>similar to <OptionValues1>.</i>	
<OptionTypes1> <OxId />	integer		Unique option types ID stored in OXATIS Option Types table.	Must be greater than zero.
<Name /> </OptionTypes1>	string	50	Option Type name.	
<OptionTypes2 />			<i>similar to <OptionTypes1>.</i>	
<OptionTypes3 />			<i>similar to <OptionTypes1>.</i>	
<ParentItemID />	integer		Unique parent Item ID stored in OXATIS Product table.	
<ParentItemSKU />	string	40	Parent item code.	
<ProductType />	integer		Product type.	Values: 0 Normal 200 Bundle
<TextAttribute> <Text /> <Type /> </TextAttribute>	string enum	50	Text attribute. Text attribute display type.	Values: SingleLine, MultipleLine, SingleLineRequired or MultipleLineRequired
<MultipleAttribute1> <Name /> <Type /> <Attributes>	string enum	50	Multiple attribute name. Multiple attribute display type.	Values: DropDownList or OptionsList
<Attribute> <DisplayedText /> <AttributeCode />	string string	50 10	Displayed text. Attribute code.	

Field	Type	Length	Description	Instruction
<AttributeCodeMethod /> <AttributeProductType /> <Price> <Value /> <VATIncluded /> </Price> <Price2 /> <Price3 /> <Price4 /> <Price5 /> <Attribute> <Attributes> <MultipleAttribute1> <MultipleAttribute2>	enum enum float boolean		Attribute code method. Attribute product type. Price 1 value. With VAT included. <i>similar to <Price></i> <i>similar to <Price></i> <i>similar to <Price></i> <i>similar to <Price></i>	Values: Concatenate or Replace Values: None , Material or Intangible Must be greater than or equal zero. false default value
			<i>similar to <MultipleAttribute1></i>	

➤ API Methods

ProductAttributesUpdate
Updates product attributes.

G. PRODUCT PACKAGING

➤ XML Structure

```
<ProductPackaging>
  <OxID />
  <PriceIndex />
  <ProductPackagingItem>
    <Name />
    <ItemSKU />
    <Quantity />
    <Price />
  </ProductPackagingItem>
</ProductPackaging>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<OxID />	integer		Unique ID stored in OXATIS Customer table.	Must be greater than zero.
<PriceIndex />	integer		Product price index.	Value between 1 and 10.
<ProductPackagingItem> <Name /> <ItemSKU /> <Quantity /> <Price /> </ProductPackagingItem>	string string integer float	30 40	Item packaging name. Item packaging code. Item packaging quantity. Item packaging price.	Value between 1 and 99999. Must be greater than zero.

➤ API Methods

ProductDeletePackaging
Deletes packagings related to a product price category.

ProductUpdatePackaging
Updates or Creates different packagings related to a product price category.

H. PRODUCT CATEGORIES

H1) Get Product Category

➤ XML Structure

```
<ProductCategory>
  <OxID />
  <Name />
  <ParentOxid />
  <Header />
  <MetaKeywords />
  <MetaDescription />
  <MetaTitle />
  <ImgFileName />
  <Description />
  <MobileHeader />
  <CanonicalURLCustomizedContent />
  <Visibility />
</ProductCategory />
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<OxID />	integer		Unique ID stored in OXATIS Product Category table.	
<Name />	string	100	Category name.	
<ParentOxid />	integer		Unique CategoryParent ID stored in OXATIS Product Category table.	
<Header />	string	4k	Category header.	
<MetaKeywords />	string	320	Category meta keywords.	
<MetaDescription />	string	320	Category meta description.	
<MetaTitle />	string	100	Category meta title.	
<ImgFileName />	string	100	Category image file name.	
<Description />	string	4k	Category description.	
<MobileHeader />	string	4k	Category mobile header	
<CanonicalURLCustomizedContent />	string	100	Category canonical URL customized content.	
<Visibility />	integer		Element visibility and work progress.	Visibility returned values: 1 Publish - Element complete 2 Publish in preview 3 Hide - Element complete - Wait before publishing

H2) Get Product Category collection

➤ XML Structure

```
<ProductCategoryTreeCollection>
  <ProductCategoryTree>
    <OxID />
    <Name />
    <Header />
    <MetaKeywords />
    <MetaDescription />
    <MetaTitle />
    <ImgFileName />
    <Description />
    <MobileHeader />
    <CanonicalURLCustomizedContent />
    <Visibility />
  </ProductCategoryTree>
  <ChildCategoryCollection>
    <ChildCategory>
      <OxID />
      <Name />
      <Header />
      <MetaKeywords />
      <MetaDescription />
      <MetaTitle />
      <ImgFileName />
      <Description />
      <MobileHeader />
      <CanonicalURLCustomizedContent />
      <Visibility />
    </ChildCategory>
    ...
  </ChildCategoryCollection>
</ProductCategoryTreeCollection>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<ProductCategoryTreeCollection> <ProductCategoryTree> <OxID /> <Name /> <Header /> <MetaKeywords /> <MetaDescription /> <MetaTitle /> <ImgFileName /> <Description /> <MobileHeader /> <CanonicalURLCustomizedContent /> <Visibility /> <ChildCategoryCollection> <ChildCategory> ... <ChildCategoryCollection> <ChildCategory> ... </ChildCategory> </ChildCategoryCollection> </ChildCategory> </ChildCategoryCollection> </ProductCategoryTree> ... </ProductCategoryTreeCollection>	integer string string string string string string string string string integer	100 4k 320 320 100 100 4k 4k 100	Unique ID stored in OXATIS Product Category table. Category name. Category header. Category meta keywords. Category meta description. Category meta title. Category image file name. Category description. Category mobile header. Category canonical URL customized content. Element visibility and work progress. Child category collection. Child category. Child sub-category collection. Child sub-category. Etc...	Visibility returned values: 1 Publish - Element complete 2 Publish in preview 3 Hide - Element complete - Wait before publishing

H3) Product Category API Methods

ProductCategoryGet
Returns product category data.

ProductCategoryGetTreeCollection
Returns product category trees.

I. DISCOUNT RULES

11) Discount Rule related to a Product and a Customer

➤ XML Structure

```
<DiscountRuleCustomPrice>
  <Oxid />
  <UserIdEntity>
    <Oxid />
    <Email />
  </UserIdEntity>
  <DiscountRuleEntity>
    <Name/ >
    <DiscountType/ >
    <DiscountValue/ >
    <DiscountCoupon/ >
    <GridDiscountType/ >
    <GridLowerStep1Value/ >
    <GridLowerStep1Result/ >
    <GridLowerStep2Value/ >
    <GridLowerStep2Result/ >
    <GridLowerStep3Value/ >
    <GridLowerStep3Result/ >
    <GridLowerStep4Value/ >
    <GridLowerStep4Result/ >
    <GridLowerStep5Value/ >
    <GridLowerStep5Result/ >
    <GridLowerStep6Value/ >
    <GridLowerStep6Result/ >
    <GridLowerStep7Value/ >
    <GridLowerStep7Result/ >
    <GridLowerStep8Value/ >
    <GridLowerStep8Result/ >
    <GridLowerStep9Value/ >
    <GridLowerStep9Result/ >
    <GridLowerStep10Value/ >
    <GridLowerStep10Result/ >
    <StartDate />
    <EndDate />
    <ShowStrikePrice/ >
    <Active/ >
    <StopProcessingDiscount/ >
  </DiscountRuleEntity>
</DiscountRuleCustomPrice>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<Oxid />	integer		Unique ID stored in OXATIS Product table.	Must be greater than zero.
<UserIdEntity>				
<Oxid />	integer		Unique ID stored in OXATIS Customer table.	Must be greater than zero.
<Email />	string	255	Customer's email.	Must be a valid formatted email address.
</UserIdEntity>				
<DiscountRuleEntity>				
<Name/ >	string	50	Discount rule name.	Values: Percentage or NewPrice.
<DiscountType/ >	enum			Discount rate value must be between 0 and 100.
<DiscountValue/ >	float		Discount value can be either a rate or a price.	
<DiscountCoupon/ >	string	20	Discount coupon.	Values: None, Quantity, Amount or NewPrice.
<GridDiscountType/ >	enum			
<GridLowerStep1Value/ >	float		Discount Grid 1 st lower step value (Quantity or amount).	
<GridLowerStep1Result/ >	float		Discount Grid 1 st lower step result (rate or net price).	
<GridLowerStep2Value/ >	float		Discount Grid 2 nd lower step value (Quantity or amount).	
<GridLowerStep2Result/ >	float		Discount Grid 2 nd lower step result (rate or net price).	
<GridLowerStep3Value/ >	float		Discount Grid 3 rd lower step value (Quantity or amount).	
<GridLowerStep3Result/ >	float		Discount Grid 3 rd lower step result (rate or net price).	
<GridLowerStep4Value/ >	float		Discount Grid 4 th lower step value (Quantity or amount).	
<GridLowerStep4Result/ >	float		Discount Grid 4 th lower step result (rate or net price).	
<GridLowerStep5Value/ >	float		Discount Grid 5 th lower step value (Quantity or amount).	
<GridLowerStep5Result/ >	float		Discount Grid 5 th lower step result (rate or net price).	
<GridLowerStep6Value/ >	float		Discount Grid 6 th lower step value (Quantity or amount).	
<GridLowerStep6Result/ >	float		Discount Grid 6 th lower step result (rate or net price).	
<GridLowerStep7Value/ >	float		Discount Grid 7 th lower step value (Quantity or amount).	
<GridLowerStep7Result/ >	float		Discount Grid 7 th lower step result (rate or net price).	
<GridLowerStep8Value/ >	float		Discount Grid 8 th lower step value (Quantity or amount).	
<GridLowerStep8Result/ >	float		Discount Grid 8 th lower step result (rate or net price).	
<GridLowerStep9Value/ >	float		Discount Grid 9 th lower step value (Quantity or amount).	
<GridLowerStep9Result/ >	float		Discount Grid 9 th lower step result (rate or net price).	
<GridLowerStep10Value/ >	float		Discount Grid 10 th lower step value (Quantity or amount).	
<GridLowerStep10Result/ >	float		Discount Grid 10 th lower step result (rate or net price).	
<StartDate />	datetime		Start date of validity period.	
<EndDate />	datetime		End date of validity period.	
<ShowStrikePrice/ >	boolean		Display strikethrough prices.	
<Active/ >	boolean		Activate discount rule.	
<StopProcessingDiscount/ >	boolean		Stop processing other discount rules.	
</DiscountRuleEntity>				

12) Discount Rule Linked to Product Price

➤ XML Structure

```
<DiscountRuleLinkToProductPrice>
  <Oxid />
  <PriceIndex />
  <DiscountRuleEntity>
    <Name/ >
    <DiscountType/ >
    <DiscountValue/ >
    <DiscountCoupon/ >
    <GridDiscountType/ >
    <GridLowerStep1Value/ >
    <GridLowerStep1Result/ >
    <GridLowerStep2Value/ >
    <GridLowerStep2Result/ >
    <GridLowerStep3Value/ >
    <GridLowerStep3Result/ >
    <GridLowerStep4Value/ >
    <GridLowerStep4Result/ >
    <GridLowerStep5Value/ >
    <GridLowerStep5Result/ >
    <GridLowerStep6Value/ >
    <GridLowerStep6Result/ >
    <GridLowerStep7Value/ >
    <GridLowerStep7Result/ >
    <GridLowerStep8Value/ >
    <GridLowerStep8Result/ >
    <GridLowerStep9Value/ >
    <GridLowerStep9Result/ >
    <GridLowerStep10Value/ >
    <GridLowerStep10Result/ >
    <StartDate />
    <EndDate/ >
    <ShowStrikePrice/ >
    <Active/ >
    <StopProcessingDiscount/ >
  </DiscountRuleEntity>
</DiscountRuleLinkToProductPrice>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<Oxid />	integer		Unique ID stored in OXATIS Product table.	Must be greater than zero.
<PriceIndex />	Integer		Product price index.	Value must be between 1 and 10.
<DiscountRuleEntity>				
<Name/ >	string	50	Discount rule name.	
<DiscountType/ >	enum			
<DiscountValue/ >	float		Discount value can be either a rate or a price.	Values: Percentage or NewPrice .
<DiscountCoupon/ >	string	20	Discount coupon.	Discount rate value must be between 0 and 100.
<GridDiscountType/ >	enum			
<GridLowerStep1Value/ >	float		Discount Grid 1 st lower step value (Quantity or amount).	Values: None , Quantity , Amount or NewPrice .
<GridLowerStep1Result/ >	float		Discount Grid 1 st lower step result (rate or net price).	
<GridLowerStep2Value/ >	float		Discount Grid 2 nd lower step value (Quantity or amount).	
<GridLowerStep2Result/ >	float		Discount Grid 2 nd lower step result (rate or net price).	
<GridLowerStep3Value/ >	float		Discount Grid 3 rd lower step value (Quantity or amount).	
<GridLowerStep3Result/ >	float		Discount Grid 3 rd lower step result (rate or net price).	
<GridLowerStep4Value/ >	float		Discount Grid 4 th lower step value (Quantity or amount).	
<GridLowerStep4Result/ >	float		Discount Grid 4 th lower step result (rate or net price).	
<GridLowerStep5Value/ >	float		Discount Grid 5 th lower step value (Quantity or amount).	
<GridLowerStep5Result/ >	float		Discount Grid 5 th lower step result (rate or net price).	
<GridLowerStep6Value/ >	float		Discount Grid 6 th lower step value (Quantity or amount).	
<GridLowerStep6Result/ >	float		Discount Grid 6 th lower step result (rate or net price).	
<GridLowerStep7Value/ >	float		Discount Grid 7 th lower step value (Quantity or amount).	
<GridLowerStep7Result/ >	float		Discount Grid 7 th lower step result (rate or net price).	
<GridLowerStep8Value/ >	float		Discount Grid 8 th lower step value (Quantity or amount).	
<GridLowerStep8Result/ >	float		Discount Grid 8 th lower step result (rate or net price).	
<GridLowerStep9Value/ >	float		Discount Grid 9 th lower step value (Quantity or amount).	
<GridLowerStep9Result/ >	float		Discount Grid 9 th lower step result (rate or net price).	
<GridLowerStep10Value/ >	float		Discount Grid 10 th lower step value (Quantity or amount).	
<GridLowerStep10Result/ >	float		Discount Grid 10 th lower step result (rate or net price).	
<StartDate/ >	datetime		Start date of validity period.	
<EndDate/ >	datetime		End date of validity period.	
<ShowStrikePrice/ >	boolean		Display strikethrough prices.	
<Active/ >	boolean		Activate discount rule.	
<StopProcessingDiscount/ >	boolean		Stop processing other discount rules.	
</DiscountRuleEntity>				

13) Discount Rule related to a Product Family and a Customer

➤ XML Structure

```
<DiscountRuleProductFamilyUser>
  <FamilyName />
  <UserIdEntity>
    <OxID />
    <Email />
  </UserIdEntity>
  <DiscountRuleEntity>
    <Name />
    <DiscountType />
    <DiscountValue />
    <DiscountCoupon />
    <GridDiscountType />
    <GridLowerStep1Value />
    <GridLowerStep1Result />
    <GridLowerStep2Value />
    <GridLowerStep2Result />
    <GridLowerStep3Value />
    <GridLowerStep3Result />
    <GridLowerStep4Value />
    <GridLowerStep4Result />
    <GridLowerStep5Value />
    <GridLowerStep5Result />
    <GridLowerStep6Value />
    <GridLowerStep6Result />
    <GridLowerStep7Value />
    <GridLowerStep7Result />
    <GridLowerStep8Value />
    <GridLowerStep8Result />
    <GridLowerStep9Value />
    <GridLowerStep9Result />
    <GridLowerStep10Value />
    <GridLowerStep10Result />
    <StartDate />
    <EndDate />
    <ShowStrikePrice />
    <Active />
    <StopProcessingDiscount />
  </DiscountRuleEntity>
</DiscountRuleProductFamilyUser>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<FamilyName />	string	100	Product family name.	
<UserIdEntity>				
<OxID />	integer		Unique ID stored in OXATIS Customer table.	Must be greater than zero.
<Email />	string	255	Customer's email.	Must be a valid formatted email address.
</UserIdEntity>				
<DiscountRuleEntity>				
<Name />	string	50	Discount rule name.	
<DiscountType />	enum			Values: Percentage or NewPrice .
<DiscountValue />	float		Discount value can be either a rate or a price.	Discount rate value must be between 0 and 100.
<DiscountCoupon />	string	20	Discount coupon.	
<GridDiscountType />	enum			Values: None , Quantity , Amount or NewPrice .
<GridLowerStep1Value />	float		Discount Grid 1 st lower step value (Quantity or amount).	
<GridLowerStep1Result />	float		Discount Grid 1 st lower step result (rate or net price).	
<GridLowerStep2Value />	float		Discount Grid 2 nd lower step value (Quantity or amount).	
<GridLowerStep2Result />	float		Discount Grid 2 nd lower step result (rate or net price).	
<GridLowerStep3Value />	float		Discount Grid 3 rd lower step value (Quantity or amount).	
<GridLowerStep3Result />	float		Discount Grid 3 rd lower step result (rate or net price).	
<GridLowerStep4Value />	float		Discount Grid 4 th lower step value (Quantity or amount).	
<GridLowerStep4Result />	float		Discount Grid 4 th lower step result (rate or net price).	
<GridLowerStep5Value />	float		Discount Grid 5 th lower step value (Quantity or amount).	
<GridLowerStep5Result />	float		Discount Grid 5 th lower step result (rate or net price).	
<GridLowerStep6Value />	float		Discount Grid 6 th lower step value (Quantity or amount).	
<GridLowerStep6Result />	float		Discount Grid 6 th lower step result (rate or net price).	
<GridLowerStep7Value />	float		Discount Grid 7 th lower step value (Quantity or amount).	
<GridLowerStep7Result />	float		Discount Grid 7 th lower step result (rate or net price).	
<GridLowerStep8Value />	float		Discount Grid 8 th lower step value (Quantity or amount).	
<GridLowerStep8Result />	float		Discount Grid 8 th lower step result (rate or net price).	
<GridLowerStep9Value />	float		Discount Grid 9 th lower step value (Quantity or amount).	
<GridLowerStep9Result />	float		Discount Grid 9 th lower step result (rate or net price).	
<GridLowerStep10Value />	float		Discount Grid 10 th lower step value (Quantity or amount).	
<GridLowerStep10Result />	float		Discount Grid 10 th lower step result (rate or net price).	
<StartDate />	datetime		Start date of validity period.	
<EndDate />	datetime		End date of validity period.	
<ShowStrikePrice />	boolean		Display strikethrough prices.	
<Active />	boolean		Activate discount rule.	
<StopProcessingDiscount />	boolean		Stop processing other discount rules.	
</DiscountRuleEntity>				

I4) Discount Rule Compute Mode

➤ XML Structure

```
<DiscountRuleComputeMode>
  <ComputeMode/>
</DiscountRuleComputeMode >
```

➤ Field Definitions, Types and Values

Field	Type	Description	Instruction
<ComputeMode />	integer	Discount rule compute mode.	Accepted values: 0 Priority to item discounts (Custom discount / discount linked to price). 1 Priority to item families. 2 Priority to the customer discount. 3 Sum of discounts. 4 Successive discounts applied (Successive Mode).

I5) Discount Rules API Methods

DiscountRuleCustomPriceUpdate

Creates or Updates a discount rule related to a product and a customer.

DiscountRuleDelete

Deletes a discount rule.

DiscountRuleLinkToProductPriceUpdate

Updates or Creates a discount rule related to a product price category.

DiscountRuleProductFamilyUserUpdate

Updates or Creates a discount rule related to a product family and a customer.

DiscountRuleUpdateComputeMode

Updates discount rule compute mode.

J. CUSTOMERS

J1) Customer

➤ XML Structure

```
<User>
  <OxID />
  <Email />
  <BillingTitle />
  <FirstName />
  <LastName />
  <Company />
  <VATNumber />
  <BillingAddressStreet />
  <BillingAddressOtherInfo />
  <BillingZipCode />
  <BillingCity />
  <BillingState />
  <BillingStateName />
  <BillingCountryISOCode />
  <BillingPhone />
  <BillingCellPhone />
  <BillingFax />
  <ShippingTitle />
  <ShippingFirstName />
  <ShippingLastName />
  <ShippingCompany />
  <ShippingPhone />
  <ShippingAddressStreet/>
  <ShippingAddressOtherInfo />
  <ShippingCompany />
  <ShippingZipCode />
  <ShippingCity/> />
  <ShippingState />
  <ShippingStateName />
  <ShippingCountryISOCode />
  <SalesRepCode />
  <SubscribeToNewletters />
  <SubscribeToSMSCampaign />
  <CustomerAccount />
  <Category1>
    <OxID />
    <Name />
  </Category1>
  <Category2 /> similar to <Category1>
  <Category3 /> similar to <Category1>
  <Category4 /> similar to <Category1>
  <UserLanguage />
  <PriceIndex />
  <Discount />
  <DiscountCartItems />
  <DiscountGridCode />
  <FiscalCode />
  <BirthDate />
  <Comments />
  <RewardPoints />
  <LastUpdateDate />
  <CustomFieldText1 />
  <CustomFieldText2 />
  <CustomFieldText3 />
  <CustomFieldText4 />
  <CustomFieldNumeric1 />
  <CustomFieldNumeric2 />
  <CustomFieldDate />
  <UserTypology />
  <LegalForm />
  <NAFCode />
  <CreationDate />
  <Source />
  <CustomerCode />
</User>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<Oxid />	integer		Unique ID stored in OXATIS Customer table.	Must be greater than zero.
<Email />	string	255	Contact email.	Must be a valid formatted email address.
<BillingTitle />	string	30	Contact title (Billing Address).	Accepted values: Mr, Mrs, Miss, Ms, Sir, Madam, Lord, Lady, Dr, Judge, Rev, Mx.
<FirstName />	string	30	Contact first name (Billing Address).	
<LastName />	string	50	Contact last name (Billing Address).	
<Company />	string	50	Company name.	
<VATNumber />	string	16	Company VAT number.	
<BillingAddressStreet />	string	50	Street name and number (Billing Address).	
<BillingAddressOtherInfo />	string	50	Locality, other information (Billing Address).	
<BillingZipCode />	string	20	Postal code (Billing Address).	
<BillingCity />	string	30	City or town (Billing Address).	
<BillingState />	string	30	State, region, province or county (Billing Address).	
<BillingStateName />	string	50	State name (Billing Address).	Available only for the United States, Spain and Canada.
<BillingCountryISOCode />	string	2	Country ISO 3166-2 Code (Billing Address).	i.e: FR France, IT Italy, GB Great Britain, ES Spain...
<BillingPhone />	string	30	Telephone (Billing Address).	
<BillingCellPhone />	string	30	Mobile (Billing Address).	
<BillingFax />	string	30	Fax (Billing Address).	
<ShippingTitle />	string	30	Contact title (Shipping Address).	Accepted values: Mr, Mrs, Miss, Ms, Sir, Madam, Lord, Lady, Dr, Judge, Rev, Mx.
<ShippingFirstName />	string	30	Contact first name (Shipping Address).	
<ShippingLastName />	string	50	Contact last name (Shipping Address).	
<ShippingCompany />	string	50	Company name (Shipping Address).	
<ShippingPhone />	string	30	Phone (Shipping Address).	
<ShippingAddressStreet />	string	50	Street name and number (Shipping Address).	
<ShippingAddressOtherInfo />	string	50	Locality, other information (Shipping Address).	
<ShippingZipCode />	string	20	Postal code (Shipping Address).	
<ShippingCity />	string	30	City or town (Shipping Address).	
<ShippingState />	string	30	State, region, province or county (Shipping Address).	
<ShippingStateName />	string	50	State name (Shipping Address).	Available only for the United States, Spain and Canada.
<ShippingCountryISOCode />	string	2	Country ISO 3166-2 Code (Shipping Address).	i.e: FR France, IT Italy, GB Great Britain, ES Spain...
<SalesRepCode />	string	10	Sales representative Code.	Must exist in OXATIS Sales representative table.
<SubscribeToNewsletters />	boolean		Customer newsletter subscription.	false default value
<SubscribeToSMSCampaign />	boolean		Customer SMS Campaign subscription.	false default value
<CustomerAccount />	boolean		Credit customer.	false default value
<Category> <Oxid /> <ParentOxid /> <Name /> </Category1> <Category2 /> <Category3 /> <Category4 />	integer integer string	100	Unique category ID stored in OXATIS Category table. Parent category ID stored in OXATIS Category table. Category name.	Must be greater than zero. Must be greater than or equal zero.
<UserLanguage />	string		Customer preferred language.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese.
<PriceIndex />	integer		Price index to use.	Value between 0 (index used for Price 1) and 9 (index used for Price 10). -1: is the default value (depending on the first customer category).
<Discount />	float		Global discount rate.	Must be greater than or equal to zero and less than or equal to 100.
<DiscountCardItems />	float		Default discount for each item in the cart.	
<DiscountGridCode />	string	6	Discount Grid Code.	Must exist in OXATIS Discount Grid table.
<FiscalCode />	string	30	Customer Business Registration Number.	
<BirthDate />	datetime		Customer date of birth.	Must be greater than 01/01/1901 and less than 12/31/2100.
<Comments />	string	4kb	Additional information.	
<RewardPoints />	integer		Available points (Loyalty Program).	
<LastUpdateDate />	datetime		Date of last update.	
<CustomFieldText1 />	string	100	1 st Custom Text Field.	
<CustomFieldText2 />	string	100	2 nd Custom Text Field.	
<CustomFieldText3 />	string	100	3 rd Custom Text Field.	
<CustomFieldText4 />	string	100	4 th Custom Text Field.	
<CustomFieldNumeric1 />	float		1 st Custom Numeric Field.	
<CustomFieldNumeric2 />	float		2 nd Custom Numeric Field.	
<CustomFieldDate />	datetime		Custom Date Field.	
<UserTypology />	byte		Defines B2B or B2C customer.	Values: 1 B2C 2 B2B
<LegalForm />	string	40	Company legal form.	
<NAFCode />	string	20	NAF code (French activity nomenclature issued by INSEE and called the APE Code).	
<CreationDate />	datetime		Customer date of creation.	
<Source />	string	100	Micro-survey source.	
<CustomerCode />	string	50	Customer code.	Only alphanumeric characters are accepted.

J2) Customer Shipping Address

➤ XML Structure

```

<UserShippingAddress>
  <OxID />
  <Email />
  <AddressLabel />
  <Title />
  <FirstName />
  <LastName />
  <Company />
  <AddressStreet />
  <AddressOtherInfo />
  <ZipCode />
  <City />
  <State />
  <CountryISOCode />
  <Phone />
  <DefaultAddress />
  <AddressID />
</UserShippingAddress>

```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<OxID />	Integer		Unique customer ID stored in OXATIS Customer table.	
<Email />	string	255	Customer's email.	
<AddressLabel />	string	64	Address label.	
<Title />	string	30	Contact title.	Accepted values : Mr, Mrs, Miss, Ms, Sir, Madam, Lord, Lady, Dr, Judge, Rev, Mx.
<FirstName />	string	30	Contact first name.	
<LastName />	string	30	Contact last name.	
<Company />	string	50	Company name.	
<AddressStreet />	string	50	Street name and number.	
<AddressOtherInfo />	string	50	Locality, other information.	
<ZipCode />	string	20	Postal code.	
<City />	string	50	City or town.	
<State />	string	30	State, region, province or county.	
<StateName />	string	50	State name.	Available only for the United States, Spain and Canada.
<CountryISOCode />	string	2	Country ISO 3166-2 Code.	i.e: FR France, IT Italy, GB Great Britain, ES Spain...
<Phone />	string	30	Telephone.	
<DefaultAddress />	boolean		Set the default customer shipping address.	
<AddressID />	integer		Unique ID stored in OXATIS Customer Shipping Address table.	

J3) Customer List

➤ XML Structure

```

<UserList>
  <PageInformation>
    <PageNumber />
    <PageSize />
    <TotalItems />
    <TotalPages />
  </PageInformation>
  <LatestModifiedDateStart />
  <LatestModifiedDateEnd />
  <UsersID />
  <UserID>
    <OxID />
    <UserID>
  </UserID>
</UserList>

```

➤ Field Definitions, Types and Values

Field	Type	Description	Instruction
<PageInformation> <PageNumber /> <PageSize /> <TotalItems /> <TotalPages /> </PageInformation>	integer integer integer integer	The page number to request. The page size to request. Total items retrieved in OXATIS Customer table. Total pages are calculated according to the total items and the page size.	Must be greater than zero. Must be greater than zero.
<LatestModifiedDateStart />	datetime	Start date of last customer modification.	Must be greater than January 1, 2000.
<LatestModifiedDateEnd />	datetime	End date of last customer modification.	Must be greater than January 1, 2000.
<OxID />	integer	Unique ID stored in OXATIS Customer table.	

J4) Customer API Methods

UserGet <i>Returns all data in customer record.</i> UserGetBillingAddress <i>Returns the customer billing address, postal code, city, state and country iso- code.</i> UserGetShippingAddressLines <i>Returns the customer billing address as 4 separated lines, postal code, city, state and country iso- code.</i> UserGetShippingAddress <i>Returns the uses shipping address, postal code, city, state and country iso- code.</i> UserGetFisrtName <i>Returns the uses first name.</i> UserGetDiscount <i>Returns the uses discount rate.</i> UserGetDiscountGridCode <i>Returns the customer discount grid code.</i> UserGetLastName <i>Returns the customer last name.</i> UserGetCompanyName <i>Returns the customer company name.</i> UserGetCompanyVATNumber <i>Returns the customer company VAT number.</i> UserGetCategories <i>Returns all customer categories (1 to 4 categories).</i> UserGetLanguage <i>Returns the customer preferred language.</i> UserGetPriceIndex <i>Returns the customer price index.</i> UserGetCustomerAccount <i>Returns the customer credit customer value.</i> UserGetSubscribeToNewletters <i>Returns newsletter subscription value.</i> UserGetSalesCodeRep <i>Returns customer sales representative code.</i> UserGetEmail <i>Returns customer email.</i> UserGetList <i>Returns a paginated list of customers OxlD for an interval of dates.</i> UserGetFiscalCode <i>Returns customer Bus Reg No.</i> UserGetBirthDate <i>Returns customer date of birth.</i> UserDelete <i>Deletes definitively a customer.</i> UserDeleteShippingAddress <i>Deletes definitively an additionnal shipping address.</i>	UserAdd <i>Adds a customer in OXATIS Customer table.</i> UserImport <i>Adds or Updates a customer in OXATIS Customer table.</i> UserUpdate <i>Updates an existing customer.</i> UserUpdateAdditionalShippingAddress <i>Adds or Updates an additionnal shipping address.</i> UserUpdateBillingAddress <i>Updates use billing address, postal code, city, state and country iso- code.</i> UserUpdateBillingAddressLines <i>Updates customer billing address lines (1 to 4 lines).</i> UserUpdateDiscount <i>Updates the customer discount rate.</i> UserUpdateDiscountGridCode <i>Updates the customer discount grid code.</i> UserUpdateShippingAddress <i>Updates customer shipping address, postal code, city, state and country iso- code.</i> UserUpdateShippingAddressLines <i>Updates customer shipping address lines (1 to 4 lines).</i> UserUpdateFisrtName <i>Updates customer first name.</i> UserUpdateLastName <i>Updates customer last name.</i> UserUpdateCompanyName <i>Updates customer company name.</i> UserUpdateCompanyVATNumber <i>Updates customer company VAT number.</i> UserUpdateCategories <i>Updates us customer er all categories (1 to 4 categories).</i> UserUpdateLanguage <i>Updates customer preferred language.</i> UserUpdatePriceIndex <i>Updates customer price index.</i> UserUpdateCustomerAccount <i>Updates customer credit customer value.</i> UserUpdateSubscribeToNewletters <i>Updates newsletter subscription value.</i> UserUpdateSalesCodeRep <i>Updates customer sales representative code.</i> UserUpdateEmail <i>Updates customer email.</i> UserUpdateFiscalCode <i>Updates customer Bus Reg No.</i> UserUpdateBirthDate <i>Updates customer date of birth.</i>
---	--

J5) Management Rules for Customers and Categories

- ❖ To create or insert a new customer, you must define a unique valid email address (Do not initialize "OxlD" in this current context).
- ❖ "OxlD" might be used in Get or Updates methods to identify customer records in the OXATIS customer table.
- ❖ To delete an existing customer, you might use either "OxlD" or "email".
- ❖ When you define a Sales Representative Code "SalesRepCode", make sure that the same code exists in your Sales Rep File. Otherwise, it will be ignored. The same rule applies to the customer "DiscountGridCode".
- ❖ If the address billing country code or shipping country code does not correspond to a valid code, an error will occur.
- ❖ If the customer preferred language code does not correspond to one of the required language codes: *en, fr, it, nl, es, de, ca* or *pt*, the default admin language will be used.
- ❖ Price index value should be between -1 and 4. (-1 = none; 0 = Price 1; 1 = Price 2; ...; 4 = Price 5). The default value is -1.
- ❖ Updating customer categories: please refer to updating product categories (section B4).
- ❖ When you update a customer 's billing or shipping address, there is an order of priority if the zones below are filled in:
 - 1 - The standardized address (street and other information)
 - 2 - The address split into several lines
 - 3 - The address block

K. IMAGES

K1) ImageGallery

➤ XML Structure

```
<ImageGallery>
  <Oxid />
  <Name />
  <RefPathFileName />
  <Url />
  <Category>
    <Oxid />
    <ParentOxid />
    <Name />
  </Category>
</ImageGallery>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<Oxid />	integer		Unique ID stored in OXATIS Image gallery table.	Must be greater than zero.
<Name />	string	100	Image name.	
<FileName />	string	256	Image file name.	Image file name with supported extension: jpg , jpeg , gif , png
<RefPathFileName />	string	250	Root path file name.	Maximum length must be less than the URL length.
<Url />	string	256	Image URL source.	Must be a valid URL.
<Category> <Oxid /> <ParentOxid /> <Name /> </Category>	integer integer string	100	Unique category ID stored in OXATIS Category table. Parent category ID stored in OXATIS Category table. Category name.	Must be greater than zero. Must be greater than or equal zero.
<MediaContent> <MediaType /> <StrBytes /> </MediaContent>	string string	256	Image Type. Base64 encoded string representation.	Constant supported values: image/gif , image/jpg , image/jpeg and image/png Original image file size cannot exceed 1Mb.
<DynamicImages />	boolean		Images will be processed dynamically.	Default value: null or false .

K2) ImageGalleryList

➤ XML Structure

```
<ImageGalleryList>
  <PageInformation>
    <PageNumber />
    <PageSize />
    <TotalItems />
    <TotalPages />
  </PageInformation>
  <ImageGalleryIdList>
    <ImageGalleryId>
      <Oxid />
      <Name />
      <FileName />
      <ImageUrl />
    </ImageGalleryId>
  </ImageGalleryIdList>
</ImageGalleryList>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<PageInformation> <PageNumber /> <PageSize /> <TotalItems /> <TotalPages /> </PageInformation>	integer integer integer integer		The page number to request. The page size to request. Total items retrieved in OXATIS Image gallery table. Total pages are calculated according to the total items and the page size.	Must be greater than zero. Must be greater than zero.
<ImageGalleryIdList> <ImageGalleryId> <Oxid /> <Name /> <FileName /> <ImageUrl /> </ImageGalleryId> </ImageGalleryIdList>	integer string string string	100 100 256	Unique ID stored in OXATIS Image gallery table. Image name. Image file name. Image URL source.	

➤ API Methods

ImageDelete

Deletes definitively an image.

ImageGet

Returns image record data.

ImageGetList

Returns a paginated list of images.

ImageImportFromUrl

Imports an image from an existing URL in OXATIS Images Gallery table.

ImageImportFromStrBytes

Adds a image in OXATIS Images Gallery table or updates an existing image from a Base64 string representation.

K3) Management Rules for Images and Categories

- ❖ Only GIF, JPEG, JPG and PNG picture files are supported.
 - ❖ Picture file size cannot exceed 2048 Kb.
 - ❖ To delete an existing image, you might use either “*OxID*” or “*Image name*”.
 - ❖ “*OxID*” might be used in “*ImportImage*” method to identify image records in OXATIS Image Gallery table.
 - ❖ To create or insert a new image from a Base64 encoded string representation, you must define the two following required fields “*Name*”, “*FileName*” and “*MediaContent*”. (Do not initialize “*OxID*” in this current context).
 - ❖ To create or insert a new image from a valid URL, you must define the two following required fields “*Name*” and “*URL*”. (Do not initialize “*OxID*” in this current context).
- The reference file path name “*RefPathFileName*” is considered as the root path of the image file to upload.

For example, if the URL of the image to upload is:

<https://images.mydomain.com/pictures/products/pic001.jpg> and you would like to omit a fixed part of the URL (such as, <https://images.mydomain.com>), then you can define it as “*RefPathFileName*”. In this case, the relative path file name to be stored in your image gallery will be as follows:
pictures/products/pic001.jpg

- ❖ Updating image categories: please refer to updating product categories (section B4).

L. SALES ORDERS

L1) Order

➤ XML Structure

```

<Order>
  <OxID />
  <Date />
  <UserEmail />
  <UserOxID />
  <BillingTitle />
  <BillingCompany />
  <BillingFirstName />
  <BillingLastName />
  <BillingAddressStreet />
  <BillingAddressOtherInfo />
  <BillingZipCode />
  <BillingCity />
  <BillingState />
  <BillingCountryISOCode />
  <BillingCountryName />
  <BillingPhone />
  <BillingCellPhone />
  <BillingFax />
  <CompanyVATNumber />
  <VATIncluded />
  <EcoTaxIncluded />
  <SubTotalNet />
  <SubTotalNetDiscounted />
  <GlobalDiscountRate />
  <GlobalDiscountAmount />
  <SubTotalVAT />
  <ShippingMethodName />
  <ShippingTaxRate />
  <ShippingPriceTaxExcl />
  <ShippingPriceTaxIncl />
  <ShippingVATAmount />
  <EcoTaxAmountTaxIncl />
  <PaymentFeesTaxRate />
  <PaymentFeesTaxExc />
  <PaymentFeesTaxInc />
  <PaymentFeesVATAmount />
  <CashOnDelivery />
  <NetAmountDue />
  <TotalWeight />
  <CartCoupon />
  <LogisticsServiceProviderAccess />
  <LogisticsServiceProviderInstructions />
  <Language />
  <PaymentMethodName />
  <PaymentStatusCode />
  <PaymentStatusLastModified />
  <PMPProcessorCode />
  <RemotellPAddr />
  <SalesRepCode />
  <SalesRepFirstName />
  <SalesRepLastName />
  <ShippingCompany />
  <ShippingUserID />
  <ShippingAddressLabel />
  <ShippingTitle />
  <ShippingFirstName />
  <ShippingLastName />
  <ShippingAddressStreet />
  <ShippingAddressOtherInfo />
  <ShippingZipCode />
  <ShippingCity />
  <ShippingState />
  <ShippingCountryISOCode />
  <ShippingCountryName />
  <ShippingPhone />
  <ShippingInfo />
  <SpecialInstructions />
  <CurrencyCode />
  <InvoiceDate />
  <InvoiceID />
  <InvoiceFileName />
  <InvoiceURL />
  <InternalNote />
  <ShippingProcessorCode />
  <ShippingParam1 />
  <ShippingParam2 />
  <FiscalCode />
  <TrackingNumber />
  <TrackingUrl />
  <TransportName />
  <SourceTypeID />
  <SourceOrderID />
  <Shipped />
  <CustomFieldText1 />
  <CustomFieldText2 />
  <CustomFieldText3 />
  <CustomFieldText4 />
  <CustomFieldNumeric1 />
  <CustomFieldNumeric2 />
  <CustomFieldDate />
  <CampaignTrackingID />
  <UserTypology />
  <LegalForm />
  <NAFCode />
  <TrackingNumber />
  <CustomerCode />

  <Gift />
  <GiftMessage />
  <OrderItems>
    <Item>
      <ItemOXID />
      <ItemSKU />
      <ItemSKUOriginal />
      <ItemName />
      <Quantity />
      <GrossPrice />
      <LineGrossAmount />
      <TaxRate />
      <DiscountRate />
      <NetPrice />
      <LineNetAmount />
      <LineVATAmount />
      <EcoTaxPriceTaxIncl />
      <DiscountCoupon />
      <Attribute1Name />
      <Attribute1Value />
      <Attribute2Name />
      <Attribute2Value />
      <AttributeTextName />
      <AttributeTextValue />
      <Option1Name />
      <Option1Value />
      <Option2Name />
      <Option2Value />
      <Option3Name />
      <Option3Value />
      <ItemMainImageURL />
      <ItemThumbnailImageURL />
      <Offered />
      <PackagingQty />
      <PackagingName />
      <LinkedTo />
      <Weight />
      <DimensionHeight />
      <DimensionLength />
      <DimensionWidth />
    <BundledItems>
      <BundledItem>
        <ItemOXID />
        <ItemSKU />
        <ItemName />
        <Quantity />
        <Option1Name />
        <Option1Value />
        <Option2Name />
        <Option2Value />
        <Option3Name />
        <Option3Value />
        <ItemMainImageURL />
        <ItemThumbnailImageURL />
        <Offered />
      </BundledItem>
    </BundledItems>
  </Item>
</OrderItems>
  <OrderTaxDetails>
    <TotalNetTaxExcl />
    <TaxRate />
    <TotalNetVATAmount />
  </OrderTaxDetails>
</Order>

```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<OxId />	integer		Unique ID stored in OXATIS Sales Order table.	Must be greater than zero.
<Date />	datetime		Sales Order date.	ISO 8601 format (YYYY-MM-DDThh:mm:ss) is used for Datetime.
<UserEmail />	string	255	Contact email.	
<UserOxID />	integer		Unique ID stored in OXATIS Customer table.	
<BillingTitle />	string	30	Contact title (Billing address).	
<BillingCompany />	string	50	Company name (Billing address).	
<BillingFirstName />	string	30	Contact first name (Billing address).	
<BillingLastName />	string	50	Contact last name (Billing address).	
<BillingAddressStreet />	string	50	Street name and number (Billing address).	
<BillingAddressOtherInfo />	string	50	Locality, other information (Billing address).	
<BillingZipCode />	string	20	Postal code (Billing address).	
<BillingCity />	string	50	City name (Billing address).	
<BillingState />	string	30	State (Billing address).	
<BillingStateName />	string	50	State name (Billing address).	Available only for the United States, Spain and Canada.
<BillingCountryISOCode />	string	2	Country ISO 3166-2 Code (Billing address).	i.e: FR France, IT Italy, GB Great Britain, ES Spain...
<BillingCountryName />	string	50	Country name (Billing address).	
<BillingPhone />	string	30	Telephone (Billing address).	
<BillingCellPhone />	string	30	Mobile (Billing address).	
<BillingFax />	string	30	Fax (Billing address).	
<CompanyVATNumber />	string	16	Company VAT Number.	
<VATIncluded />	boolean		Computing mode: including or excluding VAT.	true Including VAT false default value
<EcoTaxIncluded />	boolean		Indicates whether the ecotax is included or not in the item price.	
<SubTotalNet />	float		Subtotal of item rows before applying the global discount.	
<SubTotalNetDiscounted />	float		Subtotal of shopping cart after applying the global discount.	
<GlobalDiscountRate />	float		Global discount rate.	
<GlobalDiscountAmount />	float		Global discount amount.	
<SubTotalVAT />	float		VAT subtotal.	
<ShippingMethodName />	string	100	Shipping method name.	
<ShippingTaxRate />	float		Shipping VAT rate.	
<ShippingPriceTaxExcl />	float		Shipping price excluding VAT.	
<ShippingPriceTaxIncl />	float		Shipping price including VAT.	
<ShippingVATAmount />	float		Shipping VAT amount.	
<EcoTaxAmountTaxIncl />	float		Ecotax amount including VAT.	
<PaymentFeesTaxRate />	float		Payment fees VAT rate.	
<PaymentFeesTaxExc />	float		Payment fees excluding VAT.	
<PaymentFeesTaxInc />	float		Payment fees including VAT.	
<PaymentFeesVATAmount />	float		Payment fees VAT amount.	
<CashOnDelivery />	Boolean		Cash on delivery.	
<NetAmountDue />	float		Shopping cart net amount due.	
<TotalWeight />	integer		Total weight.	
<CartCoupon />	string	20	Special offer code (discount coupon).	
<LogisticsServiceProviderAccess />	datetime		Logistics service provider last access date.	
<LogisticsServiceProviderInstructions />	string	100	Logistics service provider instructions.	
<Language />	string	2	Sales Order language.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese.
<PaymentMethodName />	string	100	Payment method name.	
<PaymentStatusCode />	integer		Payment Status Code.	Constant supported values: 0 Canceled 10 Technical error 14 Contacting payment processor 20 Payment in progress 30 Payment refused 40 Payment confirmed
<PaymentLastModifiedDate />	datetime		Payment Last modified date.	
<RemoteIPAddr />	string	50	Remote IP address.	
<SalesRepCode />	string	10	Sales representative code.	
<SalesRepFirstName />	string	30	Sales representative first name.	
<SalesRepLastName />	string	50	Sales representative last name.	
<ShippingCompany />	string	50	Company name (Shipping address).	
<ShippingUserAddressID />	integer		Unique ID stored in OXATIS Customer additional shipping address table.	
<ShippingUserAddressLabel />	string	64	Shipping address label.	
<ShippingTitle />	string	30	Contact title (Shipping address).	
<ShippingFirstName />	string	30	Contact first name (Shipping address).	
<ShippingLastName />	string	50	Contact last name (Shipping address).	
<ShippingAddressStreet />	string	50	Street name and number (Shipping address).	
<ShippingAddressOtherInfo />	string	50	Locality, other information (Shipping address).	
<ShippingZipCode />	string	20	Postal code (Shipping address).	
<ShippingCity />	string	50	City name (Shipping address).	
<ShippingState />	string	30	State (Shipping address).	
<ShippingStateName />	string	50	State name (Shipping address).	Available only for the United States, Spain and Canada.
<ShippingCountryISOCode />	string	2	Country ISO 3166-2 Code (Shipping address).	i.e: FR France, IT Italy, GB Great Britain, ES Spain...
<ShippingCountryName />	string	50	Country name (Shipping address).	
<ShippingPhone />	string	30	Telephone (Shipping address).	
<ShippingInfo />	string	255	Shipping information.	
<SpecialInstructions />	string	4kb	Special instructions.	
<CurrencyCode />	string	3	Sales Order currency code.	Supported currencies: EUR Euro, USD United States dollar, CAD Canadian dollar, NZD New Zealand dollar, CHF Swiss franc, GBP British pound, JPY Japanese yen, XPF Pacific franc, MXN Mexican peso, CLP Chilean peso
<InvoiceDate />	datetime		Invoice date.	
<InvoiceID />	string	25	Invoice ID.	
<InvoiceFileName />	string	50	Invoice file name.	
<InvoiceURL />	string		Invoice URL.	
<InternalNote />	string	250	Internal note.	
<ShippingProcessorCode />	short		Shipping processor code.	Shipping processor value: 10 SO Colissimo 20 Mondial Relay 30 Colis Privé 40 TNT Express Entreprise 41 TNT Express Domicile 42 TNT Express Relais Colis

Field	Type	Length	Description	Instruction																																																																																																																																																				
<ShippingParam1 />	string	10	Shipping processor codes first parameter.	If shipping processor value is 10 , its first parameter value will be one of the following: DOM Livraison à Domicile RDV Livraison sur Rendez-Vous BPR Point de retrait BP Relais A2P Point de retrait A2P CIT Point de retrait Cityssimo ACP Agence ColiPoste CDI Centre de distribution If shipping processor value is 20 , its first parameter value will be null.																																																																																																																																																				
<ShippingParam2 />	string	10	Shipping processor codes second parameter.	If shipping processor value is 10 , its second parameter value will depend on the shipping processor's first parameter value. If shipping processor value is 20 , 40 , 41 or 42 , its second parameter value will be collection point ID.																																																																																																																																																				
<FiscalCode />	string	30	Company Business Registration Number.																																																																																																																																																					
<TrackingNumber />	string	32	Shipping Tracking Number.																																																																																																																																																					
<TrackingUrl />	string	200	Shipping Tracking URL.																																																																																																																																																					
<TransportName />	string	30	Transport name.																																																																																																																																																					
<SourceTypeID />	integer		Original Sales Order Type.	Source type ID value: <table><tr><th>ID</th><th>Name</th><th>ID</th><th>Name</th></tr><tr><td>0</td><td>Web</td><td>62</td><td>But</td></tr><tr><td>5</td><td>MOTO</td><td>63</td><td>BricoPrivé</td></tr><tr><td>10</td><td>Ebay</td><td>64</td><td>GoSport</td></tr><tr><td>20</td><td>Amazon</td><td>65</td><td>Boulangier</td></tr><tr><td>30</td><td>Price Minister</td><td>66</td><td>Auchan</td></tr><tr><td>31</td><td>Rue du Commerce</td><td>67</td><td>Miinto</td></tr><tr><td>32</td><td>CDiscount</td><td>68</td><td>Blissports</td></tr><tr><td>33</td><td>FNAC</td><td>69</td><td>Bricomarché fr</td></tr><tr><td>34</td><td>Pixmania</td><td>71</td><td>Carrefour (es)</td></tr><tr><td>35</td><td>La Redoute</td><td>72</td><td>Carrefour (fr)</td></tr><tr><td>36</td><td>Babyssima</td><td>73</td><td>Clicktofourmisseur</td></tr><tr><td>37</td><td>BrandAlley</td><td>74</td><td>Entre Chasseurs</td></tr><tr><td>38</td><td>Galleries Lafayette</td><td>75</td><td>Geranimo</td></tr><tr><td>37</td><td>BrandAlley</td><td>77</td><td>Holi Deco</td></tr><tr><td>39</td><td>Glamour</td><td>78</td><td>I Make</td></tr><tr><td>40</td><td>Zalando</td><td>79</td><td>LA LIC</td></tr><tr><td>41</td><td>Atlasformen</td><td>80</td><td>La Poste</td></tr><tr><td>42</td><td>Nature et Découvertes</td><td>81</td><td>LDLC</td></tr><tr><td>43</td><td>ManoMano</td><td>82</td><td>Les Alliés</td></tr><tr><td>44</td><td>Darty</td><td>83</td><td>Les Nouveaux Cavistes</td></tr><tr><td>45</td><td>MacWay</td><td>84</td><td>Ma Miellerie</td></tr><tr><td>46</td><td>Outiz</td><td>85</td><td>Marice Claire</td></tr><tr><td>47</td><td>Intermarché</td><td>86</td><td>Metro</td></tr><tr><td>48</td><td>CreaVea</td><td>87</td><td>MonShowroom</td></tr><tr><td>49</td><td>Spartoo</td><td>88</td><td>Nocibé</td></tr><tr><td>50</td><td>BHV</td><td>89</td><td>Ovega</td></tr><tr><td>51</td><td>Veepee</td><td>90</td><td>Petch</td></tr><tr><td>52</td><td>VidaXL</td><td>91</td><td>Sedagyl</td></tr><tr><td>53</td><td>Alltricks</td><td>92</td><td>Sevella</td></tr><tr><td>54</td><td>Retif</td><td>93</td><td>Showroomprive</td></tr><tr><td>55</td><td>Leroy Merlin</td><td>94</td><td>Vegan-place</td></tr><tr><td>56</td><td>Maison du Monde</td><td>95</td><td>Warmango</td></tr><tr><td>57</td><td>Truffaut</td><td>96</td><td>Wavy</td></tr><tr><td>58</td><td>Conforama</td><td>100</td><td>Facebook</td></tr><tr><td>59</td><td>Greenweez</td><td>200</td><td>Oxatis Mobile Store</td></tr><tr><td>61</td><td>BlackMarket</td><td></td><td></td></tr></table>	ID	Name	ID	Name	0	Web	62	But	5	MOTO	63	BricoPrivé	10	Ebay	64	GoSport	20	Amazon	65	Boulangier	30	Price Minister	66	Auchan	31	Rue du Commerce	67	Miinto	32	CDiscount	68	Blissports	33	FNAC	69	Bricomarché fr	34	Pixmania	71	Carrefour (es)	35	La Redoute	72	Carrefour (fr)	36	Babyssima	73	Clicktofourmisseur	37	BrandAlley	74	Entre Chasseurs	38	Galleries Lafayette	75	Geranimo	37	BrandAlley	77	Holi Deco	39	Glamour	78	I Make	40	Zalando	79	LA LIC	41	Atlasformen	80	La Poste	42	Nature et Découvertes	81	LDLC	43	ManoMano	82	Les Alliés	44	Darty	83	Les Nouveaux Cavistes	45	MacWay	84	Ma Miellerie	46	Outiz	85	Marice Claire	47	Intermarché	86	Metro	48	CreaVea	87	MonShowroom	49	Spartoo	88	Nocibé	50	BHV	89	Ovega	51	Veepee	90	Petch	52	VidaXL	91	Sedagyl	53	Alltricks	92	Sevella	54	Retif	93	Showroomprive	55	Leroy Merlin	94	Vegan-place	56	Maison du Monde	95	Warmango	57	Truffaut	96	Wavy	58	Conforama	100	Facebook	59	Greenweez	200	Oxatis Mobile Store	61	BlackMarket		
ID	Name	ID	Name																																																																																																																																																					
0	Web	62	But																																																																																																																																																					
5	MOTO	63	BricoPrivé																																																																																																																																																					
10	Ebay	64	GoSport																																																																																																																																																					
20	Amazon	65	Boulangier																																																																																																																																																					
30	Price Minister	66	Auchan																																																																																																																																																					
31	Rue du Commerce	67	Miinto																																																																																																																																																					
32	CDiscount	68	Blissports																																																																																																																																																					
33	FNAC	69	Bricomarché fr																																																																																																																																																					
34	Pixmania	71	Carrefour (es)																																																																																																																																																					
35	La Redoute	72	Carrefour (fr)																																																																																																																																																					
36	Babyssima	73	Clicktofourmisseur																																																																																																																																																					
37	BrandAlley	74	Entre Chasseurs																																																																																																																																																					
38	Galleries Lafayette	75	Geranimo																																																																																																																																																					
37	BrandAlley	77	Holi Deco																																																																																																																																																					
39	Glamour	78	I Make																																																																																																																																																					
40	Zalando	79	LA LIC																																																																																																																																																					
41	Atlasformen	80	La Poste																																																																																																																																																					
42	Nature et Découvertes	81	LDLC																																																																																																																																																					
43	ManoMano	82	Les Alliés																																																																																																																																																					
44	Darty	83	Les Nouveaux Cavistes																																																																																																																																																					
45	MacWay	84	Ma Miellerie																																																																																																																																																					
46	Outiz	85	Marice Claire																																																																																																																																																					
47	Intermarché	86	Metro																																																																																																																																																					
48	CreaVea	87	MonShowroom																																																																																																																																																					
49	Spartoo	88	Nocibé																																																																																																																																																					
50	BHV	89	Ovega																																																																																																																																																					
51	Veepee	90	Petch																																																																																																																																																					
52	VidaXL	91	Sedagyl																																																																																																																																																					
53	Alltricks	92	Sevella																																																																																																																																																					
54	Retif	93	Showroomprive																																																																																																																																																					
55	Leroy Merlin	94	Vegan-place																																																																																																																																																					
56	Maison du Monde	95	Warmango																																																																																																																																																					
57	Truffaut	96	Wavy																																																																																																																																																					
58	Conforama	100	Facebook																																																																																																																																																					
59	Greenweez	200	Oxatis Mobile Store																																																																																																																																																					
61	BlackMarket																																																																																																																																																							
<SourceOrderID />	string	32	Original Sales Order ID.																																																																																																																																																					
<Shipped />	boolean		Indicates whether the order is shipped or not.																																																																																																																																																					
<CustomFieldText1 />	string	100	1 st Custom Text Field.																																																																																																																																																					
<CustomFieldText2 />	string	100	2 nd Custom Text Field.																																																																																																																																																					
<CustomFieldText3 />	string	100	3 rd Custom Text Field.																																																																																																																																																					
<CustomFieldText4 />	string	100	4 th Custom Text Field.																																																																																																																																																					
<CustomFieldNumeric1 />	float		1 st Custom Numeric Field.																																																																																																																																																					
<CustomFieldNumeric2 />	float		2 nd Custom Numeric Field.																																																																																																																																																					
<CustomFieldDate />	datetime		Custom Date Field.																																																																																																																																																					
<CampaignTrackingID />	integer		Marketing campaign tracking ID.																																																																																																																																																					
<UserTypology />	byte		Defines B2B or B2C customer.	Values: 0 B2C 1 B2B																																																																																																																																																				
<LegalForm />	string	40	Company legal form.																																																																																																																																																					
<NAFCode />	string	20	NAF code (French activity nomenclature issued by INSEE and called the APE Code).																																																																																																																																																					
<TrackingNumberReturn />	string	32	Tracking number for the order return																																																																																																																																																					
<CustomerCode />	string	50	Customer code.																																																																																																																																																					
<Gift />	boolean		Sales order considered as a gift.																																																																																																																																																					
<GiftMessage />	string	250	Gift message.																																																																																																																																																					

[illegible]

L2) Order List

► XML Structure

```
<OrderList>
  <PageInformation>
    <PageNumber />
    <PageSize />
    <TotalItems />
    <TotalPages />
  </PageInformation>
  <OrderDateStart />
  <OrderDateEnd />
  <PaymentStatusDateStart />
  <PaymentStatusDateEnd />
  <LogisticDateStart />
  <LogisticDateEnd />
  <PaymentStatusCode />
  <SetOrderDesc/ >
  <OrderStatus />
  <InvoiceDateStart />
  <InvoiceDateEnd />
  <OrdersProcessed />
  <OrdersInvoiced />
  <OrdersShipped />
  <ShippingProcessorCode />
  <OrderIDs>
    <OrderID>
      <OxiID />
    </OrderID>
  </OrderIDs>
</OrderList>
```

➤ Field Definitions, Types and Values

Field	Type	Description	Instruction																																
<PageInformation> <PageNumber /> <PageSize /> <TotalItems /> <TotalPages /> </PageInformation>	integer integer integer integer	The page number to request. The page size to request. Total items retrieved in OXATIS Order table. Total pages are calculated according to the total items and the page size.	Must be greater than zero. Must be greater than zero.																																
<OrderDateStart />	datetime	Start date of last sales order modification.	Must be greater or equal to January 15, 2010.																																
<OrderDateEnd />	datetime	End date of last sales order modification.	Must be greater or equal to January 15, 2010.																																
<PaymentStatusDateStart />	datetime	Start date of last payment status modification.	Must be greater or equal to January 15, 2010.																																
<PaymentStatusDateEnd />	datetime	End date of last payment status modification.	Must be greater or equal to January 15, 2010.																																
<LogisticDateStart />	datetime	Start date of last logistic service provider access update.	Must be greater or equal to January 15, 2010.																																
<LogisticDateEnd />	datetime	End date of last logistic service provider access update.	Must be greater or equal to January 15, 2010.																																
<PaymentStatusCode />	integer	Payment status code.	Constant supported values: 0 Canceled 10 Technical error 14 Contacting payment processor 20 Payment in progress 30 Payment refused 40 Payment confirmed																																
<SetOrderDesc />	boolean	Sales orders are sorted in descending order.	true default value																																
<OrderStatus />	integer	Sales order status.	Constant supported values: 0 Unbilled Sales Orders 1 Invoiced Sales Orders 2 All																																
<InvoiceDateStart />	datetime	Start date of last invoiced order.	Must be greater or equal to January 15, 2010.																																
<InvoiceDateEnd />	datetime	End date of last invoiced order.	Must be greater or equal to January 15, 2010.																																
<OrdersProcessed />	boolean	Validated sales orders.																																	
<OrdersInvoiced />	boolean	Invoiced sales orders.																																	
<OrdersShipped />	boolean	Shipped sales orders.																																	
<ShippingProcessorCode />	integer	Shipping processor code.	Shipping type code values: <table><tr><th>ID</th><th>Name</th></tr><tr><td>5</td><td>Store pickup</td></tr><tr><td>10</td><td>Colissimo</td></tr><tr><td>11</td><td>Colissimo Flexibility</td></tr><tr><td>12</td><td>Colissimo Flexibility Home</td></tr><tr><td>20</td><td>Mondial Relay</td></tr><tr><td>30</td><td>Colis Privé</td></tr><tr><td>40</td><td>TNT enterprise</td></tr><tr><td>41</td><td>TNT Particular</td></tr><tr><td>42</td><td>TNT Drop off point</td></tr><tr><td>50</td><td>DPD Drop off point</td></tr><tr><td>51</td><td>DPD Particular</td></tr><tr><td>52</td><td>DPD Office</td></tr><tr><td>53</td><td>DPD World</td></tr><tr><td>54</td><td>Shippy Pro</td></tr><tr><td>100</td><td>Boxtal</td></tr></table>	ID	Name	5	Store pickup	10	Colissimo	11	Colissimo Flexibility	12	Colissimo Flexibility Home	20	Mondial Relay	30	Colis Privé	40	TNT enterprise	41	TNT Particular	42	TNT Drop off point	50	DPD Drop off point	51	DPD Particular	52	DPD Office	53	DPD World	54	Shippy Pro	100	Boxtal
ID	Name																																		
5	Store pickup																																		
10	Colissimo																																		
11	Colissimo Flexibility																																		
12	Colissimo Flexibility Home																																		
20	Mondial Relay																																		
30	Colis Privé																																		
40	TNT enterprise																																		
41	TNT Particular																																		
42	TNT Drop off point																																		
50	DPD Drop off point																																		
51	DPD Particular																																		
52	DPD Office																																		
53	DPD World																																		
54	Shippy Pro																																		
100	Boxtal																																		
<OrderIDs> <OrderID> <OxID /> </OrderID> </OrderIDs>	integer	Unique ID stored in OXATIS sales order table.																																	

L3) Order Validate

➤ XML Structure

```
<OrderValidate>
  <OxID />
  <ChequeNumber />
  <Notes />
</OrderValidate>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<OxID>	integer		Unique ID stored in OXATIS Sales Order table.	Must be greater than zero.
<ChequeNumber />	String	40	Cheque number.	
<Notes />	String	200	Notes.	

L4) Order Source

➤ XML Structure

```
<OrderSource>
  <StartDate />
  <EndDate />
  <SourceTypeID />
  <SourceOrderID />
</OrderSource>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction																																																																																																																																																				
<StartDate />	datetime		Start period date.	The date range cannot exceed 24h.																																																																																																																																																				
<EndDate />	datetime		End period date.																																																																																																																																																					
<SourceTypeID />	integer		Sales_order_source_type ID.																																																																																																																																																					
				Predefined values :																																																																																																																																																				
				<table><tr><th>ID</th><th>Name</th><th>ID</th><th>Name</th></tr><tr><td>0</td><td>Web</td><td>62</td><td>But</td></tr><tr><td>5</td><td>MOTO</td><td>63</td><td>BricoPrivé</td></tr><tr><td>10</td><td>Ebay</td><td>64</td><td>GoSport</td></tr><tr><td>20</td><td>Amazon</td><td>65</td><td>Boulangier</td></tr><tr><td>30</td><td>Price Minister</td><td>66</td><td>Auchan</td></tr><tr><td>31</td><td>Rue du Commerce</td><td>67</td><td>Miinto</td></tr><tr><td>32</td><td>CDiscout</td><td>68</td><td>Blissports</td></tr><tr><td>33</td><td>FNAC</td><td>69</td><td>Bricomarché fr</td></tr><tr><td>34</td><td>Pixmania</td><td>71</td><td>Carrefour (es)</td></tr><tr><td>35</td><td>La Redoute</td><td>72</td><td>Carrefour (fr)</td></tr><tr><td>36</td><td>Babyssima</td><td>73</td><td>Clicktofourmisseur</td></tr><tr><td>37</td><td>BrandAlley</td><td>74</td><td>Entre Chasseurs</td></tr><tr><td>38</td><td>Galeries Lafayette</td><td>75</td><td>Geranimo</td></tr><tr><td>37</td><td>BrandAlley</td><td>77</td><td>Holi Deco</td></tr><tr><td>39</td><td>Glamour</td><td>78</td><td>I Make</td></tr><tr><td>40</td><td>Zalando</td><td>79</td><td>LA LIC</td></tr><tr><td>41</td><td>Atlasformen</td><td>80</td><td>La Poste</td></tr><tr><td>42</td><td>Nature et Découvertes</td><td>81</td><td>LDLC</td></tr><tr><td>43</td><td>ManoMano</td><td>82</td><td>Les Alliés</td></tr><tr><td>44</td><td>Darty</td><td>83</td><td>Les Nouveaux Cavistes</td></tr><tr><td>45</td><td>MacWay</td><td>84</td><td>Ma Miellerie</td></tr><tr><td>46</td><td>Outiz</td><td>85</td><td>Marice Claire</td></tr><tr><td>47</td><td>Intermarché</td><td>86</td><td>Metro</td></tr><tr><td>48</td><td>CreaVea</td><td>87</td><td>MonShowroom</td></tr><tr><td>49</td><td>Spartoo</td><td>88</td><td>Nocibé</td></tr><tr><td>50</td><td>BHV</td><td>89</td><td>Ovega</td></tr><tr><td>51</td><td>Veepee</td><td>90</td><td>Petch</td></tr><tr><td>52</td><td>VidaXL</td><td>91</td><td>Sedagyl</td></tr><tr><td>53</td><td>Alltricks</td><td>92</td><td>Sevella</td></tr><tr><td>54</td><td>Retif</td><td>93</td><td>Showroomprive</td></tr><tr><td>55</td><td>Leroy Merlin</td><td>94</td><td>Vegan-place</td></tr><tr><td>56</td><td>Maison du Monde</td><td>95</td><td>Warmango</td></tr><tr><td>57</td><td>Truffaut</td><td>96</td><td>Wavy</td></tr><tr><td>58</td><td>Conforama</td><td>100</td><td>Facebook</td></tr><tr><td>59</td><td>Greenweez</td><td>200</td><td>Oxatis Mobile Store</td></tr><tr><td>61</td><td>BlackMarket</td><td></td><td></td></tr></table>	ID	Name	ID	Name	0	Web	62	But	5	MOTO	63	BricoPrivé	10	Ebay	64	GoSport	20	Amazon	65	Boulangier	30	Price Minister	66	Auchan	31	Rue du Commerce	67	Miinto	32	CDiscout	68	Blissports	33	FNAC	69	Bricomarché fr	34	Pixmania	71	Carrefour (es)	35	La Redoute	72	Carrefour (fr)	36	Babyssima	73	Clicktofourmisseur	37	BrandAlley	74	Entre Chasseurs	38	Galeries Lafayette	75	Geranimo	37	BrandAlley	77	Holi Deco	39	Glamour	78	I Make	40	Zalando	79	LA LIC	41	Atlasformen	80	La Poste	42	Nature et Découvertes	81	LDLC	43	ManoMano	82	Les Alliés	44	Darty	83	Les Nouveaux Cavistes	45	MacWay	84	Ma Miellerie	46	Outiz	85	Marice Claire	47	Intermarché	86	Metro	48	CreaVea	87	MonShowroom	49	Spartoo	88	Nocibé	50	BHV	89	Ovega	51	Veepee	90	Petch	52	VidaXL	91	Sedagyl	53	Alltricks	92	Sevella	54	Retif	93	Showroomprive	55	Leroy Merlin	94	Vegan-place	56	Maison du Monde	95	Warmango	57	Truffaut	96	Wavy	58	Conforama	100	Facebook	59	Greenweez	200	Oxatis Mobile Store	61	BlackMarket		
ID	Name	ID	Name																																																																																																																																																					
0	Web	62	But																																																																																																																																																					
5	MOTO	63	BricoPrivé																																																																																																																																																					
10	Ebay	64	GoSport																																																																																																																																																					
20	Amazon	65	Boulangier																																																																																																																																																					
30	Price Minister	66	Auchan																																																																																																																																																					
31	Rue du Commerce	67	Miinto																																																																																																																																																					
32	CDiscout	68	Blissports																																																																																																																																																					
33	FNAC	69	Bricomarché fr																																																																																																																																																					
34	Pixmania	71	Carrefour (es)																																																																																																																																																					
35	La Redoute	72	Carrefour (fr)																																																																																																																																																					
36	Babyssima	73	Clicktofourmisseur																																																																																																																																																					
37	BrandAlley	74	Entre Chasseurs																																																																																																																																																					
38	Galeries Lafayette	75	Geranimo																																																																																																																																																					
37	BrandAlley	77	Holi Deco																																																																																																																																																					
39	Glamour	78	I Make																																																																																																																																																					
40	Zalando	79	LA LIC																																																																																																																																																					
41	Atlasformen	80	La Poste																																																																																																																																																					
42	Nature et Découvertes	81	LDLC																																																																																																																																																					
43	ManoMano	82	Les Alliés																																																																																																																																																					
44	Darty	83	Les Nouveaux Cavistes																																																																																																																																																					
45	MacWay	84	Ma Miellerie																																																																																																																																																					
46	Outiz	85	Marice Claire																																																																																																																																																					
47	Intermarché	86	Metro																																																																																																																																																					
48	CreaVea	87	MonShowroom																																																																																																																																																					
49	Spartoo	88	Nocibé																																																																																																																																																					
50	BHV	89	Ovega																																																																																																																																																					
51	Veepee	90	Petch																																																																																																																																																					
52	VidaXL	91	Sedagyl																																																																																																																																																					
53	Alltricks	92	Sevella																																																																																																																																																					
54	Retif	93	Showroomprive																																																																																																																																																					
55	Leroy Merlin	94	Vegan-place																																																																																																																																																					
56	Maison du Monde	95	Warmango																																																																																																																																																					
57	Truffaut	96	Wavy																																																																																																																																																					
58	Conforama	100	Facebook																																																																																																																																																					
59	Greenweez	200	Oxatis Mobile Store																																																																																																																																																					
61	BlackMarket																																																																																																																																																							
<SourceOrderID />	String	32	Sales_order_source ID.																																																																																																																																																					

L5) Sales Order Progress State (Sales Order Tracking)

➤ XML Structure

```
<ProgressState>
  <OrderID />
  <Date />
  <ProgressStateMnemonicName />
  <ProgressStateID />
  <Publish />
  <SendEmail />
  <SendSMS />
  <CreateInvoice />
  <UpdateOrderProgressState />
  <AttachmentFileName />
  <Attachment>
    <StrBytes />
  </Attachment>
  <ReplaceField1>
    <Name />
    <Value />
  </ReplaceField 1>
  <ReplaceField2 /> similar to <ReplaceField1>
  <ReplaceField3 /> similar to <ReplaceField1>
  <ReplaceField4 /> similar to <ReplaceField1>
  <ReplaceField5 /> similar to <ReplaceField1>
</ProgressState>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description
<OrderID />	integer		Sales order ID.
<Date />	datetime		Date of the new state of progress.
<ProgressStateMnemonicName />	string	16	Mnemonic name of the progress state.
<ProgressStateID />	integer		Progress state ID: Unique ID stored in OXATIS Progress State table.
<Publish />	boolean		Publish the state of progress for the customer.
<SendEmail />	boolean		Send an email notifying the customer of the state of progress of their sales order.
<SendSMS />	boolean		Send a SMS notifying the customer of the state of progress of their sales order.
<CreateInvoice />	boolean		Generate an invoice by the system.
<UpdateOrderProgressState />	boolean		Update the state of progress of the sales order.
<AttachmentFileName />	string	50	Attachment file name.
<Attachment />	string		Binary attachment content in base64 encoded string.
<InvoiceID />	string	25	Attached invoice ID.
<InvoiceFileName />	string	50	Attached invoice file name.
<Invoice />	string		Binary attachment content in base64 encoded string.
<InvoiceDate />	datetime		Invoice date.
<ReplaceField1> <Name /> <Value />	string string	50 50	Field name to be replaced in state of progress comment. Field value.
</ReplaceField1>			
<ReplaceField2 />			similar to <ReplaceField1>.
<ReplaceField3 />			similar to <ReplaceField1>.
<ReplaceField4 />			similar to <ReplaceField1>.
<ReplaceField5 />			similar to <ReplaceField1>.

L6) Order Add

➤ XML Structure

```

<OrderAdd>
  <Email />
  <Date />
  <SourceOrderid />
  <BillingContact>
    <Phone />
    <Title />
    <FirstName />
    <LastName />
    <Address>
      <Street />
      <OtherInfo />
      <City />
      <CountryISOCode />
      <State />
      <ZipCode />
    </Address>
  </BillingContact>
  <ShippingContact>
    <Phone />
    <Title />
    <FirstName />
    <LastName />
    <Company />
    <Address />
      <Street />
      <OtherInfo />
      <City />
      <CountryISOCode />
      <State />
      <ZipCode />
    </Address>
  </ShippingContact>
  <CellPhone />
  <Fax />
  <VATNumber />
  <FiscalCode />
  <GlobalDiscountRate />
  <ShippingInfo />
  <ShippingMethodName />
  <ShippingPriceVATIncluded />
  <ShippingPriceVATExcluded />
  <ShippingTaxRate />
  <SpecialInstructions />
  <PaymentTypeID />
  <PaymentMethodName />
  <PaymentFeesVATIncluded />
  <PaymentFeesVATExcluded />
  <PaymentFeesTaxRate />
  <OrderStatusCode />
  <LanguageISOCode />
  <ComputeOrderInVATExcluded Mode />
  <AddEcoTaxToPrice />
  <GrandTotalVATIncluded />
  <ApplyLoyaltyProgram />
  <CurrencyISOCode />
  <UserTypology />
  <LegalForm />
  <NAFCode />

  <OrderitemArray >
    <Orderitem>
      <Code />
      <Name />
      <ProductLanguageISO Code />
      <Quantity />
      <UnitPriceVATIncluded />
      <UnitPriceVATExcluded />
      <TaxRate />
      <DiscountRate />
      <EcoTaxValueTaxIncluded />
      <UpdateStock />
      <Weight />
      <DimensionHeight />
      <DimensionLength />
      <DimensionWidth />
    </Orderitem>
  </OrderitemArray>
</OrderAdd >

```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instructions																																																																																																																																																				
<Email />	string	255	Contact email.																																																																																																																																																					
<Date />	datetime		Sales order date.																																																																																																																																																					
<SourceOrderId />	string	32	Sales order source ID.																																																																																																																																																					
<SourceTypeId />	integer		Sales order source type ID.	Predefined values : <table><tr><th>ID</th><th>Name</th><th>ID</th><th>Name</th></tr><tr><td>0</td><td>Web</td><td>62</td><td>But</td></tr><tr><td>5</td><td>MOTO</td><td>63</td><td>BricoPrivé</td></tr><tr><td>10</td><td>Ebay</td><td>64</td><td>GoSport</td></tr><tr><td>20</td><td>Amazon</td><td>65</td><td>Boulangier</td></tr><tr><td>30</td><td>Price Minister</td><td>66</td><td>Auchan</td></tr><tr><td>31</td><td>Rue du Commerce</td><td>67</td><td>Miinto</td></tr><tr><td>32</td><td>CDiscout</td><td>68</td><td>Blissports</td></tr><tr><td>33</td><td>FNAC</td><td>69</td><td>Bricomarché fr</td></tr><tr><td>34</td><td>Pixmania</td><td>71</td><td>Carrefour (es)</td></tr><tr><td>35</td><td>La Redoute</td><td>72</td><td>Carrefour (fr)</td></tr><tr><td>36</td><td>Babyssima</td><td>73</td><td>Clicktofourmisseur</td></tr><tr><td>37</td><td>BrandAlley</td><td>74</td><td>Entre Chasseurs</td></tr><tr><td>38</td><td>Galleries Lafayette</td><td>75</td><td>Geranimo</td></tr><tr><td>37</td><td>BrandAlley</td><td>77</td><td>Holi Deco</td></tr><tr><td>39</td><td>Glamour</td><td>78</td><td>I Make</td></tr><tr><td>40</td><td>Zalando</td><td>79</td><td>LA LIC</td></tr><tr><td>41</td><td>Atlasformen</td><td>80</td><td>La Poste</td></tr><tr><td>42</td><td>Nature et Découvertes</td><td>81</td><td>LDLC</td></tr><tr><td>43</td><td>ManoMano</td><td>82</td><td>Les Alliés</td></tr><tr><td>44</td><td>Darty</td><td>83</td><td>Les Nouveaux Cavistes</td></tr><tr><td>45</td><td>MacWay</td><td>84</td><td>Ma Miellerie</td></tr><tr><td>46</td><td>Outiz</td><td>85</td><td>Marice Claire</td></tr><tr><td>47</td><td>Intermarché</td><td>86</td><td>Metro</td></tr><tr><td>48</td><td>CreaVea</td><td>87</td><td>MonShowroom</td></tr><tr><td>49</td><td>Spartoo</td><td>88</td><td>Nocibé</td></tr><tr><td>50</td><td>BHV</td><td>89</td><td>Ovega</td></tr><tr><td>51</td><td>Veepee</td><td>90</td><td>Petch</td></tr><tr><td>52</td><td>VidaXL</td><td>91</td><td>Sedagyl</td></tr><tr><td>53</td><td>Alltricks</td><td>92</td><td>Sevella</td></tr><tr><td>54</td><td>Retif</td><td>93</td><td>Showroomprive</td></tr><tr><td>55</td><td>Leroy Merlin</td><td>94</td><td>Vegan-place</td></tr><tr><td>56</td><td>Maison du Monde</td><td>95</td><td>Warmango</td></tr><tr><td>57</td><td>Truffaut</td><td>96</td><td>Wavy</td></tr><tr><td>58</td><td>Conforama</td><td>100</td><td>Facebook</td></tr><tr><td>59</td><td>Greenweez</td><td>200</td><td>Oxatis Mobile Store</td></tr><tr><td>61</td><td>BlackMarket</td><td></td><td></td></tr></table>	ID	Name	ID	Name	0	Web	62	But	5	MOTO	63	BricoPrivé	10	Ebay	64	GoSport	20	Amazon	65	Boulangier	30	Price Minister	66	Auchan	31	Rue du Commerce	67	Miinto	32	CDiscout	68	Blissports	33	FNAC	69	Bricomarché fr	34	Pixmania	71	Carrefour (es)	35	La Redoute	72	Carrefour (fr)	36	Babyssima	73	Clicktofourmisseur	37	BrandAlley	74	Entre Chasseurs	38	Galleries Lafayette	75	Geranimo	37	BrandAlley	77	Holi Deco	39	Glamour	78	I Make	40	Zalando	79	LA LIC	41	Atlasformen	80	La Poste	42	Nature et Découvertes	81	LDLC	43	ManoMano	82	Les Alliés	44	Darty	83	Les Nouveaux Cavistes	45	MacWay	84	Ma Miellerie	46	Outiz	85	Marice Claire	47	Intermarché	86	Metro	48	CreaVea	87	MonShowroom	49	Spartoo	88	Nocibé	50	BHV	89	Ovega	51	Veepee	90	Petch	52	VidaXL	91	Sedagyl	53	Alltricks	92	Sevella	54	Retif	93	Showroomprive	55	Leroy Merlin	94	Vegan-place	56	Maison du Monde	95	Warmango	57	Truffaut	96	Wavy	58	Conforama	100	Facebook	59	Greenweez	200	Oxatis Mobile Store	61	BlackMarket		
ID	Name	ID	Name																																																																																																																																																					
0	Web	62	But																																																																																																																																																					
5	MOTO	63	BricoPrivé																																																																																																																																																					
10	Ebay	64	GoSport																																																																																																																																																					
20	Amazon	65	Boulangier																																																																																																																																																					
30	Price Minister	66	Auchan																																																																																																																																																					
31	Rue du Commerce	67	Miinto																																																																																																																																																					
32	CDiscout	68	Blissports																																																																																																																																																					
33	FNAC	69	Bricomarché fr																																																																																																																																																					
34	Pixmania	71	Carrefour (es)																																																																																																																																																					
35	La Redoute	72	Carrefour (fr)																																																																																																																																																					
36	Babyssima	73	Clicktofourmisseur																																																																																																																																																					
37	BrandAlley	74	Entre Chasseurs																																																																																																																																																					
38	Galleries Lafayette	75	Geranimo																																																																																																																																																					
37	BrandAlley	77	Holi Deco																																																																																																																																																					
39	Glamour	78	I Make																																																																																																																																																					
40	Zalando	79	LA LIC																																																																																																																																																					
41	Atlasformen	80	La Poste																																																																																																																																																					
42	Nature et Découvertes	81	LDLC																																																																																																																																																					
43	ManoMano	82	Les Alliés																																																																																																																																																					
44	Darty	83	Les Nouveaux Cavistes																																																																																																																																																					
45	MacWay	84	Ma Miellerie																																																																																																																																																					
46	Outiz	85	Marice Claire																																																																																																																																																					
47	Intermarché	86	Metro																																																																																																																																																					
48	CreaVea	87	MonShowroom																																																																																																																																																					
49	Spartoo	88	Nocibé																																																																																																																																																					
50	BHV	89	Ovega																																																																																																																																																					
51	Veepee	90	Petch																																																																																																																																																					
52	VidaXL	91	Sedagyl																																																																																																																																																					
53	Alltricks	92	Sevella																																																																																																																																																					
54	Retif	93	Showroomprive																																																																																																																																																					
55	Leroy Merlin	94	Vegan-place																																																																																																																																																					
56	Maison du Monde	95	Warmango																																																																																																																																																					
57	Truffaut	96	Wavy																																																																																																																																																					
58	Conforama	100	Facebook																																																																																																																																																					
59	Greenweez	200	Oxatis Mobile Store																																																																																																																																																					
61	BlackMarket																																																																																																																																																							
<BillingContact> <Phone /> <Title /> <FirstName /> <LastName /> <Company /> <Address> <Street /> <OtherInfo /> <City /> <ZipCode /> <State /> <CountryISOCode /> </Address> </BillingContact />	string string string string string string string string string string string	30 30 30 50 50 30 20 2 string	Telephone number. Contact title. Contact first name. Contact last name. Company name Street name and number. Locality, other information. City/Town. Postcode. State/County. Country ISO 3166-2 Code.	i.e: FR France, IT Italy, GB Great Britain, ES Spain...																																																																																																																																																				
<ShippingContact />			similar to <BillingContact>.																																																																																																																																																					
<CellPhone />	string	30	Mobile phone number.																																																																																																																																																					
<Fax />	string	30	Fax.																																																																																																																																																					
<VATNumber />	string	16	Company VAT number.																																																																																																																																																					
<FiscalCode>	string	30	Business registration number.																																																																																																																																																					
<LegalForm>	string	30	Company legal form.																																																																																																																																																					
<NAFCODE>	string	20	NAF code (French activity nomenclature issued by INSEE and called the APE Code).																																																																																																																																																					
<GlobalDiscountRate />	double		Global discount rate.	Value between 0 and 100.																																																																																																																																																				
<ShippingInfo />	string	250	Shipping information.																																																																																																																																																					
<ShippingMethodName />	string	100	Shipping mode.																																																																																																																																																					
<ShippingPriceVATIncluded />	double		Shipping price VAT included.	Value between 1 and 999999.																																																																																																																																																				
<ShippingPriceVATExcluded />	double		Shipping price VAT excluded.	Value between 1 and 999999.																																																																																																																																																				
<ShippingTaxRate />	double		Shipping Tax rate.																																																																																																																																																					
<SpecialInstructions />	string	4kb	Special instructions.																																																																																																																																																					
<PaymentTypeID />	Integer		Payment Type ID.																																																																																																																																																					
<PaymentMethodName />	string	100	Payment method name.																																																																																																																																																					
<PaymentFeesVATIncluded />	double		Payment Fees VAT included.	Value between 1 and 999999.																																																																																																																																																				
<PaymentFeesVATExcluded />	double		Payment Fees VAT excluded.	Value between 1 and 999999.																																																																																																																																																				
<PaymentFeesTaxRate />	double		Payment Fees tax rate.																																																																																																																																																					
<OrderStatusCode />	integer		Sales order status payment code.	Constant supported values: 20 Payment in progress 40 Payment confirmed																																																																																																																																																				
<LanguageISOCode />	string	2	Sales order language.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese.																																																																																																																																																				
<ComputeOrderInVATExcludedMode />	boolean		If needed, the sales order can be computed in VAT excluded mode.	true Computing sales order in VAT excluded mode false default value																																																																																																																																																				
<AddEcoTaxToPrice />	boolean		Add eco-tax to the price.	true adding eco-tax to price false default value																																																																																																																																																				
<GrandTotalVATIncluded />	double		Source Order Grand Total included VAT.	This value is optional.																																																																																																																																																				
<ApplyLoyaltyProgram />	boolean		If the loyalty program is activated, it will calculate the number of loyalty points awarded.	This value is optional.																																																																																																																																																				
<CurrencyISOCode />	string	3	Source Order Currency ISO Code.	This value is required. Supported currencies: EUR Euro, USD United States dollar, CAD Canadian dollar, NZD New Zealand dollar, CHF Swiss franc, GBP British pound, JPY Japanese yen, XPF Pacific franc, MXN Mexican peso, CLP Chilean peso.																																																																																																																																																				

Field	Type	Length	Description	Instructions
<OrderItemArray >				
<OrderItem>				
<Code />	string	40	Product code.	
<ProductLanguageISOCode />	string	2	Product Language ISO Code.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese.
<Name />	string	200	Product name.	
<Quantity />	integer		Quantity.	Value between 1 and 99999.
<UnitPriceVATIncluded />	double		Product unit price VAT included.	Must be positive value.
<UnitPriceVATExcluded />	double		Product unit price VAT excluded.	Must be positive value.
<TaxRate />	double		Product VAT rate.	
<DiscountRate />	double		Discount rate.	Value between 0 and 100.
<EcoTaxValueVATIncluded />	double		Ecotax value VAT included.	Value between 1 and 999999.
<UpdateStock />	boolean		Updating the stock.	null value or true updates the item stock.
<Weight />	integer		Item weight.	
<DimensionHeight />	integer		Item height.	
<DimensionLength />	integer		Item length.	
<DimensionWidth />	integer		Item width.	
</OrderItem>				
</OrderItemArray>				

L7) Order API Methods

OrderAdd <i>Adds a new order in OXATIS Sales Orders table.</i>	OrderGetMoreDetails <i>Returns all data in sales order record with all detailed items lines.</i>
OrderCount <i>Returns number of records for an interval of dates.</i>	OrderGetSummaryList <i>Returns a paginated list sales orders with a minimum of information.</i>
OrderGet <i>Returns all data in sales order record without items lines detail.</i>	OrderRequestPayment <i>Updates an sales order created via the web service "OrderAdd" and notifies the customer with the payment link.</i>
OrderGetBySourceID <i>Returns all data in sales order record belonging to an external Source ID.</i>	OrderUpdateLogisticsServiceProvider <i>Updates logistics information for an existing sales order.</i>
OrderGetDetails <i>Returns all data in sales order record with all items lines.</i>	OrderUpdateTracking <i>Creates a state of progress related to an existing sales order.</i>
OrderGetList <i>Returns a paginated list of sales orders OXID for an interval of dates.</i>	OrderUpdateTransportInfo <i>Updates tracking number and tracking URL for an existing sales order.</i>
OrderGetManuallyConfirmed <i>Returns a list of sales orders OXID confirmed or validated manually for an interval of dates.</i>	OrderUpdateValidation <i>Validates a sales order settled by check or wire transfer..</i>

L8) Management Rules for Sales Orders

- ◆ Getting sales orders:

Only Sales Orders dating from January 15, 2010 can be handled by web services.

- ◆ Adding sales orders:

- *The Sales Order must contain at least one item and cannot include more than 50 lines.*
- *The Sales Order date cannot be more than one year old and cannot be a date in the future.*
- *If the contact email for the Sales Order doesn't exist, a new customer will be created in the database of the Oxatis site. Otherwise, the Sales Order will be associated to the customer attached to the same email address.*
- *Only the VAT rates present in the admin console are authorized.*
- *Sales Order products or items must exist on Oxatis website, otherwise the order cannot be added.*
- *By default, Sales Orders are calculated in VAT included mode. However, you can change the mode to VAT excluded by changing the "ComputeOrderInVATExcludedMode" setting to true. In this case, you need to enter the unit price in Ex VAT for each product and not in Inc VAT.*
- *If the "PaymentConfirmed" value is set to true, the stock will be updated for each single ordered product.*
- *If Sales Order includes payment fees, it is necessary to reference the Payment Type ID.*

- Request a payment:

*This operation is valid only when a Sales Order is created through the "OrderAdd" web service without any payment and having the OrderStatutsCode value "14: **Contacting payment processor**".*

In this case, calling the “OrderRequestPayment” web service will update the Sales Order with a new OrderStatusCode value: “20: **Payment in progress**” and notify the customer with the payment link.

- Validating a sales order:

This operation is valid only when a Sales Order is settled by check or wire transfer.

M. QUOTATIONS

M1) Quotation

➤ XML Structure

```
<Quotation>
  <OxiD />
  <Date />
  <UserEmail />
  <UserOxiD />
  <BillingTitle />
  <BillingCompany />
  <BillingFirstName />
  <BillingLastName />
  <BillingAddressStreet />
  <BillingAddressOtherInfo />
  <BillingZipCode />
  <BillingCity />
  <BillingState />
  <BillingCountryISOCode />
  <BillingCountryName />
  <BillingPhone />
  <BillingCellPhone />
  <BillingFax />
  <CompanyVATNumber />
  <VATIncluded />
  <EcoTaxIncluded />
  <SubTotalNet />
  <SubTotalNetDiscounted />
  <GlobalDiscountRate />
  <GlobalDiscountAmount />
  <SubTotalVAT />
  <ShippingMethodName />
  <ShippingTaxRate />
  <ShippingPriceTaxExcl />
  <ShippingPriceTaxIncl />
  <ShippingVATAmount />
  <EcoTaxAmountTaxIncl />
  <PaymentFeesTaxRate />
  <PaymentFeesTaxExc />
  <PaymentFeesTaxInc />
  <PaymentFeesVATAmount />
  <CashOnDelivery />
  <NetAmountDue />
  <TotalWeight />
  <CartCoupon />
  <Language />
  <RemoteIPAddr />
  <SalesRepCode />
  <SalesRepFirstName />
  <SalesRepLastName />
  <ShippingCompany />
  <ShippingTitle />
  <ShippingFirstName />
  <ShippingLastName />
  <ShippingAddress />
  <ShippingAddressStreet />
  <ShippingAddressOtherInfo />
  <ShippingZipCode />
  <ShippingCity />
  <ShippingState />
  <ShippingCountryISOCode />
  <ShippingCountryName />
  <ShippingPhone />
  <ShippingInfo />
  <SpecialInstructions />
  <CurrencyCode />
  <InternalNote />
  <ShippingProcessorCode />
  <ShippingParam1 />
  <ShippingParam2 />
  <FiscalCode />
  <TrackingNumber />
  <TrackingUrl />
  <TransportName />
  <SourceTypeID />
  <SourceOrderID />
  <Shipped />
  <CustomFieldText1 />
  <CustomFieldText2 />
  <CustomFieldText3 />
  <CustomFieldText4 />
  <CustomFieldNumeric1 />
  <CustomFieldNumeric2 />
  <CustomFieldDate />
  <UserTypology />
  <LegalForm />
  <NAFCode />
  <CustomerCode />

  <QuotationItems>
    <ItemOXID />
    <ItemSKU />
    <ItemSKUOriginal />
    <ItemName />
    <Quantity />
    <GrossPrice />
    <LineGrossAmount />
    <TaxRate />
    <DiscountRate />
    <NetPrice />
    <LineNetAmount />
    <LineVATAmount />
    <EcoTaxPriceTaxIncl />
    <DiscountCoupon />
    <Attribute1Name />
    <Attribute1Value />
    <Attribute2Name />
    <Attribute2Value />
    <AttributeTextName />
    <AttributeTextValue />
    <Option1Name />
    <Option1Value />
    <Option2Name />
    <Option2Value />
    <Option3Name />
    <Option3Value />
    <ItemMainImageURL />
    <ItemThumbnailImageURL />
    <Offered />
    <PackagingQty />
    <PackagingName />
    <LinkedTo />
    <Weight />
    <DimensionHeight />
    <DimensionLength />
    <DimensionWidth />
    <BundledItems>
      <BundledItem>
        <ItemOXID />
        <ItemSKU />
        <ItemName />
        <Quantity />
        <Option1Name />
        <Option1Value />
        <Option2Name />
        <Option2Value />
        <Option3Name />
        <Option3Value />
        <ItemMainImageURL />
        <ItemThumbnailImageURL />
        <Offered />
      </BundledItem>
    </BundledItems>
  </QuotationItems>
  <QuotationTaxDetails>
    <TotalNetTaxExcl />
    <TaxRate />
    <TotalNetVATAmount />
  </QuotationTaxDetails>
</Quotation>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instruction
<Oxid/>	integer		Unique ID stored in OXATIS Quotation table.	Must be greater than zero.
<Date />	datetime		Quotation date.	ISO 8601 format (YYYY-MM-DDThh:mm:ss) is used for Datetime.
<UserEmail />	string	255	Contact email.	
<UserOxid/>	integer		Unique ID stored in OXATIS Customer table.	
<BillingTitle />	string	30	Contact title (Billing address).	
<BillingCompany />	string	50	Company name (Billing address).	
<BillingFirstName />	string	30	Contact first name (Billing address).	
<BillingLastName />	string	50	Contact last name (Billing address).	
<BillingAddressStreet />	string	50	Street name and number (Billing address).	
<BillingAddressOtherInfo />	string	50	Locality, other information (Billing address).	
<BillingZipCode/>	string	20	Postal code (Billing address).	
<BillingCity />	string	50	City name (Billing address).	
<BillingState/>	string	30	State (Billing address).	
<BillingStateName/>	string	50	State name (Billing address).	Available only for the United States, Spain and Canada.
<BillingCountryISOCode />	string	2	Country ISO 3166-2 Code (Billing address).	i.e: FR France, IT Italy, GB Great Britain, ES Spain...
<BillingCountryName />	string	50	Country name (Billing address).	
<BillingPhone />	string	30	Telephone (Billing address).	
<BillingCellPhone />	string	30	Mobile (Billing address).	
<BillingFax />	string	30	Fax (Billing address).	
<CompanyVATNumber />	string	50	Company VAT Number.	
<VATIncluded />	boolean		Computing mode: including or excluding VAT.	true Including VAT false default value
<EcoTaxIncluded />	boolean		Indicates whether the ecotax is included or not in the item price.	
<SubTotalNetDiscounted />	float		Subtotal of shopping cart after applying the global discount.	
<GlobalDiscountRate />	float		Global discount rate.	
<GlobalDiscountAmount />	float		Global discount amount.	
<SubTotalVAT />	float		VAT subtotal.	
<ShippingMethodName />	string	100	Shipping method name.	
<ShippingTaxRate />	float		Shipping VAT rate.	
<ShippingPriceTaxExcl />	float		Shipping price excluding VAT.	
<ShippingPriceTaxIncl />	float		Shipping price including VAT.	
<ShippingVATAmount />	float		Shipping VAT amount.	
<EcoTaxAmountTaxIncl />	float		Ecotax amount including VAT.	
<PaymentFeesTaxRate />	float		Payment fees VAT rate.	
<PaymentFeesTaxExc />	float		Payment fees excluding VAT.	
<PaymentFeesTaxIncl />	float		Payment fees including VAT.	
<PaymentFeesVATAmount />	float		Payment fees VAT amount.	
<CashOnDelivery />	Boolean		Cash on delivery.	
<NetAmountDue />	float		Shopping cart net amount due.	
<TotalWeight />	integer		Total weight.	
<CartCoupon />	string	20	Special offer code (discount coupon).	
<LogisticsServiceProviderAccess />	datetime		Logistics service provider last access date.	
<LogisticsServiceProviderInstructions />	string	100	Logistics service provider instructions.	
<Language />	string	2	Quotation language.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese.
<RemoteIPAddr />	string	50	Remote IP address.	
<SalesRepCode />	string	10	Sales representative code.	
<SalesRepFirstName />	string	30	Sales representative first name.	
<SalesRepLastName />	string	50	Sales representative last name.	
<ShippingCompany />	string	50	Company name (Shipping address).	
<ShippingUserAddressID />	integer		Unique ID stored in OXATIS Customer additional shipping address table.	
<ShippingUserAddressLabel />	string	64	Shipping address label.	
<ShippingTitle />	string	30	Contact title (Shipping address).	
<ShippingFirstName />	string	30	Contact first name (Shipping address).	
<ShippingLastName />	string	50	Contact last name (Shipping address).	
<ShippingAddressStreet/>	string	50	Street name and number (Shipping address).	
<ShippingAddressOtherInfo />	string	50	Locality, other information (Shipping address).	
<ShippingZipCode/>	string	20	Postal code (Shipping address).	
<ShippingCity />	string	50	City name (Shipping address).	
<ShippingState/>	string	30	State (Shipping address).	
<ShippingStateName/>	string	50	State name (Shipping address).	Available only for the United States, Spain and Canada.
<ShippingCountryISOCode />	string	2	Country ISO 3166-2 Code (Shipping address).	
<ShippingCountryName />	string	50	Country name (Shipping address).	
<ShippingPhone />	string	30	Telephone (Shipping address).	
<ShippingInfo />	string	255	Shipping information.	
<SpecialInstructions />	string	4kb	Special instructions.	
<CurrencyCode />	string	3	Quotation currency code.	Supported currencies: EUR Euro, USD United States dollar, CAD Canadian dollar, NZD New Zealand dollar, CHF Swiss franc, GBP British pound, JPY Japanese yen, XPF Pacific franc, MXN Mexican peso, CLP Chilean peso
<InternalNote />	string	250	Internal note.	
<ShippingProcessorCode />	short		Shipping processor code.	Shipping processor value: 10 SO Colissimo 20 Mondial Relay 30 Colis Privé
<ShippingParam1 />	string	10	Shipping processor codes's first parameter	If shipping processor value is 10 , its first parameter value will be one of the following: DOM Livraison à Domicile RDV Livraison sur Rendez-Vous BPR Point de retrait BP Relais A2P Point de retrait A2P CIT Point de retrait Cityssimo ACP Agence ColiPoste CDI Centre de distribution If shipping processor value is 20 , its first parameter value will be null.
<ShippingParam2 />	string	10	Shipping processor codes's second parameter	If shipping processor value is 10 , its second parameter value will depend on the shipping processor's first parameter value. If shipping processor value is 20 , its second parameter value will be collection point ID.
<FiscalCode />	string	30	Company Business Registration Number .	

Field	Type	Length	Description	Instruction
<CustomFieldText1 />	string	100	1 st Custom Text Field.	
<CustomFieldText2 />	string	100	2 nd Custom Text Field.	
<CustomFieldText3 />	string	100	3 rd Custom Text Field.	
<CustomFieldText4 />	string	100	4 th Custom Text Field.	
<CustomFieldNumeric1 />	float		1 st Custom Numeric Field.	
<CustomFieldNumeric2 />	float		2 nd Custom Numeric Field.	
<CustomFieldDate />	datetime		Custom Date Field.	
<UserTypology />	byte		Defines B2B or B2C customer.	Values: 0 B2C 1 B2B
<LegalForm />	string	40	Company legal form.	
<NAFCode />	string	20	NAF code (French activity nomenclature issued by INSEE and called the APE Code).	
<CustomerCode />	string	50	Customer code.	
<QuotationItems> <ItemOXID /> <ItemSKU /> <ItemSKUOriginal /> <ItemName /> <Quantity /> <GrossPrice /> <GrossAmount /> <TaxRate /> <DiscountRate /> <NetPrice /> <NetAmount /> <VATAmount /> <EcotaxValueTaxIncl /> <DiscountCoupon /> <Attribute1Name /> <Attribute1Value /> <Attribute2Name /> <Attribute2Value /> <AttributeTextName /> <AttributeTextValue /> <Option1Name /> <Option1Value /> <Option2Name /> <Option2Value /> <Option3Name /> <Option3Value /> <ItemMainImageURL /> <ItemThumbnailImageURL /> <Offered /> <PackagingQty /> <PackagingName /> <LinkedTo /> <Weight /> <DimensionHeight /> <DimensionLength /> <DimensionWidth /> <BundledItems> <BundledItem> <ItemOXID /> <ItemSKU /> <ItemName /> <Quantity /> <Option1Name /> <Option1Value /> <Option2Name /> <Option2Value /> <Option3Name /> <Option3Value /> <ItemMainImageURL /> <ItemThumbnailImageURL /> <Offered /> </BundledItem> </BundledItems> </QuotationItems >	Unique ID stored in OXATIS Product table. Item code in the shopping cart. Original item code. Item name. Item quantity. Gross unit price. Gross amount. VAT rate value. Discount rate value. Net unit price. Net amount. VAT amount. Ecotax value including VAT. Discount coupon. First attribute value. First attribute name. Second attribute name. Second attribute value. Text attribute name. Text Attribute value. First option type name. First option value name. Second option type name. Second option value name. Third option type name. Third option value name. Item's main image URL. Item's thumbnail image URL. Indicates whether the item is offered or not. Item packaging quantity. Item packaging name. This identifier represent the sales order line ID of the linked item. Item weight. Item Height. Item length. Item width. Unique ID stored in OXATIS Product table. Bundled Item code. Bundled Item name. Bundled Item quantity. Bundled Item first option name. Bundled Item first option value. Bundled Item second option name. Bundled Item second option value. Bundled Item third option name. Bundled Item third option value. Bundled Item main image URL. Bundled Item thumbnail image URL. Indicates whether the bundled item is offered or not.	 <		

M2) Quotation List

➤ XML Structure

```

<QuotationList>
  <PageInformation>
    <PageNumber />
    <PageSize />
    <TotalItems />
    <TotalPages />
  </PageInformation>
  <StartDate />
  <EndDate />
  <SetOrderDesc />
  <QuotationIDs />
    <QuotationID>
      <OXID />
    </QuotationID>
  </QuotationIDs>
</QuotationList>

```

➤ Field Definitions, Types and Values

Field	Type	Description	Instruction
<PageInformation> <PageNumber /> <PageSize /> <TotalItems /> <TotalPages /> </PageInformation>	integer integer integer integer	The page number to request. The page size to request. Total items retrieved in OXATIS Quotation table. Total pages are calculated according to the total items and the page size.	Must be greater than zero. Must be greater than zero.
<StartDate />	datetime	Start date of last quotation modification.	Must be greater or equal to January 1, 2013.
<EndDate />	datetime	End date of last quotation modification.	Must be greater or equal to January 1, 2013.
<SetOrderDesc />	boolean	Quotations are sorted in descending order.	true default value
<QuotationIDs /> <QuotationID> <OxID /> </QuotationID> </QuotationIDs>	integer	Unique ID stored in OXATIS quotation table.	

M3) Quotation API Methods

QuotationCount <i>Returns number of records for an interval of dates.</i> QuotationDelete <i>Deletes definitively a quotation.</i> QuotationGet <i>Returns all data in quotation record without items lines detail.</i> QuotationGetDetails <i>Returns all data in quotation record with all items lines.</i>	QuotationGetList <i>Returns a paginated list of quotations OxID for an interval of dates.</i> QuotationGetMoreDetails <i>Returns all data in quotation record with all items lines including images URL items.</i> QuotationGetSummaryList <i>Returns a list quotations with a minimum of information.</i>
--	--

N. SALES REPRESENTATIVE

N1) Sales Representative

➤ XML Structure

```
<SalesRep>
  <Oxid />
  <Code />
  <Email />
  <FirstName />
  <LastName />
</SalesRep>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instructions
<Oxid />	integer		Unique ID stored in OXATIS Sales representative table.	Must be greater than zero.
<Code />	string	10	Unique Sales representative code.	
<Email />	string	255	Unique Sales representative email.	Must be a valid formatted email address.
<FirstName />	string	30	Sales representative first name.	
<LastName />	string	50	Sales representative last name.	

N2) Sales Representative List

➤ XML Structure

```
<SalesRepList>
  <SalesRepsID>
    <SalesRepID>
      <Oxid />
      <Code />
      <Email />
    </SalesRepID>
  </SalesRepsID>
</SalesRepList>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description
<Oxid />	integer		Unique ID stored in OXATIS Sales representative table.
<Code />	string	10	Unique Sales representative code.
<Email />	string	255	Unique Sales representative email.

N3) Sales Representative API Methods

SalesRepGet <i>Returns all data in sales representative record.</i>	SalesRepAdd <i>Adds a sales representative in OXATIS Sales Representative table.</i>
SalesRepGetList <i>Returns a list of all sales representative OxID.</i>	SalesRepImport <i>Adds or Updates a sales representative in OXATIS Sales Representative table.</i>
SalesRepDelete <i>Deletes definitively a sales representative.</i>	SalesRepUpdate <i>Updates an existing sales representative.</i>

N4) Management Rules for Sales Representative

- ❖ To create or insert a new sales representative, you must define a unique valid email address and a unique code (Do not initialize "Oxid" in this current context).
- ❖ "Oxid" might be used in Get or Updates methods to identify sales representative records in the OXATIS sales representative table.
- ❖ To delete an existing sales representative, you might use either "Oxid", "Email" or "Code".

O. SHIPPING TYPES

O1) Shipping Type

➤ XML Structure

```
<ShippingType>
  <Name />
  <PriceVATExcluded />
  <WeightVolumeEquivalent />
  <PercentageOfValueToAdd />
  <LanguageISOCode />
  <Type />
  <AmountMin />
  <AmountMax />
  <DateBegin />
  <DateEnd />
  <Description />
  <ImgFileName />
  <SalesOrderWeightMax />
  <SalesOrderWeightMin />
  <PayCOD />
  <ApplyOnWebSite />
  <ApplyOnMobileSite />
  <ApplyOnMOTO />
  <ApplyOnPrice1 />
  <ApplyOnPrice2 />
  <ApplyOnPrice3 />
  <ApplyOnPrice4 />
  <ApplyOnPrice5 />
  <ApplyOnPrice6 />
  <ApplyOnPrice7 />
  <ApplyOnPrice8 />
  <ApplyOnPrice9 />
  <ApplyOnPrice10 />
  <State />
  <Position />
  <TaxClass>
    <Oxid />
    <Name />
  </TaxClass>
  <TaxRate />
  <TaxCountryISOCode />
  <TransportName />
  <TransportType />
  <UserAssociatedCategory>
    <Oxid />
    <Name />
  </UserAssociatedCategory>
  <UserCategoryExcluded>
    <Oxid />
    <Name />
  </UserCategoryExcluded>
  <ZipCodeFilter />
  <Comment />
  <StrictLevel />
  <StartRange />
  <UpRange1 />
  <Amount1 />
  <UpRange2 />
  <Price2VATExcluded />
  <UpRange3 />
  <Price3VATExcluded />
  <UpRange4 />
  <Price4VATExcluded />
  <UpRange5 />
  <Price5VATExcluded />
  <UpRange6 />
  <Price6VATExcluded />
  <UpRange7 />
  <Price7VATExcluded />
  <UpRange8 />
  <Price8VATExcluded />
  <UpRange9 />
  <Price9VATExcluded />
  <UpRange10 />
  <Price10VATExcluded />
  <UpRange11 />
  <Price11VATExcluded />
  <UpRange12 />
  <Price12VATExcluded />
  <UpRange13 />
  <Price13VATExcluded />
  <UpRange14 />
  <Price14VATExcluded />
  <UpRange15 />
  <Price15VATExcluded />
  <UpRange16 />
  <Price16VATExcluded>0</Price16VATExcluded>
  <UpRange17 />
  <Price17VATExcluded />
  <UpRange18 />
  <Price18VATExcluded />
  <UpRange19 />
  <Price19VATExcluded />
  <UpRange20 />
  <Price20VATExcluded />
  <UpRange21 />
  <Price21VATExcluded />
  <UpRange22 />
  <Price22VATExcluded />
  <UpRange23 />
  <Price23VATExcluded />
  <UpRange24 />
  <Price24VATExcluded />
  <UpRange25 />
  <Price25VATExcluded />
  <UpRange26 />
  <Price26VATExcluded />
  <UpRange27 />
  <Price27VATExcluded />
  <UpRange28 />
  <Price28VATExcluded />
  <UpRange29 />
  <Price29VATExcluded />
  <UpRange30 />
  <Price30VATExcluded />
  <UpRange31 />
  <Price31VATExcluded />
  <UpRange32 />
  <Price32VATExcluded />
  <UpRange33 />
  <Price33VATExcluded />
  <UpRange34 />
  <Price34VATExcluded />
  <UpRange35 />
  <Price35VATExcluded />
  <UpRange36 />
  <Price36VATExcluded />
  <GeoZone />
  <CountryArray>
    <Country>
      <Code />
    </Country>
  </CountryArray>
</ShippingType>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instructions
<OxId />	integer		Unique ID stored in OXATIS Shipping type table.	Must be greater than zero.
<Name />	string	100	Shipping type name.	
<PriceVATExcluded />	float		Shipping price VAT excluded.	
<WeightVolumeEquivalent />	float		Weight/Volume equivalent.	Only for the formula type: ProportionnalOnOrderWeightVolume and StepsOnOrderWeightVolume
<PercentageOrValueToAdd />	float		Value or Percentage to add.	
<LanguageISOCode />	string	2	Shipping type language.	ISO- 639-1 Code Supported language values: fr French, en English, es Spanish, de German, it Italian, nl Dutch, ca Catalan, pt Portuguese.
<FormulaType />	enum		Shipping calculation type.	Values: FixedPrice, ProportionnalOnOrderItemNumber, ProportionnalOnOrderAmount, ProportionnalOnOrderWeightVolume, StepsOnOrderNumberItems, StepsOnOrderAmountVATExcluded, StepsOnOrderAmountVATIncluded or StepsOnOrderWeightVolume
<AmountMin />	float		Minimum total order amount.	
<AmountMax />	float		Maximum total order amount.	
<DateBegin />	datetime		Begin of validity period.	
<DateEnd />	datetime		End of validity period.	
<Description />	String		Shipping type description.	
<ImgFileName />	string	100	Image file name.	The file name must exist in the "Image Gallery".
<SalesOrderWeightMin />	float		Minimum total order weight.	
<SalesOrderWeightMax />	float		Maximum total order weight.	
<PayCOD />	boolean		Cash on delivery.	
<ApplyOnWebSite />	boolean		Shipping type interface available for website.	
<ApplyOnMobileSite />	boolean		Shipping type interface available for mobile site.	
<ApplyOnMOTO />	boolean		Shipping type interface available for MOTO.	
<ApplyOnPrice1 />	boolean		Shipping option applies to price 1.	
<ApplyOnPrice2 />	boolean		Shipping option applies to price 2.	
<ApplyOnPrice3 />	boolean		Shipping option applies to price 3.	
<ApplyOnPrice4 />	boolean		Shipping option applies to price 4.	
<ApplyOnPrice5 />	boolean		Shipping option applies to price 5.	
<ApplyOnPrice6 />	boolean		Shipping option applies to price 6.	
<ApplyOnPrice7 />	boolean		Shipping option applies to price 7.	
<ApplyOnPrice8 />	boolean		Shipping option applies to price 8.	
<ApplyOnPrice9 />	boolean		Shipping option applies to price 9.	
<ApplyOnPrice10 />	boolean		Shipping option applies to price 10.	
<State />	boolean	integer	Element visibility and work progress	Accepted values: 1 Publish - Element complete 2 Publish in preview 3 Hide - Element complete - Wait before publishing
<Position />	integer		Shipping type item position.	
<TaxClass> <OxID />	integer	Unique ID stored in OXATIS product tax class table.	Tax class.	
<Name /> </TaxClass />	string	Product tax class name.		
<Name />	String	100	Shipping type name.	
<TaxRate />	float		VAT Rate.	
<TaxCountryISOCode />	string	2	Country related to tax rate.	i.e: FR France, IT Italy, GB Great Britain, ES Spain...
<TransportName />	string	30	Transport name.	
<TransportType />	enum		Transport type.	Values: None, ClickAndCollect, CollectionPoint, PickupPoint or Carrier
<UserAssociatedCategory> <OxID />	integer	Unique ID stored in OXATIS customer category table.	Associated customer category.	
<Name /> </UserAssociatedCategory />	string	Customer category name.		
<Name />	string	100	Shipping type name.	
<UserCategoryExcluded> <OxID />	integer	Unique ID stored in OXATIS customer category table.	Excluded customer category.	
<Name /> </UserCategoryExcluded />	string	Customer category name.		
<ZipCodeFilter />	string		Validity by postcode.	
<Comment />	string	50	Task comment.	
<StrictLevel />	boolean		Tier definition is strict.	
<StartRange />	float		Starting value.	
<UpRange1 />	float		1 th tier	
<Price1VATExcluded />	float		1 th Price VAT excluded	
<UpRange2 />	float		2 nd tier	
<Price2VATExcluded />	float		2 nd Price VAT excluded	
<UpRange3 />	float		3 rd tier	
<Price3VATExcluded />	float		3 rd Price VAT excluded	
<UpRange4 />	float		4 th tier	
<Price4VATExcluded />	float		4 th Price VAT excluded	
<UpRange5 />	float		5 th tier	
<Price5VATExcluded />	float		5 th Price VAT excluded	
<UpRange6 />	float		6 th tier	
<Price6VATExcluded />	float		6 th Price VAT excluded	
<UpRange7 />	float		7 th tier	
<Price7VATExcluded />	float		7 th Price VAT excluded	
<UpRange8 />	float		8 th tier	
<Price8VATExcluded />	float		8 th Price VAT excluded	
<UpRange9 />	float		9 th tier	
<Price9VATExcluded />	float		9 th Price VAT excluded	
<UpRange10 />	float		10 th tier	
<Price10VATExcluded />	float		10 th Price VAT excluded	
<UpRange11 />	float		11 th tier	
<Price11VATExcluded />	float		11 th Price VAT excluded	

<UpRange12 />	float		12 th tier	
<Price12VATExcluded />	float		12 th Price VAT excluded	
<UpRange13 />	float		13 th tier	
<Price13VATExcluded />	float		13 th Price VAT excluded	
<UpRange14 />	float		14 th tier	
<Price14VATExcluded />	float		14 th Price VAT excluded	
<UpRange15 />	float		15 th tier	
<Price15VATExcluded />	float		15 th Price VAT excluded	
<UpRange16 />	float		16 th tier	
<Price16VATExcluded />	float		16 th Price VAT excluded	
<UpRange17 />	float		17 th tier	
<Price17VATExcluded />	float		17 th Price VAT excluded	
<UpRange18 />	float		18 th tier	
<Price18VATExcluded />	float		18 th Price VAT excluded	
<UpRange19 />	float		19 th tier	
<Price19VATExcluded />	float		19 th Price VAT excluded	
<UpRange20 />	float		20 th tier	
<Price20VATExcluded />	float		20 th Price VAT excluded	
<UpRange21 />	float		21 th tier	
<Price21VATExcluded />	float		21 th Price VAT excluded	
<UpRange22 />	float		22 th tier	
<Price22VATExcluded />	float		22 th Price VAT excluded	
<UpRange23 />	float		23 th tier	
<Price23VATExcluded />	float		23 th Price VAT excluded	
<UpRange24 />	float		24 th tier	
<Price24VATExcluded />	float		24 th Price VAT excluded	
<UpRange25 />	float		25 th tier	
<Price25VATExcluded />	float		25 th Price VAT excluded	
<UpRange26 />	float		26 th tier	
<Price26VATExcluded />	float		26 th Price VAT excluded	
<UpRange27 />	float		27 th tier	
<Price27VATExcluded />	float		27 th Price VAT excluded	
<UpRange28 />	float		28 th tier	
<Price28VATExcluded />	float		28 th Price VAT excluded	
<UpRange29 />	float		29 th tier	
<Price29VATExcluded />	float		29 th Price VAT excluded	
<UpRange30 />	float		30 th tier	
<Price30VATExcluded />	float		30 th Price VAT excluded	
<UpRange31 />	float		31 th tier	
<Price31VATExcluded />	float		31 th Price VAT excluded	
<UpRange32 />	float		32 th tier	
<Price32VATExcluded />	float		32 th Price VAT excluded	
<UpRange33 />	float		33 th tier	
<Price33VATExcluded />	float		33 th Price VAT excluded	
<UpRange34 />	float		34 th tier	
<Price34VATExcluded />	float		34 th Price VAT excluded	
<UpRange35 />	float		35 th tier	
<Price35VATExcluded />	float		35 th Price VAT excluded	
<UpRange36 />	float		36 th tier	
<Price36VATExcluded />	float		36 th Price VAT excluded	
<GeoZone />	boolean		Validity by country.	true One or several countries false all countries
<CountryArray> <Country> <Code /> </Country> </CountryArray>	string	2	Country ISO 3166-2 code.	i.e: FR France, IT Italy, GB Great Britain, ES Spain...

02) Shipping Type List

➤ XML Structure

```
<ShippingTypeList>
  <ShippingTypeIDs>
    <ShippingTypeID>
      <OxID />
    </ShippingTypeID>
  </ShippingTypeIDs>
</ShippingTypeList>
```

➤ Field Definitions, Types and Values

Field	Type	Description	Instructions
<OxID />	integer	Unique shipping type ID stored in OXATIS shipping type table.	Must be greater than zero.

03) Shipping Type API Methods

ShippingTypeAdd <i>Adds a shipping type in OXATIS Shipping Type table.</i>	ShippingTypeGetList <i>Returns a list of all shipping type OxID.</i>
ShippingTypeDelete <i>Deletes definitively a shipping type.</i>	ShippingTypeImport <i>Adds or Updates a shipping type in OXATIS Shipping Type table.</i>
ShippingTypeGet <i>Returns all data in shipping type record.</i>	ShippingTypeUpdate <i>Updates an existing shipping type.</i>

P.PROGRESS STATE

P1) Progress State

➤ XML Structure

```
<ProgressState>
  <Code />
  <NameFR />
  <NameEN />
  <NameES />
  <NameDE />
  <NameIT />
  <NameNL />
  <NameCA />
  <NamePT />
  <CommentFR />
  <CommentEN />
  <CommentES />
  <CommentDE />
  <CommentIT />
  <CommentNL />
  <CommentCA />
  <CommentPT />
  <Publish />
  <SendMail />
  <UpdateOrders />
  <CreateInvoice />
</ProgressState>
```

➤ Definitions, Types and Values

Field	Type	Length	Description	Instructions
<Oxid />	integer		Unique ID stored in OXATIS progress state table.	Must be greater than zero.
<Code />	string	16	Progress state code.	
<NameFR />	string	100	Progress state name in French.	
<NameEN />	string	100	Progress state name in English.	
<NameES />	string	100	Progress state name in Spanish.	
<NameDE />	string	100	Progress state name in German.	
<NameIT />	string	100	Progress state name in Italian.	
<NameNL />	string	100	Progress state name in Dutch.	
<NameCA />	string	100	Progress state name in Catalan.	
<NamePT />	string	100	Progress state name in Portuguese.	
<CommentFR />	string	4kb	Comment in French.	
<CommentEN />	string	4kb	Comment in English.	
<CommentES />	string	4kb	Comment in Spanish.	
<CommentDE />	string	4kb	Comment in German.	
<CommentIT />	string	4kb	Comment in Italian.	
<CommentNL />	string	4kb	Comment in Dutch.	
<CommentCA />	string	4kb	Comment in Catalan.	
<CommentPT />	string	4kb	Comment in Portuguese.	
<Publish />	boolean		Publish this state of progress for the customer.	
<SendMail />	boolean		Send an email notifying the customer of the state of progress of their sales order.	
<UpdateOrders />	boolean		Updates the state of progress of the sales order.	
<CreateInvoice />	boolean		Creates an invoice.	

P2) Progress State List

➤ XML Structure

```
<ProgressStateList>
  <ProgressStateIDs>
    <ProgressStateID>
      <Oxid />
    </ProgressStateID>
  </ProgressStateIDs>
</ProgressStateList>
```

➤ Field Definitions, Types and Values

Field	Type	Description
<Oxid />	integer	Unique sales order progress state ID stored in OXATIS sales order progress state table.

P3) Progress State API Methods

ProgressStateGet

Returns all data in Sales Order progress state record.

ProgressStateGetList

Returns a list of all Sales Order progress state records.

Q. TAX RATES

Q1) Tax Rate List

➤ XML Structure

```
<TaxRateList>
  <TaxRateDs>
    <TaxRateID>
      <Code />
      <Name />
      <Value />
    </TaxRateID>
  </TaxRateDs>
</TaxRateList>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description
<Code />	integer		Unique ID tax code.
<Name />	string	50	Tax name.
<Value />	float		Tax value.

➤ API Method

TaxRateGetList

Returns a list of all taxes.

R. OPTIONS TYPE

R1) Option Type

➤ XML Structure

```
<OptionTypes>
  <Oxid />
  <Name />
</OptionTypes>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instructions
<Oxid />	integer		Unique ID stored in OXATIS Option types table.	Must be greater than zero.
<Name />	string	50	Option types name.	

R2) Option Type Detail

➤ XML Structure

```
<OptionTypeDetail>
  <Oxid />
  <NameCA />
  <NameDE />
  <NameEN />
  <NameES />
  <NameFR />
  <NameIT />
  <NameNL />
  <NamePT />
  <SystemName />
  <OptionValueArray>
    <OptionValue>
      <Oxid />
      <Code />
      <NameCA />
      <NameDE />
      <NameEN />
      <NameES />
      <NameFR />
      <NameIT />
      <NameNL />
      <NamePT />
    </OptionValue>
  </OptionValueArray>
</OptionTypeDetail>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description
<Oxid />	integer		Unique ID stored in OXATIS Option type table.
<NameCA />	string	50	Catalan option type name.
<NameDE />	string	50	German option type name.
<NameEN />	string	50	English option type name.
<NameES />	string	50	Spanish option value name.
<NameFR />	string	50	French option type name.
<NameIT />	string	50	Italian option type name.
<NameNL />	string	50	Dutch option type name.
<NamePT />	string	50	Portuguese option type name.
<SystemName />	string	50	Option type system name.
<OptionValueArray>			
<OptionValue>			
<Oxid />	Integer		Unique ID stored in OXATIS Option value table.
<Code />	string	10	Unique option value code.
<NameCA />	string	50	Catalan option value name.
<NameDE />	string	50	German option value name.
<NameEN />	string	50	English option value name.
<NameES />	string	50	Spanish option value name.
<NameFR />	string	50	French option value name.
<NameIT />	string	50	Italian option value name.
<NameNL />	string	50	Dutch option value name.
<NamePT />	string	50	Portuguese option value name.
</OptionValue>			
</OptionValueArray>			

R3) Option Type List

➤ XML Structure

```
<OptionTypeList>
  <OxidArray>
    <Oxid />
  </OxidArray>
</OptionTypeList>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description
<Oxid />	integer		Unique ID stored in OXATIS Option types table.

R4) Option Type API Methods

OptionTypesGet

Returns data in option type record.

OptionValuesGetDetail

Returns all data in option values record.

OptionTypesGetList

Returns a list of all option type OxID.

S. OPTION VALUES

➤ XML Structure

```
<OptionValues>
  <Oxid />
  <Code />
  <Name />
</OptionValues>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instructions
<Oxid />	integer		Unique ID stored in OXATIS Option values table.	Must be greater than zero.
<Code />	integer	10	Option value code.	
<Name />	string	70	Option value name.	

➤ API Method

OptionValuesGet

Returns data in option values record.

T. PAYMENT TYPE

T1) Payment Type

➤ XML Structure

```
<PaymentType>
  <Oxid />
  <NameFR />
  <NameEN />
  <NameES />
  <NameDE />
  <NameIT />
  <NameNL />
  <NameCA />
  <NamePT />
</PaymentType>
```

➤ Field Definitions, Types and Values

Field	Type	Length	Description	Instructions
<Oxid />	integer		Unique ID stored in OXATIS Payment Type table.	Must be greater than zero.
<NameFR />	string	100	French payment type name.	
<NameEN />	string	100	English payment type name.	
<NameES />	string	100	Spanish payment type name.	
<NameDE />	string	100	German payment type name.	
<NameIT />	string	100	Italian payment type name.	
<NameNL />	string	100	Dutch payment type name.	
<NameCA />	string	100	Catalan payment type name.	
<NamePT />	string	100	Portuguese payment type name.	

T2) Payment Type List

➤ XML Structure

```
<PaymentTypeList>
  <PaymentTypeIds>
    <PaymentTypeID>
      <Oxid />
    </PaymentTypeID>
  </PaymentTypeIds>
</PaymentTypeList>
```

➤ Field Definitions, Types and Values

Field	Type	Description	Instructions
<Oxid />	integer	Unique payment type ID stored in OXATIS payment type table.	Must be greater than zero.

T3) Payment Type API Methods

PaymentTypeGet

Returns all data in payment type record.

PaymentTypeGetList

Returns a list of all payment type OxID.

U. C# Web Service Call Sample

```
private String Token = @"Place your token here";
private String METHOD = @"Place method name here";
private String URL = @"place URL service here";

private System.Xml.XmlDocument WebReq(String XML)
{
    HttpWebRequest wc = (HttpWebRequest)WebRequest.Create(URL);
    wc.ContentType = "application/x-www-form-urlencoded";
    wc.Method = "POST";
    wc.Headers.Add(HttpRequestHeader.AcceptLanguage,
        Thread.CurrentThread.CurrentUICulture.Name);

    StringBuilder datas = new StringBuilder();

    datas.Append("TOKEN=" + HttpUtility.UrlEncode(Token) + "&");
    datas.Append("METHOD=" + HttpUtility.UrlEncode(METHOD) + "&");
    datas.Append("DATA=" + HttpUtility.UrlEncode(XML));

    Byte[] l_Flux = Encoding.UTF8.GetBytes(datas.ToString());

    wc.ContentLength = l_Flux.Length;
    Stream l_StreamFluxData = wc.GetRequestStream();
    l_StreamFluxData.Write(l_Flux, 0, l_Flux.Length);

    System.Xml.XmlDocument xresp = new System.Xml.XmlDocument();

    HttpWebResponse out_Response = (HttpWebResponse)wc.GetResponse();
    try
    {
        Stream l_StreamResponse = out_Response.GetResponseStream();
        StreamReader l_Reader = new StreamReader(l_StreamResponse, Encoding.UTF8);
        try
        {
            xresp.LoadXml(l_Reader.ReadToEnd());
        }
        finally
        {
            {
                if (l_Reader != null)
                {
                    l_Reader.Close();
                    l_Reader.Dispose();
                }
            }
        }
    }
    finally
    {
        out_Response.Close();
    }

    return xresp;
}
```

V.PHP Web Service Call Sample

```
<?php
/**
 * WARNING: Your php CURL Extension must be enabled
 *
 * Call webservice and returns http response
 *
 * @param
 * strCallURL string webservice's URL
 * strMethod string The method to call
 * strBody string Your XML frame
 * bResult boolean success or error of the http request
 *
 * @Constantes
 * CFG_APP_ID string Your application ID
 * CFG_TOKEN string Your access token
 *
 * @return
 * if success returns string http response
 * if error returns boolean false
 *
 */

DEFINE('CFG_APP_ID', '????????');
DEFINE('CFG_TOKEN', '????????????');

function CallWebService($strCallURL, $strMethod, $strBody, &$bResult){
    $strURL = $strCallURL;
    $strParams = 'Data=' . urlencode($strBody);
    $strParams .= '&AppId=' . urlencode(CFG_APP_ID);
    $strParams .= '&Token=' . urlencode(CFG_TOKEN);
    $strParams .= '&Method=' . urlencode($strMethod);
    $objCurl = curl_init();

    curl_setopt($objCurl, CURLOPT_URL, $strURL);
    curl_setopt($objCurl, CURLOPT_POST, 1);
    curl_setopt($objCurl, CURLOPT_RETURNTRANSFER, 1);
    curl_setopt($objCurl, CURLOPT_POSTFIELDS, $strParams);
    curl_setopt($objCurl, CURLOPT_HTTPHEADER,
array("Content-Type: application/x-www-form-urlencoded", "Content-length: " . strlen($strParams)));
    $strResponse = curl_exec($objCurl);
    if ( !curl_errno($objCurl) ) {
        $bResult = true;
    } else {
        $bResult = false;
        $strResponse = 'An error occured: ' . curl_error($objCurl);
    }
    return $strResponse;
}

//call function
$strResponse =
CallWebService('https://webservices.oxatis.com/WebServices/httpservices/productservices.aspx',
'ProductGet',
'<?xml version="1.0" encoding="utf-8"?> <Product xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"><OxID>9999999</OxID></Product>', $bResult);
if ( $bResult ) {
    header("Content-type: text/xml");
}
echo $strResponse;
?>
```