

File Edit View Terminal Tabs Help

[daddycool@Heaven ~]\$ cal

January 2023

Su Mo Tu We Th Fr Sa

1 2 3 4 5 6 7

8 9 10 11 12 13 14

15 16 17 18 19 20 21

22 23 24 25 26 27 28

top - 03:17:18 up 30 min, 1 user, load average: 0.73, 1.25, 1.45

Tasks: 301 total, 1 running, 300 sleeping, 0 stopped, 0 zombie

%Cpu(s): 3.0 us, 1.7 sy, 0.0 ni, 94.8 id, 0.0 wa, 0.0 hi, 0.4 si, 0.0 st

MiB Mem : 15356.6 total, 10759.8 free, 2805.7 used, 1791.1 buff/cache

MiB Swap: 976.0 total, 976.0 free, 0.0 used. 12047.7 avail Mem

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+	COMMAND
3667	daddyco+	20	0	1130.0g	233092	132156	S	12.0	1.5	2:14.56	chrome
1978	daddyco+	20	0	32.6g	372676	179388	S	9.0	2.4	6:11.30	chrome
2318	daddyco+	20	0	32.8g	87136	71332	S	8.0	0.6	1:08.91	chrome
1200	daddyco+	9	-11	3652076	34240	22560	S	7.3	0.2	1:02.87	pulseaudio
807	root	20	0	25.5g	184332	107836	S	7.0	1.2	0:52.54	Xorg
5815	daddyco+	20	0	819572	57176	41404	S	5.0	0.4	0:00.33	xfce4-screensho
2029	daddyco+	20	0	32.3g	128812	91648	S	2.0	0.8	0:39.97	chrome
1184	daddyco+	20	0	1275688	113020	75668	S	1.7	0.7	0:25.51	xfwm4
3184	daddyco+	20	0	1132.0g	462064	125104	S	1.7	2.9	2:54.45	chrome
1118	daddyco+	20	0	311524	36912	21244	S	1.0	0.2	0:01.03	xfce4-session
1198	daddyco+	20	0	742496	57012	38700	S	1.0	0.4	0:02.30	xfce4-panel
1236	daddyco+	20	0	827120	63264	45356	S	1.0	0.4	0:05.05	xfce4-terminal
15	root	20	0	0	0	0	S	0.3	0.0	0:00.10	ksoftirqd/0
119	root	20	0	0	0	0	I	0.3	0.0	0:00.06	kworker/11:1-events
443	root	-51	0	0	0	0	S	0.3	0.0	0:02.57	irq/88-iwlwifi:queue_10
591	root	-2	0	0	0	0	S	0.3	0.0	0:03.25	gfx
632	root	20	0	1671988	44168	11900	S	0.3	0.3	0:05.21	warp-svc
1213	daddyco+	20	0	531132	76692	46104	S	0.3	0.5	0:02.88	xfdesktop
1440	daddyco+	20	0	326912	49296	25564	S	0.3	0.3	0:02.33	blueman-tray
3248	root	20	0	0	0	0	D	0.3	0.0	0:00.89	kworker/u32:2+events_unbound
3680	daddyco+	20	0	1129.9g	128016	96904	S	0.3	0.8	0:25.17	chrome
1	root	20	0	168580	13156	9544	S	0.0	0.1	0:01.37	systemd
2	root	20	0	0	0	0	S	0.0	0.0	0:00.00	kthreadd
3	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	rcu_gp
4	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	rcu_par_gp
5	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	slub_flushwq
6	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	netns
8	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	kworker/0:0H-events_highpri
10	root	0	-20	0	0	0	I	0.0	0.0	0:00.00	mm_percpu_wq

```
Terminal - daddycool@Heaven:~/KIIT
File Edit View Terminal Tabs Help

Su Mo Tu We Th Fr Sa
1 2 3 4 5 6 7
8 9 10 11 12 13 14
15 16 17 18 19 20 21
22 23 24 25 26 27 28
29 30 31

[daddycool@Heaven ~]$ cd Desktop
[daddycool@Heaven Desktop]$ mkdir hard
[daddycool@Heaven Desktop]$ cd hard
[daddycool@Heaven hard]$ ls
[daddycool@Heaven hard]$ cd
[daddycool@Heaven ~]$ echo harman
harman
[daddycool@Heaven ~]$ echo 21052588
21052588
[daddycool@Heaven ~]$ whoami
daddycool
[daddycool@Heaven ~]$ whatis mv
mv: nothing appropriate.
[daddycool@Heaven ~]$ ls
a.out          das1q7.c      dsa1q1.c      dsa2q10      dsa2q14      dsa2q4        dsa2q8        google-chrome  oops31        snapd         Videos
c1             das3q1.c      dsa1q2.c      dsa2q10.c    dsa2q14.c    dsa2q4.c     dsa2q8.c     har           oops31.cpp    SublimeAllAutocomplete  visual-studio-code-bin
c1.cpp        Desktop      dsa1q2.c      dsa2q11      dsa2q1.c     dsa2q5.c     dsa2q9.c     huihui       oops3.cpp     swap          x1
calf          Documents    dsa1q3.c      dsa2q113     dsa2q1.cpp   dsa2q5.c     dsa2qa       huihui.cpp   oopstest.cpp  swapcbreff.cpp  x1.cpp
'call by ref.cpp' Downloads    dsa1q3.c      dsa2q11.c    dsa2q2       dsa2q6.c     dsa2qa.c     hza          package-query  swap.cpp        swapxx
cfr           dsa1aug.c    dsa1q4.c      dsa2q12      dsa2q2.c     dsa2q6.c     dsa2qx1      joban.py3    Pictures      swapxx
cloudflare-warp-bin dsa1aug.cpp dsa1q4.c      dsa2q12.c    dsa2q3       dsa2q7       dsa2qx1.c    KIIT         Public        swp
c-support     dsa1q1       dsa1q5.c      dsa2q13.c    dsa2q3.c     dsa2q7.c     'fact class and obj.cpp' Music        snap          Templates
[daddycool@Heaven ~]$ cd 'KIIT'
[daddycool@Heaven KIIT]$ LS
bash: LS: command not found
[daddycool@Heaven KIIT]$ ls
'oops lab q1.cpp'  Q1.cpp  q3.cpp  q5.cpp  q7.cpp  T1.cpp  Untitled-1.c  Untitled-3.c  Untitled-7.c
opq1.cpp          q2.cpp  q4.cpp  q6.cpp  T1      Untitled-1  Untitled-2.c  Untitled-4.c
[daddycool@Heaven KIIT]$ g++ q1.cpp -o la1
cc1plus: fatal error: q1.cpp: No such file or directory
compilation terminated.
[daddycool@Heaven KIIT]$ g++ Q1.cpp -o la1
[daddycool@Heaven KIIT]$ ./la1
Harman
Hello[daddycool@Heaven KIIT]$
```

```
Terminal - daddycool@Heaven:~  
File Edit View Terminal Tabs Help  
[daddycool@Heaven ~]$ bluetoothctl  
Agent registered  
[bluetooth]# scan  
Missing on/off/bredr/le argument  
[bluetooth]# scan on  
Discovery started  
[CHG] Controller C0:3C:59:5E:45:10 Discovering: yes  
[NEW] Device EC:FA:5C:D0:F3:68 Android TV  
[NEW] Device 40:45:DA:87:DF:6E 40-45-DA-87-DF-6E  
[bluetooth]#
```

```
Terminal - daddycool@Heaven:~
File Edit View Terminal Tabs Help
Next: Introduction, Up: (dir)

GNU GRUB manual
*****

This is the documentation of GNU GRUB, the GRand Unified Bootloader, a
flexible and powerful boot loader program for a wide range of
architectures.

This edition documents version 2.11.

This manual is for GNU GRUB (version 2.11, 16 November 2022).

Copyright ©
1999,2000,2001,2002,2004,2006,2008,2009,2010,2011,2012,2013 Free
Software Foundation, Inc.

Permission is granted to copy, distribute and/or modify this
document under the terms of the GNU Free Documentation License,
Version 1.2 or any later version published by the Free Software
Foundation; with no Invariant Sections.

* Menu:

* Introduction::      Capturing the spirit of GRUB
* Naming convention::  Names of your drives in GRUB
* OS-specific notes about grub tools::
                        Some notes about OS-specific behaviour of GRUB
                        tools
* Installation::      Installing GRUB on your drive
* Bootimg::           How to boot different operating systems
* Configuration::     Writing your own configuration file
* Theme file format::  Format of GRUB theme files
* Network::           Downloading OS images from a network
* Serial terminal::    Using GRUB via a serial line
* Vendor power-on keys:: Changing GRUB behaviour on vendor power-on keys
* Images::            GRUB image files
* Core image size limitation:: GRUB image files size limitations
* Filesystem::        Filesystem syntax and semantics
* Interface::         The menu and the command-line
-----Info: (grub)Top, 63 lines --Top-----
Welcome to Info version 7.0. Type H for help, h for tutorial.
```

```
Terminal - daddycool@Heaven:~  
File Edit View Terminal Tabs Help  
[daddycool@Heaven ~]$ kill  
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]  
[daddycool@Heaven ~]$ lsusb  
Bus 004 Device 001: ID 1d6b:0003 Linux Foundation 3.0 root hub  
Bus 003 Device 002: ID 0408:5365 Quanta Computer, Inc. HP TrueVision HD Camera  
Bus 003 Device 003: ID 1bcf:08a0 Sunplus Innovation Technology Inc. Gaming mouse [Philips SPK9304]  
Bus 003 Device 001: ID 1d6b:0002 Linux Foundation 2.0 root hub  
Bus 002 Device 001: ID 1d6b:0003 Linux Foundation 3.0 root hub  
Bus 001 Device 002: ID 8087:0029 Intel Corp. AX200 Bluetooth  
Bus 001 Device 001: ID 1d6b:0002 Linux Foundation 2.0 root hub  
[daddycool@Heaven ~]$ info grub  
[daddycool@Heaven ~]$ info grub  
[daddycool@Heaven ~]$
```

```
Terminal - daddycool@Heaven:~
File Edit View Terminal Tabs Help

PING valorant.com (159.65.233.137) 56(84) bytes of data.
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=1 ttl=45 time=223 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=2 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=3 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=4 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=5 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=6 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=7 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=8 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=9 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=10 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=11 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=12 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=13 ttl=45 time=223 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=14 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=15 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=16 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=17 ttl=45 time=223 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=18 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=19 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=20 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=21 ttl=45 time=223 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=22 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=23 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=24 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=25 ttl=45 time=225 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=26 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=27 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=28 ttl=45 time=224 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=29 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=30 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=31 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=32 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=33 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=34 ttl=45 time=222 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=35 ttl=45 time=221 ms
64 bytes from 159.65.233.137 (159.65.233.137): icmp_seq=36 ttl=45 time=222 ms
^C
--- valorant.com ping statistics ---
37 packets transmitted, 36 received, 2.7027% packet loss, time 36002ms
rtt min/avg/max/mdev = 220.636/221.809/225.287/0.920 ms
[daddycool@Heaven ~]$
```

```
Terminal - daddycool@Heaven:~  
File Edit View Terminal Tabs Help  
[daddycool@Heaven ~]$ ip address show wlan0  
4: wlan0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group default qlen 1000  
    link/ether c0:3c:59:5e:45:0c brd ff:ff:ff:ff:ff:ff  
    inet 192.168.1.12/24 brd 192.168.1.255 scope global dynamic noprefixroute wlan0  
        valid_lft 83568sec preferred_lft 83568sec  
    inet6 fe80::b29a:fe4c:a47c:c6b0/64 scope link noprefixroute  
        valid_lft forever preferred_lft forever  
[daddycool@Heaven ~]$ ip route show  
default via 192.168.1.1 dev wlan0 proto dhcp src 192.168.1.12 metric 600  
default via 192.168.1.1 dev wlan0 proto dhcp src 192.168.1.12 metric 1024  
192.168.1.0/24 dev wlan0 proto kernel scope link src 192.168.1.12 metric 600  
192.168.1.1 dev wlan0 proto dhcp scope link src 192.168.1.12 metric 1024  
[daddycool@Heaven ~]$ hostname
```

```
Terminal - daddycool@Heaven:~  
File Edit View Terminal Tabs Help  
[daddycool@Heaven ~]$ pacman -V  
  
  _--_      Pacman v6.0.2 - libalpm v13.0.2  
/  _--_    Copyright (C) 2006-2021 Pacman Development Team  
\  _--_    Copyright (C) 2002-2006 Judd Vinet  
  _--_        
  
This program may be freely redistributed under  
the terms of the GNU General Public License.  
  
[daddycool@Heaven ~]$ sudo pacman -D  
[sudo] password for daddycool:  
[daddycool@Heaven ~]$ sudo pacman -D  
[daddycool@Heaven ~]$ pacman -h  
usage:  pacman <operation> [...]  
operations:  
  pacman {-h --help}  
  pacman {-V --version}  
  pacman {-D --database} <options> <package(s)>  
  pacman {-F --files}    [options] [file(s)]  
  pacman {-Q --query}    [options] [package(s)]  
  pacman {-R --remove}   [options] <package(s)>  
  pacman {-S --sync}     [options] [package(s)]  
  pacman {-T --deptest}  [options] [package(s)]  
  pacman {-U --upgrade}  [options] <file(s)>  
  
use 'pacman {-h --help}' with an operation for available options  
[daddycool@Heaven ~]$ pacman -F  
warning: database file for 'core' does not exist (use '-Fy' to download)  
warning: database file for 'extra' does not exist (use '-Fy' to download)  
warning: database file for 'community' does not exist (use '-Fy' to download)  
warning: database file for 'chaotic-aur' does not exist (use '-Fy' to download)  
error: no targets specified (use -h for help)  
[daddycool@Heaven ~]$ pacman -Fy  
error: you cannot perform this operation unless you are root.  
[daddycool@Heaven ~]$ sudo pacman -Fy  
:: Synchronizing package databases...  
core               1015.6 KiB  1259 KiB/s 00:01 [#####] 100%  
extra              10.4 MiB  1806 KiB/s 00:06 [#####] 100%  
community         27.9 MiB   641 KiB/s 00:00 [#####] 99%  
chaotic-aur        27.8 MiB   779 KiB/s 00:15 [#####] 70%
```