Tutorials ▼ Get Certified References ▼ **Exercises ▼ Spaces CSS Functions CSS Reference Aural CSS Web Safe Fonts CSS Fallback Fonts** Start **CSS** Animatable DEVELOPING **CSS Units** Without Installations **CSS PX-EM Converter CSS Default Values Reference Try Now CSS Colors CSS Color Values CSS Default Values <** Previous Next > **CSS Entities Support Included CSS Properties** Default CSS Values for HTML Elements accent-color **COLOR** align-content The table below shows the default CSS browser values for all HTML elements. **PICKER** align-items align-self Try it **Element Default CSS Value** color: (internal value); Try it » a:link text-decoration: underline; f o in cursor: auto; a:visited color: (internal value); Try it » text-decoration: underline; cursor: auto; **Get certified** a:link:active Try it » color: (internal value); by completing a CSS a:visited:active color: (internal value); Try it » course today! abbr None. address Try it » display: block; display: none; area **Get started** display: block; article display: block; aside None. audio font-weight: bold; Try it » b W3SCHOOLS SPACES **NEW SUBSCRIBER DEAL** 50% OFF base None. FOR A YEAR bdi None. **DEAL EXPIRING 14/02** unicode-bidi: bidi-override; bdo blockquote display: block; Try it » margin-top: 1em; margin-bottom: 1em; margin-left: 40px; margin-right: 40px; display: block; body Try it » margin: 8px; body:focus outline: none; Try it » None. br button None None. canvas display: table-caption; caption Try it » text-align: center; Try it » font-style: italic; cite font-family: monospace; Try it » code display: table-column; col Try it » display: table-column-group colgroup Try it » datalist display: none; dd display: block; Try it » margin-left: 40px; del text-decoration: line-through; Try it » details display: block; dfn Try it » font-style: italic; dialog None. div display: block; Try it » display: block; Try it » dl margin-top: 1em; margin-bottom: 1em; margin-left: 0; margin-right: 0; dt display: block; Try it » font-style: italic; Try it » em embed:focus outline: none; fieldset display: block; Try it » margin-left: 2px; margin-right: 2px; padding-top: 0.35em; padding-bottom: 0.625em; padding-left: 0.75em; padding-right: 0.75em; border: 2px groove (internal value); figcaption display: block; figure display: block; Try it » margin-top: 1em; margin-bottom: 1em; margin-left: 40px; margin-right: 40px; display: block; footer form display: block; Try it » margin-top: 0em; h1 Try it » display: block; font-size: 2em; margin-top: 0.67em; margin-bottom: 0.67em; margin-left: 0; margin-right: 0; font-weight: bold; h2 display: block; Try it » font-size: 1.5em; margin-top: 0.83em; margin-bottom: 0.83em; margin-left: 0; margin-right: 0; font-weight: bold; h3 display: block; Try it » font-size: 1.17em; margin-top: 1em; margin-bottom: 1em; margin-left: 0; margin-right: 0; font-weight: bold; h4 display: block; Try it » margin-top: 1.33em; margin-bottom: 1.33em; margin-left: 0; margin-right: 0; font-weight: bold; h5 display: block; Try it » font-size: .83em; margin-top: 1.67em; margin-bottom: 1.67em; margin-left: 0; margin-right: 0; font-weight: bold; h6 display: block; Try it » font-size: .67em; margin-top: 2.33em; margin-bottom: 2.33em; margin-left: 0; margin-right: 0; font-weight: bold; display: none; head display: block; header hr display: block; Try it » margin-top: 0.5em; margin-bottom: 0.5em; margin-left: auto; margin-right: auto; border-style: inset; border-width: 1px; display: block; html html:focus outline: none; font-style: italic; Try it » iframe:focus outline: none; iframe[seamless] display: block; display: inline-block; Try it » img input None. text-decoration: underline; Try it » ins Try it » kbd font-family: monospace; cursor: default; Try it » label legend display: block; Try it » padding-left: 2px; padding-right: 2px; border: none; li display: list-item; link display: none; None. main display: inline; map background-color: yellow; Try it » mark color: black; display: block; menu list-style-type: disc; margin-top: 1em; margin-bottom: 1em; margin-left: 0; margin-right: 0; padding-left: 40px; menuitem None. None. meta None. meter display: block; nav noscript None. object:focus outline: none; display: block; Try it » ol list-style-type: decimal; margin-top: 1em; margin-bottom: 1em; margin-left: 0; margin-right: 0; padding-left: 40px; optgroup None. option None. display: inline; output display: block; Try it » p margin-top: 1em; margin-bottom: 1em; margin-left: 0; margin-right: 0; display: none; param picture None. display: block; Try it » pre font-family: monospace; white-space: pre; margin: 1em 0; None. progress display: inline; Try it » q q::before content: open-quote; Try it » q::after content: close-quote; Try it » None. rp line-height: normal; rt ruby None. text-decoration: line-through; Try it » S font-family: monospace; Try it » samp display: none; script display: block; Try it » section select None. font-size: smaller; Try it » small source None. None. span text-decoration: line-through; Try it » strike font-weight: bold; Try it » strong display: none; style vertical-align: sub; sub Try it » font-size: smaller; display: block; summary vertical-align: super; Try it » sup font-size: smaller; table display: table; Try it » border-collapse: separate; border-spacing: 2px; border-color: gray; display: table-row-group; tbody vertical-align: middle; border-color: inherit; display: table-cell; td vertical-align: inherit; template None. None. textarea tfoot display: table-footer-group; vertical-align: middle; border-color: inherit; display: table-cell; th vertical-align: inherit; font-weight: bold; text-align: center; display: table-header-group; thead vertical-align: middle; border-color: inherit; time None. display: none; title display: table-row; tr vertical-align: inherit; border-color: inherit; track None. text-decoration: underline; Try it » u display: block; ul Try it » list-style-type: disc; margin-top: 1em; margin-bottom: 1 em; margin-left: 0; margin-right: 0; padding-left: 40px; font-style: italic; Try it » var video None. wbr None. **<** Previous Next > **Get Certified Report Error** Upgrade Newsletter **Spaces Top Tutorials Top References Get Certified Top Examples HTML Tutorial HTML Reference HTML Examples HTML** Certificate **CSS Examples CSS Tutorial CSS** Reference **CSS** Certificate JavaScript Examples JavaScript Tutorial JavaScript Reference JavaScript Certificate How To Tutorial **SQL** Reference How To Examples Front End Certificate **SQL Tutorial** Python Reference **SQL Examples SQL** Certificate **Python Tutorial W3.CSS** Reference **Python Examples** Python Certificate W3.CSS Examples W3.CSS Tutorial **Bootstrap Reference** PHP Certificate **Bootstrap Examples Bootstrap Tutorial** PHP Reference jQuery Certificate **PHP Tutorial** HTML Colors PHP Examples Java Certificate Java Tutorial Java Reference Java Examples C++ Certificate C++ Tutorial Angular Reference XML Examples C# Certificate jQuery Tutorial jQuery Reference jQuery Examples XML Certificate FORUM | ABOUT W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2023 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.