Table of Contents

Purpose/Policy:.....1

Scope:.....2

Definitions/Acronyms:.....2

Authorities/Responsibilities:.....2

Resources and Materials:.....2

PPE Required:.....3

Procedures:.....3

Changeover Guide:.....3

Setting up and Operating the Tray Packer:.....5

Shutting Down the Tray Packer:.....5

Basic Cleaning of the Tray Packer:.....5

Deep Cleaning:.....5

Forms:.....6

Reference Documents:.....6

Common Issues:.....6

Document History and Approval:.....6

Purpose/Policy:

This standard operating procedure will help guide and instruct operation, changeover, troubleshooting and, cleaning of the Switchback Tray Packer. This SOP will include multiple changeover formats into the Passthrough format.

Scope:

For this SOP the purpose of the tray packer is to simply pass a wrapped case of cans through the tray packer without a tray.

Definitions/Acronyms:

- SOP – Standard Operating Procedure
- PPE – Personal Protective Equipment
- HMI – Human Machine Interface (the touch screen used to control a machine)
- E-Stop – Emergency Stop button
- UHMW – Ultra-High Molecular Weight plastic (used for guides and wear strips)
- Cartoner – Machine that packages cans into wraps (cartons)
- Switchback Tray Packer – Machine that puts wraps, Paktech units or loose cans into trays, or passes wrapped cases through

Authorities/Responsibilities:

This SOP can be completed by an entry level packaging operator after proper training from a senior member of the Can line packaging team. The objective of this SOP is to gain the knowledge needed to assist with “Passthrough Changeover”. A trainer will be responsible for showing how to make the changeover adjustments in correlation with this SOP document.

Resources and Materials:

Operations:

- Air.

Changeovers:

- Spacer for overhead clamp.
- Spacers for compression pads.
- Spacer for Sweep area.
- Pusher pad for Transfer area.

Tools:

- 1/2 “Wrench (or 13mm).
- 7/16” Wrench.
- 9/16” Socket.
- 3/16” Hex Wrench.

Basic Cleaning:

- Alpha 5.
- Warm Water.
- Dry Rags.
- Shop Towels.
- Glue Scraper.

Deep Clean:

- Refer to Zone Cleaning SOP.
    - N:\Operations\Production\Boston\Packaging\Canning Line 2024\Zone Cleaning\Can Line Lower Level\Zone 7 - Lower Level - Cartoner, Tray Packer

Troubleshooting:

- No Equipment required.

PPE Required:

- No formal PPE required, suggested nitrile gloves for cleaning.

Procedures:

Changeover Guide:

Recipe Data:

1. From the HMI select “Recipe Data.”
2. Then select “Setup Data.”
3. Using the arrows select “Recipe #07 15PASSTHRU”.

Loading the Program:

1. Make sure the Tray Packer is in test mode.
2. Then from the “Setup Data” screen with the corresponding packaging size. Then hit the “USE” button.
3. This will change to “CAUTN ACTV” and turn orange.
4. Next press the E-Stop button and then pull it back out.
5. Press the black reset button to send everything to their home positions.

Adjusting the Magazine Deck:

Note: The magazine deck does not need to be adjusted from the previous size for passthrough.

Non-Load Side Changeover:

1. Remove the prebreak pad underneath the mag deck.
2. Raise the “Ski Jump” so that cases will clear the non-load side flights.
3. Make sure we are putting in all the spacers for the compression pads.
4. Remove the wooden spacer at the outfeed.
5. Remove the outfeed catch/plate.

Strongback Adjustment:

1. Remove the clear rubber cover that is on the outfeed axel.
2. Set the Strongback to what #1 says on the HMI.

Glue Height Adjustment:

Note: The glue heights should not be changed for passthrough.

Load Side Changeover:

1. Make sure we have put in the spacers from the compression pads.
2. If coming from 24pk Loose put plate that blocks the infeed lanes in.
3. Loosen both orange handles on the transfer area back.
4. Using 3/16” hex key, remove the pusher pad and put in the pusher pad for passthrough.
5. Now adjust the back stop so that it is almost touching the pusher pad while extended and tighten down orange handles.
6. Loosen the two orange handles on the top clamp and put a case underneath with the UHMW spacer. Tighten down the orange handles so that they are tight.
7. Loosen the silver handle on the transfer area sensor and set that to the “passthrough” position.
8. Using a case set the transfer area guide rail so that it is snug against the cases and lines up with the pusher pad.
9. Swap out the back stop spacer in the sweep area for the appropriate passthrough spacer.

Note: Make sure not to over tighten bolts as that can damage the spacer and the aluminum blocks.

10. Adjust the case detection sensor so that it is just past the back stop spacer.

11. If coming from 24pk Loose move the infeed lane assembly down the can conveyor but not to far so that it's not past the transfer blade.
12. Adjust the infeed rail so that cases fit between the can infeed lane assembly and the pusher arm.

Note: This rail can be more accurately adjusted once the program has been loaded and reset.

Setting up and Operating the Tray Packer:

1. From the home screen, press the "Run Mode" button to engage packaging operations.
2. From the HMI home screen, turn off the following:
   - 2.1 "Glue."
   - 2.2 "Vacuum Pick."
   - 2.3 "Magazine Conv. On."

Shutting Down the Tray Packer:

1. After the "push" has been completed by the Can Line Filler Operator, the Tray Packer will need to be "Packed out."

Note: Please see below for instructions and refer to operator training on how to complete.

2. Using a tray flag the eyes before the transfer are so that the last case will move into the transfer area and passthrough the tray packer.

Basic Cleaning of the Tray Packer:

Note: A hose should never be used inside the Tray Packer and please note the water should never be sprayed near the control panels or HMI screens.

1. Using a spray bottle of "Alpha 5", spray the Tray Packer stainless steel areas and any transfer areas.
   - 1.1 Wipe areas with a dry rag until clear of beer build-up and dust accumulation.
2. Use a rag and "Alpha 5" to clean the plexiglass windows. Never use a scrub pad on plexiglass.
3. Use the air gun to blow out any cardboard dust present in or on the machine.

Deep Cleaning:

1. Refer to Zone Cleaning SOP.
   - 1.1 N:\Operations\Production\Boston\Packaging\Canning Line 2024\Zone Cleaning\Can Line Lower Level\Zone 7 - Lower Level - Cartoner, Tray Packer

Forms:

Not Applicable

Reference Documents:

Not Applicable

Common Issues:

1. If cases are catching on any rails or pusher pads double check to make sure they are lined up correctly.

Document History and Approval:

Revise document history as described in the table and key below.

(Reference to following document: B1C.SOP.P001: Document Control and Approval Procedure Template)

VERSION NO.	VERSION DATE	DESCRIPTION OF CHANGE	AUTHOR NAME/PROJECT MANAGER

001	2024/06/12		Kyle Szymanski
002	2026/10/26	Updated SOP to Newest Layout Version	Kyle Szymanski

Version Approval Number: 002

Approved by: Kyle Szymanski

Position Title: OSCI Manager

Date: 10/26/26