Table of Contents

Purpose/Policy:.....1

Scope:.....2

Definitions/Acronyms:.....2

Authorities/Responsibilities:.....2

Resources and Materials:.....2

PPE Required:.....3

Procedures:.....3

Dumping the Bulk Caustic tank:.....3

Cleaning the Bulk Caustic tank:.....3

Filling the Caustic tank:.....3

Dumping the Bulk Acid tank:.....3

Cleaning the Bulk Acid tank:.....3

Filling the Acid tank:.....4

Forms:.....4

Reference Documents:.....4

Common Issues:.....4

Document History and Approval:.....4

Purpose/Policy:

“This “Bulk Tank Cleaning Operations” standard operating procedure has been created to assist operators with setup, operations, changeover, cleaning, and troubleshooting.

Scope:

When packaging product on the Racker, the Chemicals used for the media brinks are stored in Bulk tanks on the lower level of the Keg line. The two tanks are Acid (HDA2500) and Caustic (HLC5000).

Over time, these brinks will need to be refilled and or refilled and cleaned to continue operations. “

Definitions/Acronyms:

- SOP – Standard Operating Procedure
- PPE – Personal Protective Equipment
- HLC5000 – Caustic cleaner for CIP use (Rochester Midland)
- HDA2500 – Acid cleaner for CIP use (Rochester Midland)
- Brink – Tank that holds cleaning or sanitizing media (caustic, acid, hot water, PAA) for the filling units

Authorities/Responsibilities:

“This SOP can be completed by a Lead level packaging operator after proper training from a senior member of the Keg line packaging team. The objective of this SOP is to gain the knowledge needed to perform the operation of “Bulk tank Cleaning Operations” and trouble shoot any issues that may arise.”

Resources and Materials:

Operations:

- N/A

Changeovers:

- N/A

Basic Cleaning:

- Empty HAD2500 bulk tote.
- Empty HLC5000 bulk tote.
- Rubber Gloves.
- Caustic Crystal Removal tools.
- Acid Stick Pump.
- Caustic Stick Pump.

Troubleshooting:

- Caustic crystallized and becomes hardened material. This needs to be broken up to be removed.

PPE Required:

- Safety Glasses.
- Face Shield.
- Chemical Apron.
- Rubber Gloves.

Procedures:

Dumping the Bulk Caustic tank:

1. Bring an empty tote (HLC5000) over to the Keg line.
2. Transfer Caustic to the empty tote using the caustic stick pump. Once all the caustic has been transferred, set tote aside for refilling.

Cleaning the Bulk Caustic tank:

1. Bring an empty tote (HLC5000) over to the Keg line.
2. Rinse the Caustic tank with hot water to break up as many solids as possible.
3. If solids are not dissolving in hot water, they can be removed using the Caustic removal tools mentioned in the Basic Cleaning section of this SOP.
4. Transfer the dissolved caustic to the empty tote using the caustic stick pump.
5. Once filled, transfer the tote to the chemical room for dumping.

Filling the Caustic tank:

1. After the Bulk tank has been cleaned, it is ready to be filled.
2. Using the caustic stick pump, pump the originally drained caustic back into the bulk tank.
3. If more Caustic is needed to fill the bulk tank, speak with the Brewer and Cellar manager to ensure we have another tote of HLC5000 that can be used.

Dumping the Bulk Acid tank:

1. Bring an empty tote (HDA2500) over to the Keg line.
2. Transfer Acid to the empty tote using the acid stick pump. Once all the Acid has been transferred, set tote aside for refilling.

Cleaning the Bulk Acid tank:

1. Bring an empty tote (HDA2500) over to the Keg line.

2. Rinse the Acid tank with hot water.
3. Transfer the Acid water mixture to the empty tote using the acid stick pump. Once filled, transfer the tote to the chemical room for dumping.

Filling the Acid tank:

1. After the Bulk tank has been cleaned, it is ready to be filled.
2. Using the acid stick pump, pump the originally drained Acid (HDA2500) back into the bulk tank.
3. If more Acid is needed to fill the bulk tank, speak with the Brewer and Cellar manager to ensure we have another tote of HAD2500 that can be used.

Forms:

Not Applicable

Reference Documents:

Not Applicable

Common Issues:

Not Applicable

Document History and Approval:

Revise document history as described in the table and key below.

(Reference to following document: B1C.SOP.P001: Document Control and Approval Procedure Template)

VERSION NO.	VERSION DATE	DESCRIPTION OF CHANGE	AUTHOR NAME/PROJECT MANAGER
001	2024/07/12		Kyle Szymanski
002	2026/10/26	Updated SOP to Newest Layout Version	Kyle Szymanski

Version Approval Number: 002

Approved by: Kyle Szymanski

Position Title: OSCI Manager

Date: 10/26/26