

DESCRIPTION

SUTDENT'S NAME: Harpreet kaur sidhu

PROGRAM: **Web design**

DATE: 25 September 2021

TEACHER'S NAME: suthakhar

COURSE: **Data Processing Technologies (TTD)**

TYPE OF EXAM: **Final exam**

DURATION: **3 hours**

AUTHORIZED MATERIAL: **None**

OTHER INSTRUCTIONS FROM THE TEACHER

The exam has **XX5** pages including the cover page. In accordance with the syllabus, the evaluation is worth **XX25** % of the final grade.

Penalties imposed on a student accused of an attempt at plagiarism could include, but are not limited to, a grade of 0% for examination or for the entire course. The student could also be either put on probation, suspended and / or expelled from the program.

OTHER INFORMATION

Prepared by : **Jean-Guy Turgeon**

Revised by : **M.-J. Villeneuve**

Approved by : _____

Good luck !

Question 1

/3

Briefly explain what is an API.

ANS:- API (Application Programming Interface) is not the database or even a server , it is a code that governs the access points for the server. Ex= Buying a movie ticket ,you went to movie site ; enter movie name, and credit card info and print out tickets . But what actually is going on ? API's are collaborating behind the scenes with other application.

Question 2

/3

Briefly explain what is a third party API.

ANS:- Third Party API is basically provided by Third party example Facebook, Twitter or Google. It basically helps you to access their functionality via javascript and implement in your site.

Question 3

/3

Give an example of a browser's API.

The common example is DOM(Document Object Model) API , which allows you to manipulate HTML and CSS ,Canvas and WebGL helps for drawing and manipulating graphics, WebRTC helps in audio and video APIs.

Question 4

/3

Briefly explain what is a public API.

Public API (Open API) in simple meaning API which is available for anyone . This API provides developers with access to a proprietary software application or web-service.

Question 5

What is an endpoint?

(Circle the letter corresponding to your answer)

/3

- a) A computer system linked to a public database.
- b) The final line of an API script closing an external file containing data
- c) The URL of a file containing data.
- d) An AJAX request.
- e) None of the above.

Question 6

/3

(True or false, circle your answer)

In order to retrieve data from an external file using JavaScript, it isn't always mandatory to make an AJAX request.

TRUE

FALSE

Question 7

/3

Name the two languages most commonly used to make data available using an API.

We can create an API in any computer language, the two most commonly used languages are following:

★ PHP

/3

★ Python

➤ The most popular application programming interface created by PHP developers are: Open weather map, API football, IMDb, Cricket live scores, musicXmatch.

➤ The most popular API's created by python developers are : Yahoo finance, Temp mail, Spoonacular, IEX...etc.,.

/3

Question 8

What language is used in the following script example :

```
<container>
  <name>John</name>
  <age>42</age>
</container>
```

Language used: XML (eXtensible Markup Language)

XML is used to store and transport data. It is a self descriptive language. XML wraps its information in tags.

In above example there is a container tag containing information. The "Name" tag contains information about person's name. In "Age" tag there is information about person's age.

Question 9

What language is used in the following script example :

```
{  
  name: "John",  
  age: "42"  
}
```

On the basis of given example syntax { name: "John", age: "42" }, it can be said that the language used here should be most likely Javascript, as the given syntax resembles to the javascript objects syntax, and since JSON syntax is derived from JavaScript object notation, and no more details are specified in the question, there is a chance that the language used here can be JSON (within javascript) as well.

Question 10

/5

Supposing data are gathered in an external file named «mydata.json», write the jQuery instructions needed to display the name in a DIV containing #result as ID (not including the AJAX request).

Data :

```
{  
  name: "John",  
  age: "42"  
}
```

```
<!DOCTYPE html>

<html>

<head>

<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>

<script>

$(document).ready(function(){

$("button").click(function(){

$.getJSON("demo_ajax_json.js", function(result){

$("#result").append(result.firstName + " ");

});

});

});

</script>

</head>

<body>

<button>Get JSON data</button>

<div id="result"></div>
```

</body>

</html>

Question 11

/10

Supposing data are gathered in an external file named «mydata.json», write the jQuery instructions needed to display the age in a DIV containing #result as ID (including the AJAX request).

Data :

```
{
  users: [
    nom: "John",
    age: "42"
  ]
}
```

<div id="result"></div>

```
<script>
$(document).ready(function(){
```

Data:

```
{
  users: [
    nom: "John",
    age: "42"
  ]
}
$("#result").html(Data.users.age);
});
</script>
```

Question 12

/3

(Circle your answer)

In order to evaluate the number of items contained in an array named « container », how could we proceed?

- a) container[i]
- b) find(container).[i]
- c) **container.length**
- d) \$.length("container")
- e) None of the above