

OPEN-WELL SUBMERSIBLES

High-Performance Industrial & Domestic Monoblock Pumps



For more information, Contact Us at +91 93631 46829.



Single Phase Openwell Submersible Pumps

Model : HHOWP - Series

Power (HP) 0.5 HP to 3 HP (240v, 50Hz, AC 1 Phase)

Speed 2880 RPM

Discharge Range 22LPM to 240 LPM

Delivery Head Range 6 Meters to 27 Meters

Delivery Pipe Size (Suction x Delivery) 32x25, 40x40, 50x50, 65x50 mm

Hindusthan Single-Phase Openwell Submersible Pumps feature a compact and robust design with cast iron and stainless steel construction. Operating fully submerged at the bottom of wells or water tanks, these pumps provide reliable and efficient water supply for bungalows, apartments, resorts, farmhouses, hotels, and similar applications.



3 Phase Openwell Submersible Pumps

Model : HHOWP - Series

Power (HP) 3HP, 5 HP, 7.5 HP, 10 HP

Speed 2880 RPM

Discharge Range 250 LPM to 1200 LPM

Delivery Head Range 18 Metres to 45 Metres

Pipe Size (Suction x Delivery) 65x50, 75x65, 100x75 mm

Hindusthan Single-Stage Centrifugal Pumps are ideal for open wells with varying water levels. Designed to operate submerged at the bottom of the well, they eliminate suction and priming problems while delivering dependable performance. These pumps are widely used in irrigation, public water supply, and industrial applications.



V4" Submersible Pumps

Model : HBWP - Series

Power (HP) 0.5 HP to 5 HP (200/240v, 50Hz, AC 1 Phase)
(280/415V, 50 Hz, AC 3 Phase)

Speed 2850 RPM

Discharge Range 3 LPM to 210 LPM

Delivery Head Range 40 to 300 Meters

Delivery Pipe Size 32 x 40 x 50 mm

Operating Voltage Range Single Phase: 160 to 240v
Three Phase: 280 to 440v

Hindusthan Multistage High-Efficiency Centrifugal Pumps feature radial and mixed-flow impeller designs for enhanced performance and efficiency. Suitable for 4-inch and larger borewells, these noiseless submerged pumps are powered by water-cooled, rewindable motors with corrosion-resistant internals and advanced bearing systems. They are ideal for residential, agricultural, industrial, and community water supply applications.



V6" Submersible Pumps

Model : HBWP - Series

Power (HP) 3 HP TO 20 HP

Speed 2850 RPM

Discharge Range 90 LPM to 450 LPM

Delivery Head Range 27 Meters to 300 Meters

Delivery Pipe Size 50, 65, 75 mm

Hindusthan Multistage High-Efficiency Centrifugal Pumps feature radial and mixed-flow impeller technology for superior performance and efficiency. Suitable for 6-inch and larger borewells, these noiseless submerged pumps are powered by water-cooled, rewindable motors with corrosion-resistant internals and stainless steel stators. They are ideal for irrigation, public water supply, and industrial water management applications.



Vertical Openwell Submersible Pumps

Model : HVOP - Series

Power (HP) 5 HP upto 15 H.P

Speed 2880 RPM

Discharge Range 200LPM to 700 LPM

Delivery Head Range 36m to 110m

**Delivery Pipe Size
(Suction x Delivery)** 65 & 75 mm

Hindusthan Multistage Vertical Openwell Submersible Pumps are designed for open wells with varying water levels and operate fully submerged, eliminating suction and priming problems. Equipped with a water-cooled, water-lubricated rewindable motor and waterproof insulated winding wires, these pumps offer dependable performance for irrigation, public water supply, and industrial applications.

And more...!



For more Products & information, Contact Us at +91 93631 46829.