HTT_HistTrabTes

Norah Jones

2027-06-10

Table of contents

1 Primeros pasos 3

2 Introduction 4

3 Summary 5

4 Datos_Estatales 6

References 7

1 Primeros pasos

Para armar el ambiente de trabajo voy a hacer la siguiente estrucura de carpetas

```
dir.create("data/raw", recursive = TRUE)
```

```
Warning in dir.create("data/raw", recursive = TRUE): 'data\raw' already exists
```

```
dir.create("data/processed", recursive = TRUE)
```

```
Warning in dir.create("data/processed", recursive = TRUE): 'data\processed'
already exists
```

```
dir.create("notebooks")
```

```
Warning in dir.create("notebooks"): 'notebooks' already exists
```

```
dir.create("R")
```

```
Warning in dir.create("R"): 'R' already exists
```

```
dir.create("outputs")
```

```
Warning in dir.create("outputs"): 'outputs' already exists
```

2 Introduction

This is a book created from markdown and executable code.

See Knuth (1984) for additional discussion of literate programming.

```
1 + 1
```

```
[1] 2
```

3 Summary

In summary, this book has no content whatsoever.

```
1 + 1
```

```
[1] 2
```

4 Datos_Estatales

References

Knuth, Donald E. 1984. “Literate Programming.” *Comput. J.* (USA) 27 (2): 97–111. https://doi.org/10.1093/comjnl/27.2.97.