Assignment #04

String functions are used in C++ because working with character arrays manually is difficult. The <cstring> library provides ready-made functions that helps us copy, compare, join strings, and calculate their length easily. These functions make low-level string manipulation simple and improve code readability.

- Strlen ()

```
#include<iostream>
using namespace std;
int main () {
char str [] = " Hello";
  cout << " length:" << strlen (str);
  return 0;
}
```

Maxim

- strcpy()

```
#include<iostream>
#include<cstring>
using namespace std;

int main () {

    char source [] = "C++";
    char destination [10];

    strcpy (destination, source);
    cout << " Copied string" << destination;
    return 0;

}
```

- strcat()

```
#include <iostream>
# include <cstring>
using namespace std;

int main () {

    char str1[20] = "Hello";
    char str2[] = " world";

    strcat (str1, str2);
    cout << " Result:" << str1;
    return 0;
}
```

- Strncat ()

```
#include <iostream>
#include <cstring>
using namespace std;

int main() {

   char str1 [20] = "Hello";
   char str2 [] = "World";

   strncat (str1, str2, 3);

   cout << "Result" << str1;

     return 0;
}
```

- Strcmp ()

```
#include <iostream>
#include <cstring>
using namespace std;

int main () {
   char str1[] = "Apple";
   char str2[] = "Apple";
    cout<< strcmp (str1, str2);
    return 0;
}
```

/ Date

- substr ()

```
#include <iostream>
#include <cstring>
using namespace std;

int main (){

string text = "Programming";
   cout << text.substr(0,7);
     return ;
}
```