Automated Test Case Document

Jira Ticket: TEST2-89

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	19/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 6
About Metricell 33

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	19/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-89
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	19/10/2026
Limitations during Testing:	13 blocked; 0 inconclusive criterion(s). Reviewed attempt-001 screenshots: the preselection map is evidenced; repeated reported MS Teams Call points-service HTTP 500 prevents result-dependent checks. Visible Surveyor data is unrelated to MS Teams Call. Criterion 2: Repeated points-service error prevented the required result-data prerequisite. Matching authorised results could not be compared against selectable points. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 3: Repeated points-service error prevented the required result-data prerequisite. A point with Poor Quality 0–0.99 could not be selected to verify Green. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 4: Repeated points-service error prevented the required result-data prerequisite. A point with Poor Quality 1–9.99 could not be selected to verify Yellow. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 5: Repeated points-service error prevented the required result-data prerequisite. A point with Poor Quality 10–24.99 could not be selected to verify Amber. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 6: Repeated points-service error prevented the required result-data prerequisite. A point with Poor Quality >=25 could not be selected to verify Red. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 7: Repeated points-service error prevented the required result-data prerequisite. The summary fields could not be inspected because no MS Teams Call details dialog could be opened. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 8: Repeated points-service error prevented the required result-data prerequisite. Signal/download charts and handover markers could not be inspected. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 9: Repeated points-service error prevented the required result-data prerequisite. Detailed-sample columns could not be inspected. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 10: Repeated points-service error prevented the required result-data prerequisite. No MS Teams Call sample table was available to exercise sorting. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 11: Repeated points-service error prevented the required result-data prerequisite. No MS Teams Call sample table was available to exercise filtering. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 12: Repeated points-service error prevented the required result-data prerequisite. No MS Teams Call test could be selected for CSV export; no CSV was produced. This is not evidence of a settled empty dataset or a

	contradictory product result. Existing unrelated layers were left in place. Criterion 13: Repeated points-service error prevented the required result-data prerequisite. No zero-duration MS Teams Call result could be selected; stale-detail handling was not exercised. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Criterion 14: Repeated points-service error prevented the required result-data prerequisite. The points-load failure did not exercise a selected result's detail-load failure. No details dialog could be requested, so stale-detail handling remains untested. This is not evidence of a settled empty dataset or a contradictory product result. Existing unrelated layers were left in place. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. Before selecting the MS Teams Call layer, the map shows no MS Teams Call test-result points.	Y	N	0
2. When the user selects the MS Teams Call layer and authorised matching results are available, each matching result is shown as a selectable map point.	N	N	0
3. For a displayed MS Teams Call point with Poor Quality 0–0.99, its map colour is Green.	N	N	0
4. For a displayed MS Teams Call point with Poor Quality 1–9.99, its map colour is Yellow.	N	N	0
5. For a displayed MS Teams Call point with Poor Quality 10–24.99, its map colour is Amber.	N	N	0
6. For a displayed MS Teams Call point with Poor Quality 25 or greater, its map colour is Red.	N	N	0
7. When the user selects a map point and its details load successfully, the details dialog displays Test ID, Test Result, Connection Time, Call Duration, Poor Quality, MSISDN and Test Technologies.	N	N	0

Area of test	Pass	Fail	Defects (No.)
8. When the user selects a map point and its details load successfully, the details dialog displays signal and download charts and shows handover markers when available.	N	N	0
9. When the user selects a map point and its details load successfully, the details dialog displays a detailed-sample table that omits label, latitude, longitude and handover-only columns.	N	N	0
10. When detailed samples are displayed, sorting a supported column changes their displayed order to match the selected sort.	N	N	0
11. When detailed samples are displayed, filtering a supported column limits the displayed samples to those matching the filter.	N	N	0
12. When the user exports a selected test as CSV, the exported CSV contains data for that selected test.	N	N	0
13. When a zero-duration result is selected, its details dialog does not display stale or misleading data.	N	N	0
14. When details for a selected result fail to load, the dialog does not display stale or misleading data.	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Before selecting the MS Teams Call layer, the map shows no MS Teams Call test-result points.	Before selecting the MS Teams Call layer, the map shows no MS Teams Call test-result points.	criterion-1-map-before-filter.png shows a settled unobscured map with no MS Teams Call layer or result points; criterion-1-final.png retains the same point-free viewport before selection while the catalogue is filtered. Evidence: E01, E02	Passed

Criterion 1 evidence: Before selecting the MS Teams Call layer, the map shows no MS Teams Call test-result points.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Map before filter (criterion-1-map-before-filter.png)




E02 - Final (criterion-1-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	When the user selects the MS Teams Call layer and authorised matching results are available, each matching result is shown as a selectable map point.	When the user selects the MS Teams Call layer and authorised matching results are available, each matching result is shown as a selectable map point.	criterion-2-before-add.png shows MS Teams Call selected in Automobile; criterion-2-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. Matching authorised results and selectable MS Teams Call points could not be compared. Evidence: E03, E04, E05, E06	Blocked



Criterion 2 evidence: When the user selects the MS Teams Call layer and authorised matching results are available, each matching result is shown as a selectable map point.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E03 - Before automobile (criterion-2-before-automobile.png)



E04 - After automobile (criterion-2-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When the user selects the MS Teams Call layer and authorised matching results are available, each matching result is shown as a selectable map point. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Test types (criterion-2-test-types.png)**  **E06 - Final (criterion-2-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	For a displayed MS Teams Call point with Poor Quality 0–0.99, its map colour is Green.	For a displayed MS Teams Call point with Poor Quality 0–0.99, its map colour is Green.	criterion-3-before-add.png shows MS Teams Call selected in Automobile; criterion-3-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call point with Poor Quality 0–0.99 was available to verify Green; legend swatches alone do not prove point colouring. Evidence: E07, E08, E09, E10	Blocked



Criterion 3 evidence: For a displayed MS Teams Call point with Poor Quality 0–0.99, its map colour is Green.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E07 - Before automobile (criterion-3-before-automobile.png)



E08 - After automobile (criterion-3-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: For a displayed MS Teams Call point with Poor Quality 0–0.99, its map colour is Green. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Test types (criterion-3-test-types.png)**  **E10 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	For a displayed MS Teams Call point with Poor Quality 1–9.99, its map colour is Yellow.	For a displayed MS Teams Call point with Poor Quality 1–9.99, its map colour is Yellow.	criterion-4-before-add.png shows MS Teams Call selected in Automobile; criterion-4-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call point with Poor Quality 1–9.99 was available to verify Yellow; legend swatches alone do not prove point colouring. Evidence: E11, E12, E13, E10	Blocked



Criterion 4 evidence: For a displayed MS Teams Call point with Poor Quality 1–9.99, its map colour is Yellow.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E11 - Before automobile (criterion-4-before-automobile.png)



E12 - After automobile (criterion-4-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For a displayed MS Teams Call point with Poor Quality 1–9.99, its map colour is Yellow. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Test types (criterion-4-test-types.png)**  **E10 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	For a displayed MS Teams Call point with Poor Quality 10–24.99, its map colour is Amber.	For a displayed MS Teams Call point with Poor Quality 10–24.99, its map colour is Amber.	criterion-5-before-add.png shows MS Teams Call selected in Automobile; criterion-5-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call point with Poor Quality 10–24.99 was available to verify Amber; unrelated Surveyor points and table do not establish MS Teams Call colouring. Evidence: E14, E15, E16, E17	Blocked



Criterion 5 evidence: For a displayed MS Teams Call point with Poor Quality 10–24.99, its map colour is Amber.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E14 - Before automobile (criterion-5-before-automobile.png)



E15 - After automobile (criterion-5-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: For a displayed MS Teams Call point with Poor Quality 10–24.99, its map colour is Amber. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Test types (criterion-5-test-types.png)**  **E17 - Final (criterion-5-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	For a displayed MS Teams Call point with Poor Quality 25 or greater, its map colour is Red.	For a displayed MS Teams Call point with Poor Quality 25 or greater, its map colour is Red.	criterion-6-before-add.png shows MS Teams Call selected in Automobile; criterion-6-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call point with Poor Quality 25 or greater was available to verify Red; unrelated Surveyor points and table do not establish MS Teams Call colouring. Evidence: E18, E19, E20, E17	Blocked



Criterion 6 evidence: For a displayed MS Teams Call point with Poor Quality 25 or greater, its map colour is Red.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E18 - Before automobile (criterion-6-before-automobile.png)



E19 - After automobile (criterion-6-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: For a displayed MS Teams Call point with Poor Quality 25 or greater, its map colour is Red. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - Test types (criterion-6-test-types.png)**  **E17 - Final (criterion-6-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	When the user selects a map point and its details load successfully, the details dialog displays Test ID, Test Result, Connection Time, Call Duration, Poor Quality, MSISDN and Test Technologies.	When the user selects a map point and its details load successfully, the details dialog displays Test ID, Test Result, Connection Time, Call Duration, Poor Quality, MSISDN and Test Technologies.	criterion-7-before-add.png shows MS Teams Call selected in Automobile; criterion-7-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call details dialog was available to inspect the required summary fields; the visible table belongs to Surveyor. Evidence: E21, E22, E23, E17	Blocked



Criterion 7 evidence: When the user selects a map point and its details load successfully, the details dialog displays Test ID, Test Result, Connection Time, Call Duration, Poor Quality, MSISDN and Test Technologies.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E21 - Before automobile (criterion-7-before-automobile.png)



E22 - After automobile (criterion-7-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: When the user selects a map point and its details load successfully, the details dialog displays Test ID, Test Result, Connection Time, Call Duration, Poor Quality, MSISDN and Test Technologies. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E23 - Test types (criterion-7-test-types.png)**  			**E17 - Final (criterion-7-final.png)** 	


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	When the user selects a map point and its details load successfully, the details dialog displays signal and download charts and shows handover markers when available.	When the user selects a map point and its details load successfully, the details dialog displays signal and download charts and shows handover markers when available.	criterion-8-before-add.png shows MS Teams Call selected in Automobile; criterion-8-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call details dialog was available to inspect signal/download charts or handover markers. Evidence: E11, E24, E25, E26	Blocked



Criterion 8 evidence: When the user selects a map point and its details load successfully, the details dialog displays signal and download charts and shows handover markers when available.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E11 - Before automobile (criterion-8-before-automobile.png)



E24 - After automobile (criterion-8-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: When the user selects a map point and its details load successfully, the details dialog displays signal and download charts and shows handover markers when available. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Test types (criterion-8-test-types.png)**  **E26 - Final (criterion-8-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	When the user selects a map point and its details load successfully, the details dialog displays a detailed-sample table that omits label, latitude, longitude and handover-only columns.	When the user selects a map point and its details load successfully, the details dialog displays a detailed-sample table that omits label, latitude, longitude and handover-only columns.	criterion-9-before-add.png shows MS Teams Call selected in Automobile; criterion-9-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call detailed-sample table was available to check excluded columns. Evidence: E27, E28, E29, E30	Blocked



Criterion 9 evidence: When the user selects a map point and its details load successfully, the details dialog displays a detailed-sample table that omits label, latitude, longitude and handover-only columns.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E27 - Before automobile (criterion-9-before-automobile.png)



E28 - After automobile (criterion-9-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: When the user selects a map point and its details load successfully, the details dialog displays a detailed-sample table that omits label, latitude, longitude and handover-only columns. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Test types (criterion-9-test-types.png)**  **E30 - Final (criterion-9-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
10.0.0	When detailed samples are displayed, sorting a supported column changes their displayed order to match the selected sort.	When detailed samples are displayed, sorting a supported column changes their displayed order to match the selected sort.	criterion-10-before-add.png shows MS Teams Call selected in Automobile; criterion-10-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call sample table was available to exercise sorting. Evidence: E11, E31, E32, E10	Blocked



Criterion 10 evidence: When detailed samples are displayed, sorting a supported column changes their displayed order to match the selected sort.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E11 - Before automobile (criterion-10-before-automobile.png)



E31 - After automobile (criterion-10-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 continued: When detailed samples are displayed, sorting a supported column changes their displayed order to match the selected sort. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E32 - Test types (criterion-10-test-types.png)**  **E10 - Final (criterion-10-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
11.0.0	When detailed samples are displayed, filtering a supported column limits the displayed samples to those matching the filter.	When detailed samples are displayed, filtering a supported column limits the displayed samples to those matching the filter.	criterion-11-before-add.png shows MS Teams Call selected in Automobile; criterion-11-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call sample table was available to exercise filtering. Evidence: E11, E31, E32, E33	Blocked



Criterion 11 evidence: When detailed samples are displayed, filtering a supported column limits the displayed samples to those matching the filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E11 - Before automobile (criterion-11-before-automobile.png)



E31 - After automobile (criterion-11-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 11 continued: When detailed samples are displayed, filtering a supported column limits the displayed samples to those matching the filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E32 - Test types (criterion-11-test-types.png)**  **E33 - Final (criterion-11-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
12.0.0	When the user exports a selected test as CSV, the exported CSV contains data for that selected test.	When the user exports a selected test as CSV, the exported CSV contains data for that selected test.	criterion-12-before-add.png shows MS Teams Call selected in Automobile; criterion-12-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No MS Teams Call test could be selected for CSV export. The visible chart and samples belong to Surveyor Download; no selected-test CSV was produced. Evidence: E34, E35, E36, E37	Blocked



Criterion 12 evidence: When the user exports a selected test as CSV, the exported CSV contains data for that selected test.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E34 - Before automobile (criterion-12-before-automobile.png)



E35 - After automobile (criterion-12-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 12 continued: When the user exports a selected test as CSV, the exported CSV contains data for that selected test. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E36 - Test types (criterion-12-test-types.png)**  **E37 - Final (criterion-12-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
13.0.0	When a zero-duration result is selected, its details dialog does not display stale or misleading data.	When a zero-duration result is selected, its details dialog does not display stale or misleading data.	criterion-13-before-add.png shows MS Teams Call selected in Automobile; criterion-13-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. No zero-duration MS Teams Call result could be selected, so its stale-data handling was not exercised. Evidence: E38, E39, E40, E41	Blocked



Criterion 13 evidence: When a zero-duration result is selected, its details dialog does not display stale or misleading data.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E38 - Before automobile (criterion-13-before-automobile.png)



E39 - After automobile (criterion-13-after-automobile.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 13 continued: When a zero-duration result is selected, its details dialog does not display stale or misleading data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E40 - Test types (criterion-13-test-types.png)**  **E41 - Final (criterion-13-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
14.0.0	When details for a selected result fail to load, the dialog does not display stale or misleading data.	When details for a selected result fail to load, the dialog does not display stale or misleading data.	criterion-14-before-add.png shows MS Teams Call selected in Automobile; criterion-14-final.png shows its added layer and legend without usable MS Teams Call results. The tester reports repeated HTTP 500 from /api/platform/automobile/ms-teams-call/points, blocking the result-data prerequisite. The points-service failure prevented selecting an MS Teams Call result; it does not exercise failure of a selected result's detail load or prove stale-data handling. Evidence: E42, E43, E44, E45	Blocked



Criterion 14 evidence: When details for a selected result fail to load, the dialog does not display stale or misleading data.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E42 - Before automobile (criterion-14-before-automobile.png)



E43 - After automobile (criterion-14-after-automobile.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 14 continued: When details for a selected result fail to load, the dialog does not display stale or misleading data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E44 - Test types (criterion-14-test-types.png)**  **E45 - Final (criterion-14-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

