Automated Test Case Document

Jira Ticket: TEST2-76

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	12/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 23

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	12/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-76
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.40
Date of Test:	12/10/2026
Limitations during Testing:	0 blocked; 1 inconclusive criterion(s). Reviewed the criterion-owned attempt-002 screenshots. Catalogue restoration lacks comparison captures for entries below the visible viewport. Criterion 6: The same map view and complete one-row active-layer list remain: ALL Coverage Gap Candidate Areas. No Surveyor layer was added. The pre-existing Unable to load coverage gap candidate areas alert is unchanged. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Failed (inconclusive evidence)
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result.	Y	N	0
2. Replacing that query with Surveyor without reloading shows the Surveyor matching entry.	Y	N	0

Area of test	Pass	Fail	Defects (No.)
3. Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls.	Y	N	0
4. Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field.	Y	N	0
5. After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored.	N	Y	0
6. After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result.	With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result.	criterion-1-after-unmatched-search.png and criterion-1-final.png show TEST2-no-match-showcase-20261012 retained with 'No layers match this search' and no Surveyor entry. Evidence: E01, E02, E03	Passed

Criterion 1 evidence: With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before unmatched search (criterion-1-before-unmatched-search.png)




E02 - After unmatched search (criterion-1-after-unmatched-search.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis				


E03 - Final (criterion-1-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Replacing that query with Surveyor without reloading shows the Surveyor matching entry.	Replacing that query with Surveyor without reloading shows the Surveyor matching entry.	criterion-2-before-replace-query.png shows the unmatched query and no results; criterion-2-after-replace-query.png shows Surveyor and its matching entry. The recorded steps replace the query in place without reload. Evidence: E04, E05, E06, E07	Passed

Criterion 2 evidence: Replacing that query with Surveyor without reloading shows the Surveyor matching entry.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E04 - Before unmatched search (criterion-2-before-unmatched-search.png)




E05 - After unmatched search (criterion-2-after-unmatched-search.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 2 continued: Replacing that query with Surveyor without reloading shows the Surveyor matching entry.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E06 - Before replace query (criterion-2-before-replace-query.png)



E06 detail enlargement - full screenshot above



E07 - Final (criterion-2-final.png)




E07 detail enlargement - full screenshot above




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls.	Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls.	criterion-3-after-open-configuration.png and criterion-3-final.png show the Surveyor configuration with a normal Username input and visible Cancel and Add layer controls. Evidence: E01, E08, E09	Passed


Criterion 3 evidence: Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before surveyor search (criterion-3-before-surveyor-search.png)



E08 - After surveyor search (criterion-3-after-surveyor-search.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field.	Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field.	criterion-4-after-first-edit.png shows TEST2-showcase-unsaved-20261012 entered; criterion-4-after-first-cancel.png shows the configuration closed with the existing single layer retained; criterion-4-after-reopen.png and criterion-4-final.png show the reopened Surveyor Username empty. Evidence: E01, E10, E11, E09, E12, E13, E14	Passed





Criterion 4 evidence: Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before surveyor search (criterion-4-before-surveyor-search.png)




E10 - After surveyor search (criterion-4-after-surveyor-search.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E11 - Before first open (criterion-4-before-first-open.png)**  			**E09 - Before first edit (criterion-4-before-first-edit.png)**  	
Criterion 4 continued: Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E12 - Before first cancel (criterion-4-before-first-cancel.png)**  			**E13 - Before reopen (criterion-4-before-reopen.png)**  	


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E14 - Final (criterion-4-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored.	After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored.	criterion-5-baseline-catalogue.png and criterion-5-after-clear-query.png show the same visible catalogue entries and top browsing position, with the search empty after the criterion-owned edit, cancel, reopen and final-cancel sequence. Entries below the captured viewport have no baseline/restored screenshots, so the claimed restoration of all original catalogue entries is unverified. Evidence: E01, E02, E15, E16, E09, E12, E13, E14, E17	Failed





Criterion 5 evidence: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E01 - Before unmatched search (criterion-5-before-unmatched-search.png)



E02 - After unmatched search (criterion-5-after-unmatched-search.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E15 - Before replace query (criterion-5-before-replace-query.png)**  **E16 - Before first open (criterion-5-before-first-open.png)**  				
Criterion 5 continued: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E09 - Before first edit (criterion-5-before-first-edit.png)**  **E12 - Before first cancel (criterion-5-before-first-cancel.png)**  				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E13 - Before reopen (criterion-5-before-reopen.png)**  **E14 - Before final cancel (criterion-5-before-final-cancel.png)**  				
Criterion 5 continued: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E13 - Before clear query (criterion-5-before-clear-query.png)**  **E17 - Final (criterion-5-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added.	After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added.	criterion-6-baseline-map.png and criterion-6-baseline-layers.png show the original map and complete one-row active-layer list. criterion-6-after-unmatched-search.png and criterion-6-after-replace-query.png preserve them; criterion-6-after-first-edit.png, criterion-6-after-first-cancel.png, criterion-6-after-reopen.png and criterion-6-after-final-cancel.png show the cancellation journey. criterion-6-restored-map.png and criterion-6-restored-layers.png match the baseline map, sole ALL Coverage Gap Candidate Areas layer and existing loading alert; no Surveyor layer appears. Evidence: E01, E18, E02, E15, E16, E09, E19, E12, E13, E14, E17	Passed





Criterion 6 evidence: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis




E01 - Baseline map (criterion-6-baseline-map.png)








E18 - Baseline layers (criterion-6-baseline-layers.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E01 - Before unmatched search (criterion-6-before-unmatched-search.png)**  **E02 - After unmatched search (criterion-6-after-unmatched-search.png)**  				
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Before replace query (criterion-6-before-replace-query.png)**  **E16 - Before first open (criterion-6-before-first-open.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Before first edit (criterion-6-before-first-edit.png)**  E09 detail enlargement - full screenshot above  **E19 - After first edit (criterion-6-after-first-edit.png)**  E19 detail enlargement - full screenshot above 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E12 - Before first cancel (criterion-6-before-first-cancel.png)**  **E13 - Before reopen (criterion-6-before-reopen.png)** 				
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Before final cancel (criterion-6-before-final-cancel.png)**  **E13 - Before clear query (criterion-6-before-clear-query.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Final (criterion-6-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Supporting setup captures - full attempt evidence remains in the local evidence folder				

E20 - After open gis (criterion-2-after-open-gis.png)



E21 - After open gis (criterion-3-after-open-gis.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

