Automated Test Case Document

Jira Ticket: TEST2-87

| | |
|---|---|
| Document Classification: | Company Confidential |
| Document Ref: | Automated Test Case Document |
| Version: | 1.0 |
| Date: | 27/10/2026 |
| Document Author: | Automated TEST2 Evidence Review |
| Document Owner: | Quality Assurance / Metricell |

*This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".*

## Table of Contents


1 Revision History ..... 2
2 Test Cycle Information ..... 3
3 Test Summary ..... 4
4 Test Cases ..... 5
4.1 Tests ..... 5
Follow up evidence check ..... 41
4.2 Selected Call sample ..... 42
4.3 Expanded Service details ..... 43
4.4 Ascending Call sample order ..... 44
4.5 Descending Call sample order ..... 45
4.6 Sample table controls ..... 46
About Metricell ..... 47


# 1 Revision History

| Version | Date | Revision Author | Summary of Changes |
|---|---|---|---|
| **[1.0]** | 27/10/2026 | TEST2 QA Automation | Generated from TEST2 evidence review |
| | | | |
| | | | |

# 2 Test Cycle Information

| | |
|---|---|
| **Tester:** | **Automated** |
| **Jira Ticket:** | TEST2-87 |
| **Environment:** | o2intelligence-v4-dev.metricell.com |
| **Browser Details:** | Google Chrome 156.0.8078.48 |
| **Date of Test:** | 27/10/2026 |
| **Limitations during Testing:** | Blocked criterion(s): 6, 7. See the assessment below each criterion.<br>Unverified criterion(s): 5. See the assessment below each criterion.<br>Criteria 7 used simulated UI conditions; see their assessments. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. |
| **Overall review outcome:** | Blocked |
| **Browser URL(s) recorded after criteria:** | https://o2intelligence-v4-dev.metricell.com/gis |

# 3 Test Summary

Original reviewed results retained. See Follow up evidence check for the repaired navigation evidence and additional sorting checks.

| Area of test | Pass (Y/N) | Fail (Y/N) | Blocked (Y/N) | Defect No |
|---|---|---|---|---|
| 1. When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. | Y | N | N | 0 |
| 2. When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. | N | Y | N | 1 |
| 3. When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. | N | Y | N | 1 |
| 4. For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. | N | Y | N | 1 |
| 5. Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. | N | Y | N | 0 |
| 6. When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. | N | N | Y | 0 |
| 7. While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. | N | N | Y | 0 |

# 4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


## 4.1 Tests

| | | | | | |
|---|---|---|---|---|---|
| ***Preconditions:*** | V4 access and ticket conditions. | ***Associated Requirements:*** | Ticket criteria below. | Automation Notes: | Screenshots below each criterion; full log retained locally. |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **1.0.0** | When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. | When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. | criterion-1-summary-decisive.png and criterion-1-summary-middle.png show the completed Automobile Call summary: Success, duration 70 s, connection time 1888 ms, start 19/08/2026 09:34:39, end 09:35:49, and handset identifier MSISDN 447925375897. Disconnection Cause Code is N/A, consistent with the reported null value; the source requires available fields, not an invented cause or unreturned handset model.<br>Evidence: E01, E02, E03, E04, E05, E06, E07, E08 | Passed |



**Criterion 1 evidence: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**



**E01 - Test type choices (criterion-1-test-type-choices.png)**







**E02 - Call config (criterion-1-call-config.png)**



| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E03 - Before search (criterion-1-before-search.png)**<br>  <br>**E04 - Search position (criterion-1-search-position.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E05 - Detail open (criterion-1-detail-open.png)**<br>  <br>**E06 - Summary middle (criterion-1-summary-middle.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E07 - Summary end (criterion-1-summary-end.png)**<br>  <br>**E05 - Final (criterion-1-final.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E08 - Summary decisive (criterion-1-summary-decisive.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **2.0.0** | When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. | When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. | criterion-2-detail-open.png and criterion-2-final.png show a Signal strength series across approximately 0–120 seconds containing the 70-second call, with initiation, serving-cell-change and end annotations. The hover in criterion-2-final.png shows 12.72 seconds and -104 only. Service technology is absent from the chart despite 5G NSA appearing in its sample table. Event annotations do not establish the complete returned call-state timeline.<br>Evidence: E09, E10, E11, E12, E13, E14 | Failed |





**Criterion 2 evidence: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E09 - Test type choices (criterion-2-test-type-choices.png)**




**E10 - Call config (criterion-2-call-config.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 2 continued: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E11 - Call layer (criterion-2-call-layer.png)**<br>  <br><br>**E12 - Search position (criterion-2-search-position.png)**<br>  | | | | |
| **Criterion 2 continued: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E13 - Detail open (criterion-2-detail-open.png)**<br>  <br><br>**E14 - Final (criterion-2-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **3.0.0** | When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. | When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. | criterion-3-descending-readable.png shows the settled Signal Strength down arrow with -76,-77,-80,-82,-83 dBm; criterion-3-ascending-readable.png and criterion-3-final-readable.png show the up arrow with -111,-111,-109,-107,-107 dBm. These later captures repair the clipped rows in criterion-3-final.png. The readable headers and criterion-3-table-end-no-filters.png show the sample table without filtering controls. Sorting of the remaining columns was not demonstrated. Evidence: E15, E16, E11, E17, E18, E19, E20, E21, E22, E23, E24, E25 | Failed |





**Criterion 3 evidence: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**





**E15 - Test type choices (criterion-3-test-type-choices.png)**







**E16 - Call config (criterion-3-call-config.png)**









| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E11 - Call layer (criterion-3-call-layer.png)**<br>  <br><br>**E17 - Search position (criterion-3-search-position.png)**<br>  | | | | |
| **Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E18 - Detail open (criterion-3-detail-open.png)**<br>  <br><br>**E19 - Table baseline (criterion-3-table-baseline.png)**<br>  | | | | |





| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E20 - Sort ascending (criterion-3-sort-ascending.png)**<br>  <br><br>**E21 - Sort descending (criterion-3-sort-descending.png)**<br>  | | | | |
| **Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E22 - Descending readable (criterion-3-descending-readable.png)**<br>  <br><br>**E23 - Ascending readable (criterion-3-ascending-readable.png)**<br>  | | | | |



| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E24 - Table end no filters (criterion-3-table-end-no-filters.png)**<br>  <br>**E21 - Final (criterion-3-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E25 - Final readable (criterion-3-final-readable.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **4.0.0** | For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. | For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. | criterion-4-samples-1.png through criterion-4-samples-4.png and criterion-4-fallback-samples-1.png through criterion-4-fallback-samples-4.png cover the two complete reported datasets (33 and 36 samples), with overlapping readable times and site/cell values matching the supplied reconciliation. The headers are separate Site and Cell, with no required Serving Cell column. criterion-4-final-fallback.png decisively shows CGI 234-10-131567226 at 09:44:40.04, 09:44:42.54 and 09:44:43.953; known rows retain site/cell identities. At 09:44:12.95 both source identifiers are absent and the displayed value is N/A; no CGI was available to invent.<br>Evidence: E26, E27, E11, E28, E29, E30, E31, E32, E33, E34, E35, E36, E37 | Failed |
| Criterion 4 assessment: Testing notes: Closed the owned test tab and searched the unknown-cell aggregate at 52.19729641975413, 0.10128021240234375. A center click timed out because the search marker intercepted it; reinspected the UI, cleared that marker with its visible search clear control, and opened the actual aggregate. POST cluster-details and test-analysis returned HTTP 200 for the Success test starting 2026-08-19T09:43:34.693 (70 s). | | | | |
| **Criterion 4 evidence: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E26 - Test type choices (criterion-4-test-type-choices.png)**<br>  <br>**E27 - Call config (criterion-4-call-config.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E11 - Call layer (criterion-4-call-layer.png)**<br>  | | | **E28 - Search position (criterion-4-search-position.png)**<br>  | |
| **Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E29 - Detail open (criterion-4-detail-open.png)**<br>  | | | **E30 - Samples 1 (criterion-4-samples-1.png)**<br>  | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E31 - Samples 2 (criterion-4-samples-2.png)**<br>  <br><br>**E32 - Samples 3 (criterion-4-samples-3.png)**<br>  | | | | |
| **Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E33 - Samples 4 (criterion-4-samples-4.png)**<br>  <br><br>**E34 - Final (criterion-4-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E35 - Fallback samples 1 (criterion-4-fallback-samples-1.png)**<br>  <br>**E36 - Fallback samples 4 (criterion-4-fallback-samples-4.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E37 - Final fallback (criterion-4-final-fallback.png)** | | |  | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **5.0.0** | Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. | Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. | criterion-5-before-select-sample.png shows the intended 09:35:17.33 row, cell 105_120_4 and -91 dBm. criterion-5-after-select-sample.png, criterion-5-service-fields.png and criterion-5-final.png show a new Call detail tab with Service State In Service, Service 4G, Data Technology 5G NSA, cell 105_120_4 and site 105. However, the opened tab's timestamp is truncated and no readable detail timestamp identifies the selected instant. The reported sampleTime request supports the tester's account but does not replace direct visible proof of the exact time; that part remains Unverified.<br>Evidence: E38, E39, E40, E41, E13, E42, E43, E44, E45 | Failed |
| Criterion 5 assessment: Testing notes: An initial cleanup loop timed out after closing one owned tab because its second index changed; reinspected the UI and completed cleanup using the remaining first matching owned tab. | | | | |





**Criterion 5 evidence: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**



**E38 - Test type choices (criterion-5-test-type-choices.png)**





**E39 - Call config (criterion-5-call-config.png)**











| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E40 - Call layer (criterion-5-call-layer.png)**<br>  | | | **E41 - Search position (criterion-5-search-position.png)**<br>  | |
| **Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E13 - Detail open (criterion-5-detail-open.png)**<br>  | | | **E42 - Before select sample (criterion-5-before-select-sample.png)**<br>  | |





| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br><br>**E43 - After select sample (criterion-5-after-select-sample.png)**<br>  <br><br>**E44 - Service fields (criterion-5-service-fields.png)**<br>  | | | | |



| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E45 - Final (criterion-5-final.png)** | | |  | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **6.0.0** | When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. | When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. | Required zero/null-duration Call fixture was not established in the inspected Automobile dataset. criterion-6-dropped-call-positive-duration.png shows 47.968 s and criterion-6-setup-failure-positive-duration.png / criterion-6-final.png show 11.941 s. Both contain populated analysis and neither exercises the no-measurable-duration prerequisite. Testing this branch could not be completed; these captures do not prove fixture absence elsewhere or a no-data product defect.<br>Evidence: E46, E47, E48, E17, E49, E50, E51, E52, E53, E54, E55, E56, E57 | Blocked |
| Criterion 6 assessment: Testing notes: No genuine Call point with zero/null measurable test duration was established in the inspected Automobile dataset. The dropped-call fixture has 47.968 s and the setup-failure fixture has 11.941 s. Neither exercises the criterion. Browser simulation is not authorised to manufacture business measurement data or reinterpret a failed call as a failed detail request. Started at the same Cambridge area, then searched the returned failed aggregate at 52.19666510205681, 0.13492584228515625. Initial projected click was blocked by the legend; reinspected and recentered using Search Map, cleared its marker and opened the aggregate. Its 30 September Drop Call test returned 47.968 s, so it is unsuitable for no-duration coverage. Opened the owned layer configuration, scrolled to Test Results and selected only Setup Failures, leaving technologies and other filters unchanged. Applied; Apply closed configuration, so a subsequent Close configuration action timed out; reinspected the settled UI rather than applying again. GET /api/platform/automobile/call/points with testResultFilter=true&testResults=2 returned HTTP 200 and a setup-failure aggregate. Zoomed out three increments to inspect wider coverage, then searched its returned coordinates 52.185720837176895, 0.1490020751953125. Opened the genuine setup failure. POST /api/platform/automobile/call/cluster-details returned point 132307934 and testDurationMs 11941, start 2026-09-09T10:55:53.17, end 10:56:05.11. Analysis returned HTTP 200 with samples; final PNG positively shows 11.941 s, so it cannot prove no-data handling. No zero-duration prerequisite fixture is claimed. | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 6 evidence: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E46 - Test type choices (criterion-6-test-type-choices.png)**<br>  <br>**E47 - Call config (criterion-6-call-config.png)**<br>  | | | | |
| **Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E48 - Call layer (criterion-6-call-layer.png)**<br>  <br>**E17 - Search position (criterion-6-search-position.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E49 - Failure record position (criterion-6-failure-record-position.png)**<br>  <br>**E50 - Failure record before open (criterion-6-failure-record-before-open.png)**<br>  | | | | |
| **Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E51 - Dropped call positive duration (criterion-6-dropped-call-positive-duration.png)**<br>  <br>**E52 - Before setup filter (criterion-6-before-setup-filter.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E53 - Setup failures filter (criterion-6-setup-failures-filter.png)**<br>  <br>**E54 - Setup failures map (criterion-6-setup-failures-map.png)**<br>  | | | | |
| **Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E55 - Setup failures wide (criterion-6-setup-failures-wide.png)**<br>  <br>**E56 - Setup failure before open (criterion-6-setup-failure-before-open.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E57 - Setup failure positive duration (criterion-6-setup-failure-positive-duration.png)**<br>  <br>**E57 - Final (criterion-6-final.png)**<br>  | | | | |
| **7.0.0** | While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. | While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. | Testing could not be completed; see the assessment below.<br>Evidence: E58, E59, E60, E61, E13, E62, E63, E64, E65, E66, E67, E68, E69, E70 | Blocked |
| Criterion 7 assessment: SIMULATED UI STATE: This verifies browser-local Automobile Call analysis loading/error UI, not naturally occurring backend failure or the whole dialog becoming unavailable. Supplied request audit scopes the read to POST https://o2intelligence-v4-dev.metricell.com/api/platform/automobile/call/test-analysis, pointId 132307934, excluding sampleTime requests; unmatched requests fall through. Record A is 132006263 (19/08/2026 09:34:39, 70 s); target B is 132307934 (09/09/2026 10:55:53, 11.941 s). criterion-7-prior-record-before-loading.png and criterion-7-prior-record-before-error.png establish A's distinct analysis before each transition. criterion-7-target-genuine-baseline.png establishes B's real populated response/UI. Holding B's original request produced the visible loading message/progress bar in criterion-7-simulated-loading.png; releasing it recovered genuine HTTP 200/22 samples per audit and the matching B analysis in criterion-7-loading-genuine-recovery.png. A separately injected synthetic HTTP 503 Service Unavailable, application/problem+json {title:'Service Unavailable',status:503}, produced the visible error and Retry in criterion-7-simulated-error.png / criterion-7-final.png. Both transitions retain B's correct summary and exclude A's prior chart/table; a failed call measurement is not being treated as a failed analysis request. The populated response establishes endpoint/record identity only. No actual empty response or authoritative empty-response schema was available, so unavailable/no-data behavior and its incorrect-data exclusion remain Blocked; no empty contract was inferred by removing populated arrays. The supplied cleanup audit states all owned pending requests were resolved, zero remained, and only the exact owned pattern/handler was removed and its absence checked before Retry. criterion-7-error-genuine-recovery.png corroborates recovered B analysis after the reported genuine HTTP 200/22 samples; criterion-7-cleanup.png shows removed UI selections. Handler removal is supported by that explicit audit, not proven by a page screenshot. Map viewport was changed and not restored exactly. | | | | |



| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| Testing notes: SIMULATED UI STATE: Within this criterion first loaded distinct valid record A (132006263, 19 August 09:34:39), then normally opened target B (132307934, 9 September 10:55:53) at 52.185720837176895, 0.1490020751953125. Verified its genuine POST test-analysis response HTTP 200 and 22 rows. A wait for visible text 'Call measurements' timed out because this is the table's accessibility name; reinspected and confirmed the table by role, without repeating the action. | | | | |
| **Criterion 7 evidence: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** | | | | |



**E58 - Test type choices (criterion-7-test-type-choices.png)**








**E59 - Call config (criterion-7-call-config.png)**







| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E60 - Call layer (criterion-7-call-layer.png)**<br>  <br>**E61 - Search position (criterion-7-search-position.png)**<br>  | | | | |



| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E13 - Valid record baseline (criterion-7-valid-record-baseline.png)**<br>  <br>**E62 - Target before open (criterion-7-target-before-open.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E63 - Target genuine baseline (criterion-7-target-genuine-baseline.png)**<br>  <br>**E64 - Prior record before open (criterion-7-prior-record-before-open.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E62 - Before simulated loading (criterion-7-before-simulated-loading.png)**<br>  <br>**E65 - Simulated loading (criterion-7-simulated-loading.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E66 - Loading genuine recovery (criterion-7-loading-genuine-recovery.png)**<br>  <br>**E67 - Prior record before error open (criterion-7-prior-record-before-error-open.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E13 - Prior record before error (criterion-7-prior-record-before-error.png)**<br>  <br>**E62 - Before simulated error (criterion-7-before-simulated-error.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E68 - Simulated error (criterion-7-simulated-error.png)**<br>  <br>**E69 - Final (criterion-7-final.png)**<br>  | | | | |

| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** | | | | |

**E13 - Prior record before loading (criterion-7-prior-record-before-loading.png)**




**E70 - Error genuine recovery (criterion-7-error-genuine-recovery.png)**




## Supporting setup captures - full attempt evidence remains in the local evidence folder

**E71 - Before automobile (criterion-1-before-automobile.png)**



**E72 - Automobile config (criterion-1-automobile-config.png)**



# Follow up evidence check

27 October 2026. The overall outcome remains Blocked. This focused check adds evidence for the same Automobile Call record used in cycle-003. The preceding summary retains the independent review of that attempt: one Passed, three Failed, two Blocked and one Unverified. This supplement is not a new full attempt and does not change its counters or review record.

Criterion 5 Sample to Service details. Selecting the 09:35:17.33 sample from call 132006263 opened Service details for 19/08/2026 at 09:35:17, with cell 105_120_4, site 105 and RSRP -91 dBm matching the selected row. The application's Open in a new window control displayed the complete title. The original request returned HTTP 200 with the exact sampleTime. The visible before and expanded detail captures close the previously clipped destination time evidence gap at the UI's displayed precision.

Criterion 3 Sorting. All eight data-column sort controls were exercised in both directions on the genuine 33-sample table. Time, Call State, Site, Cell and Signal Strength each contained differing values and their complete row sequences were correctly ordered. Service was 5G NSA throughout, Site Distance was N/A throughout and Speed was 5.16 m/s throughout. Those three controls toggled direction, but their ordering still needs differing values; no pass is inferred from equal values.


Criterion 3 Filtering. Inspection of the sample-table headers including hover, the full table and footer found no sample filtering controls. The layer filter and map search are separate controls and do not satisfy this requirement. The existing filtering finding therefore remains; the source ticket explicitly requires a filterable sample table.

Remaining work. The timeline technology and Serving Cell presentation findings remain as reviewed. Genuine zero-duration Call data and an authoritative unavailable-details response contract are still required. Obtain varied Service, Site Distance and Speed samples to finish their sort checks. The focused navigation evidence is ready for formal reassessment without repeating the entire batch.


Metricell Limited © 2026 – Refer to Title Page
Commercial in Confidence

## 4.2 Selected Call sample


F01 Selected row at 09:35:17.33 with cell 105_120_4 and signal -91 dBm.




Source workspace: https://o2intelligence-v4-dev.metricell.com/gis

## 4.3 Expanded Service details

F02 Built-in expanded view shows 19/08/2026, 09:35:17 with matching cell, site and RSRP.





Source workspace: https://o2intelligence-v4-dev.metricell.com/gis

The application renders its built-in detached detail view in an about:blank window. The title and Service values are unchanged application content.

## 4.4 Ascending Call sample order


F03 Time ascending. Readable headers, indicator and ordered sample rows; all 33 rows checked.




Source workspace: https://o2intelligence-v4-dev.metricell.com/gis

## 4.5 Descending Call sample order


F04 Time descending. Readable headers, indicator and reversed order; all 33 rows checked.




Source workspace: https://o2intelligence-v4-dev.metricell.com/gis

## 4.6 Sample table controls

F05 Header inspection including hover. Sort controls are present; no sample filter controls were found.




Source workspace: https://o2intelligence-v4-dev.metricell.com/gis

metricell
Better Connected

## About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

