Automated Test Case Document

Jira Ticket: TEST2-81

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	20/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 6
About Metricell 22

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	20/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-81
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	20/10/2026
Limitations during Testing:	6 blocked; 3 inconclusive criterion(s). Reviewed all nine canonical criteria against the 57 referenced attempt-002 PNGs. Individual-detail service dependencies and the unavailable failed-zero fixture block completion; aggregate-only or inconclusive interaction evidence remains Unverified. Criterion 1: HTTP Browsing points returned HTTP 200 and aggregate markers, but individual result access was prevented by POST /api/platform/automobile/http-browsing/cluster-details HTTP 500 (requests 285 and 300). Visible panel: Unable to load point details. Each supplied individual result could not be verified. Initial screenshot capture failed because directory was absent; directory created and criterion restarted from launcher. Some setup search/zoom transitions lack separate before captures; no pass claimed. Criterion 1: Double-clicked supplied aggregate location 51.51109290500474,-0.10677337646484375; details failed with visible alert and two HTTP 500 responses. Criterion 2: GET /api/platform/automobile/ping/points returned 200 and 30 aggregates. Selecting an aggregate showed Unable to load point details; individual-result selectability and complete supplied-result correspondence could not be established. Layer removed after final capture. Viewport changes were later restored to the original /1.918/53.183/5.34 view. POST /api/platform/automobile/ping/cluster-details returned HTTP 500 twice (requests 201 and 204). Criterion 2: Observed error panel, captured final state and URL, then closed panel and removed only test-added layer. Criterion 4: Individual detail access could not be established. At zoom 18 points response contained only aggregates with pointId null. Selection did not open a detail panel; a subsequent lower-zoom click was intercepted by the coordinate-search marker. Controlled reload cleared the test-added layer and search marker; waiting for its prior configuration button timed out. Earlier HTTP Browsing cluster-details calls in this attempt returned HTTP 500. Final screenshot records reachable GIS after reload, not successful details. Criterion 4: Zoomed to 14; pointer intercepted by search map marker. Reloaded; prior layer disappeared; configuration wait timed out. Criterion 5: Page Load Time cannot be matched to an individual result: HTTP Browsing points supply aggregates with pointId null and observed cluster-details requests returned HTTP 500. No stable individual point/detail fixture was obtainable. The repeat HTTP failure was not reissued solely for this dependent criterion. Criterion 6: Stopped at established failed individual-detail service dependency; did not reissue same failing request. Criterion 7: Own fresh Video Streaming layer returned one aggregate (KPI 1, pointId null). Selecting it produced Unable to load point details. POST /api/platform/automobile/video-streaming/cluster-details returned HTTP 500; no individual result and its Rebuffer Count could be verified. This is a service error, not absent Video Streaming data. Criterion 7: Observed clear load error; captured final state and URL, then closed detail panel and removed test-added layer. Criterion 8: Own fresh HTTP Browsing response contained 338 aggregates, 6 marked failed, 0 failed with KPI zero, and no stable individual pointId. Failed KPI values were null. No identifiable failed individual HTTP result with

	zero Page Load Time was supplied or obtainable. Error legend alone cannot prove required failed-zero colouring; individual details remained unavailable from established cluster-details HTTP 500 errors. Criterion 8: Inspected own successful points response for failed records, KPI zero and stable pointId; required fixture was absent. Criterion 9: On an independently selected HTTP Browsing aggregate, POST /api/platform/automobile/http-browsing/cluster-details returned HTTP 500 and the panel displayed Unable to load point details with Retry, with no detail values shown. Before selection no detail tab existed. This confirms the aggregate error path from an empty detail baseline, but individual point-detail error/no-data behavior and replacement of previously successful stale details were not exercised because no successful individual result was obtainable. A full pass would overstate the available evidence. Criterion 9: Waited for loading to end in visible error alert; observed no result detail values. Criterion 9: Captured separate after-error and final PNGs and current URL before cleanup. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.	N	N	0
2. Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.	N	N	0
3. Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.	N	Y	0
4. Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.	N	Y	0
5. Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.	N	N	0

Area of test	Pass	Fail	Defects (No.)
6. Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.	N	N	0
7. Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.	N	N	0
8. Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.	N	N	0
9. Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.	N	Y	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.	Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.	criterion-1-after-layer.png shows HTTP Browsing markers; criterion-1-after-location-search.png shows clustered results. criterion-1-final.png shows 'Unable to load point details', consistent with the reported cluster-details HTTP 500 blocker. Individual-result access and correspondence for each supplied result remain blocked. Evidence: E01, E02, E03, E04, E05, E06	Blocked





Criterion 1 evidence: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - After open config (criterion-1-after-open-config.png)



E02 - After layer (criterion-1-after-layer.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - After zoom (criterion-1-after-zoom.png)**  **E04 - After location search (criterion-1-after-location-search.png)** 				
Criterion 1 continued: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - After aggregate zoom (criterion-1-after-aggregate-zoom.png)**  **E06 - Final (criterion-1-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.	Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.	criterion-2-after-select-ping.png and criterion-2-after-add-layer.png show Ping selected and markers rendered. criterion-2-final.png shows 'Unable to load point details'; the reported Ping cluster-details HTTP 500 prevents verifying each supplied individual result's selectability. Evidence: E07, E08, E09, E10, E11	Blocked



Criterion 2 evidence: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E07 - After open config (criterion-2-after-open-config.png)



E08 - Before select ping (criterion-2-before-select-ping.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After select ping (criterion-2-after-select-ping.png)**  **E10 - After add layer (criterion-2-after-add-layer.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Final (criterion-2-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.	Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.	criterion-3-after-add-layer.png shows the Video Streaming layer without identifiable result points. criterion-3-after-widen-area.png is an unsettled map view; criterion-3-final.png has settled labels but still does not establish an identifiable selectable result. The reported aggregate response alone does not prove individual rendering or selectability. Evidence: E12, E13, E14, E15, E16, E17	Failed





Criterion 3 evidence: Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E12 - After open config (criterion-3-after-open-config.png)



E13 - Before select video (criterion-3-before-select-video.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - After select video (criterion-3-after-select-video.png)**  **E15 - After add layer (criterion-3-after-add-layer.png)** 				
Criterion 3 continued: Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - After widen area (criterion-3-after-widen-area.png)**  **E17 - Final (criterion-3-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.	Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.	criterion-4-after-coordinate-search.png and criterion-4-after-return-aggregate-zoom.png show markers and a search pin but no point-detail dialog. criterion-4-after-individual-zoom.png has an unsettled blank basemap; criterion-4-final.png shows GIS after reload with the layer removed. The reported intercepted click and configuration timeout do not establish successful selection of an individual result or an application defect; same-result identity and common context remain unverified. Evidence: E18, E19, E20, E21, E22, E23	Failed


Criterion 4 evidence: Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.





Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E18 - After open config (criterion-4-after-open-config.png)



E19 - After add http (criterion-4-after-add-http.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - After coordinate search (criterion-4-after-coordinate-search.png)**  **E21 - After individual zoom (criterion-4-after-individual-zoom.png)** 				
Criterion 4 continued: Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E22 - After return aggregate zoom (criterion-4-after-return-aggregate-zoom.png)**  **E23 - Final (criterion-4-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.	Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.	criterion-5-after-open-config.png and criterion-5-final.png show HTTP Browsing configuration only. No selected individual result or Page Load Time detail was obtainable; the run stopped at the reported individual-detail service HTTP 500 dependency. Evidence: E24	Blocked

Criterion 5 evidence: Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E24 - Final (criterion-5-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.	Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.	criterion-6-after-select-ping.png and criterion-6-final.png show Ping configuration only. No selected individual result or Ping Time detail was obtainable; the run stopped at the reported Ping individual-detail service HTTP 500 dependency. Evidence: E25, E26	Blocked

Criterion 6 evidence: Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E25 - After open config (criterion-6-after-open-config.png)




E26 - Final (criterion-6-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.	Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.	criterion-7-after-select-video.png shows Video Streaming selected. criterion-7-final.png shows 'Unable to load point details' without a result KPI, consistent with the reported video-streaming cluster-details HTTP 500. The service blocker prevents verifying an individual result's Rebuffer Count. Evidence: E27, E28, E29, E30	Blocked



Criterion 7 evidence: Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E27 - After open config (criterion-7-after-open-config.png)



E28 - After select video (criterion-7-after-select-video.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - After add layer (criterion-7-after-add-layer.png)**  **E30 - Final (criterion-7-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.	Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.	criterion-8-after-add-http.png and criterion-8-final.png show black Error symbols distinct from coloured Load Time symbols. The results report no identifiable failed individual HTTP result with zero Page Load Time was available; the legend and aggregate map cannot establish that required failed-zero case. Evidence: E31, E02	Blocked

Criterion 8 evidence: Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E31 - After open config (criterion-8-after-open-config.png)




E02 - Final (criterion-8-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.	Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.	criterion-9-after-add-http-baseline.png shows no detail panel; criterion-9-after-error.png and criterion-9-final.png show 'Unable to load point details' with Retry and no detail values. This supports a clear aggregate error from an empty baseline, but selection was an aggregate rather than an identified individual point, so the required individual-point error behavior remains unverified. Evidence: E32, E02, E33	Failed


Criterion 9 evidence: Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E32 - After open config (criterion-9-after-open-config.png)



E02 - After add http baseline (criterion-9-after-add-http-baseline.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Final (criterion-9-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

