Automated Test Case Document

Jira Ticket: TEST2-81

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	22/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
About Metricell 29

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	22/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-81
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.48
Date of Test:	22/10/2026
Limitations during Testing:	Blocked criterion(s): 3, 7. See the assessment below each criterion. Unverified criterion(s): 1, 2. See the assessment below each criterion. SIMULATED UI STATE: criterion(s) 9 use browser-local conditions, not backend integration tests. Method and recovery are disclosed with their evidence. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Pass, Fail and Blocked use Y/N. Defect No counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.	N	Y	N	0
2. Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.	N	Y	N	0
3. Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.	N	N	Y	0
4. Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.	Y	N	N	0
5. Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.	Y	N	N	0
6. Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.	Y	N	N	0
7. Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.	N	N	Y	0
8. Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.	Y	N	N	0
9. Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.	Y	N	N	0

Metricell Limited © 2026 – Refer to Title Page
Commercial in Confidence





4 Test Cases





Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.





4.1 Tests


Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.	Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map.	Automobile HTTP Browsing markers are visible in criterion-1-after-apply.png and a selected result 132612214 with Page Load Time 1.134 s in criterion-1-final.png. The reported genuine /api/platform/automobile/http-browsing/points and cluster-details responses match the module, but aggregate selection does not establish that every supplied individual result is rendered/selectable. Evidence: E01, E02, E03, E04, E05, E06, E07, E08, E09, E10, E11, E12, E13	Failed
Criterion 1 assessment: Automobile HTTP Browsing markers are visible in criterion-1-after-apply.png and a selected result 132612214 with Page Load Time 1.134 s in criterion-1-final.png. The reported genuine /api/platform/automobile/http-browsing/points and cluster-details responses match the module, but aggregate selection does not establish that every supplied individual result is rendered/selectable. Testing notes: Initial PNG save failed because the handoff screenshot directory did not exist. Created that staging directory and restarted from the launcher; saved and verified a fresh initial PNG before interaction.				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 evidence: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E01 - Gis baseline (criterion-1-gis-baseline.png)**  **E02 - Automobile configuration (criterion-1-automobile-configuration.png)** 				
Criterion 1 continued: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Test type choices (criterion-1-test-type-choices.png)**  **E04 - Before apply (criterion-1-before-apply.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - After apply (criterion-1-after-apply.png)**  **E06 - After zoom 1 (criterion-1-after-zoom-1.png)** 				
Criterion 1 continued: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - After zoom 2 (criterion-1-after-zoom-2.png)**  **E08 - After zoom 3 (criterion-1-after-zoom-3.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After zoom 4 (criterion-1-after-zoom-4.png)**  **E10 - After zoom 5 (criterion-1-after-zoom-5.png)** 				
Criterion 1 continued: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - After zoom 6 (criterion-1-after-zoom-6.png)**  **E12 - After select (criterion-1-after-select.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given HTTP Browsing results are available, when the HTTP Browsing layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Final (criterion-1-final.png)** 			
2.0.0	Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.	Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map.	criterion-2-after-zoom-out-5.png shows Automobile Ping markers; criterion-2-final.png shows the selected aggregate's two-result list (132617236 and 132610564). Reported genuine Automobile Ping responses support representative selection, but complete individual-result rendering/selectability is not demonstrated. Evidence: E14, E15, E16, E17, E18, E19, E20, E21, E22	Failed
Criterion 2 assessment: criterion-2-after-zoom-out-5.png shows Automobile Ping markers; criterion-2-final.png shows the selected aggregate's two-result list (132617236 and 132610564). Reported genuine Automobile Ping responses support representative selection, but complete individual-result rendering/selectability is not demonstrated. Testing notes: Applied the already-selected Ping type. Unchanged Apply emitted no new request, so a waitForResponse timed out; inspected the fresh-load request instead and distinguished its 200 empty array from a service error.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 evidence: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Gis baseline (criterion-2-gis-baseline.png)**  **E15 - Before apply (criterion-2-before-apply.png)** 				
Criterion 2 continued: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - After apply (criterion-2-after-apply.png)**  **E17 - After zoom out (criterion-2-after-zoom-out.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - After zoom out 2 (criterion-2-after-zoom-out-2.png)**  **E19 - After zoom out 3 (criterion-2-after-zoom-out-3.png)** 				
Criterion 2 continued: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - After zoom out 4 (criterion-2-after-zoom-out-4.png)**  **E21 - After zoom out 5 (criterion-2-after-zoom-out-5.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Ping results are available, when the Ping layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E22 - Final (criterion-2-final.png)**  				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.	Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.	criterion-3-before-apply.png selects Video Streaming within Automobile; criterion-3-after-apply.png, criterion-3-after-zoom-out-1.png and criterion-3-final.png show settled maps without Video Streaming points. The tester reports genuine Automobile video-streaming/points HTTP 200 empty arrays at zooms 10.04, 9.04 and 8.04 for the existing July 24–October 22 range. Representative matching data is unavailable in the inspected scope, preventing the populated-point check. Evidence: E23, E24, E25, E26, E27, E28	Blocked


Criterion 3 assessment: criterion-3-before-apply.png selects Video Streaming within Automobile; criterion-3-after-apply.png, criterion-3-after-zoom-out-1.png and criterion-3-final.png show settled maps without Video Streaming points. The tester reports genuine Automobile video-streaming/points HTTP 200 empty arrays at zooms 10.04, 9.04 and 8.04 for the existing July 24–October 22 range. Representative matching data is unavailable in the inspected scope, preventing the populated-point check.
Testing notes: Video Streaming was available in the real Automobile Test type menu and was applied. GET /api/platform/automobile/video-streaming/points returned 200 with [] at zoom 10.04, 9.04 and 8.04, using the existing 2026-07-24T10:44:00Z to 2026-10-22T10:44:00Z range. These were settled empty responses, not HTTP failures. No matching representative data was available in those inspected extents/range, so point rendering could not be judged. No substitute module or synthetic successful data was used.





Criterion 3 evidence: Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E23 - Gis baseline (criterion-3-gis-baseline.png)



E24 - Test type choices (criterion-3-test-type-choices.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Before apply (criterion-3-before-apply.png)**  **E26 - After apply (criterion-3-after-apply.png)** 				
Criterion 3 continued: Given Video Streaming results are available, when the Video Streaming layer is selected, each supplied result is displayed as a selectable point on the map. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - After zoom out 1 (criterion-3-after-zoom-out-1.png)**  **E28 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.	Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.	criterion-4-before-result-selection.png identifies HTTP result 132612568; criterion-4-details-upper.png opens its new detail pane with matching ID, HTTP Browsing type, 30/09/2026 10:24:44, 5G NSA and serving cell 11318_137_4. criterion-4-final.png shows latitude 52.21575208, longitude 0.13226606 and technology. Together these directly show the selected representative result's common context. Evidence: E29, E30, E04, E31, E32, E33, E34, E35	Passed

Criterion 4 assessment: criterion-4-before-result-selection.png identifies HTTP result 132612568; criterion-4-details-upper.png opens its new detail pane with matching ID, HTTP Browsing type, 30/09/2026 10:24:44, 5G NSA and serving cell 11318_137_4. criterion-4-final.png shows latitude 52.21575208, longitude 0.13226606 and technology. Together these directly show the selected representative result's common context.
Testing notes: Restarted this criterion at the launcher after recovering the browser from a cleanup timeout; captured a fresh initial state before opening GIS.


Criterion 4 evidence: Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context.





Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E29 - Gis baseline (criterion-4-gis-baseline.png)









E30 - Before test type (criterion-4-before-test-type.png)






ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Before apply (criterion-4-before-apply.png)**  **E31 - After apply (criterion-4-after-apply.png)** 				
Criterion 4 continued: Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E32 - After point selection (criterion-4-after-point-selection.png)**  **E33 - Before result selection (criterion-4-before-result-selection.png)** 				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given details are available for a result point, when the point is selected, a new detail dialog opens for that same result and displays its test type, result time, location, and available network technology/context. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E34 - Details upper (criterion-4-details-upper.png)**  **E35 - Final (criterion-4-final.png)** 				
5.0.0	Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.	Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time.	criterion-5-before-result-selection.png lists result 132612568 with Page Load Time 1.737 s; criterion-5-final.png shows the newly opened same-ID HTTP Browsing detail pane displaying Page Load Time (s) 1.737. Evidence: E36, E02, E04, E31, E33, E37	Passed
Criterion 5 assessment: criterion-5-before-result-selection.png lists result 132612568 with Page Load Time 1.737 s; criterion-5-final.png shows the newly opened same-ID HTTP Browsing detail pane displaying Page Load Time (s) 1.737.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 evidence: Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E36 - Gis baseline (criterion-5-gis-baseline.png)**  **E02 - Before test type (criterion-5-before-test-type.png)** 				
Criterion 5 continued: Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Before apply (criterion-5-before-apply.png)**  **E31 - Before point selection (criterion-5-before-point-selection.png)** 				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given an HTTP Browsing point is selected and its details are available, the dialog displays that result's Page Load Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Before result selection (criterion-5-before-result-selection.png)**  **E37 - Final (criterion-5-final.png)** 				
6.0.0	Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.	Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time.	criterion-6-gis-baseline.png shows the settled Automobile Ping layer. criterion-6-after-point-selection.png lists result 132616638 with Ping Time 238 ms; criterion-6-final.png opens that same result and displays Ping Time (ms) 238 with matching time and service context. Evidence: E38, E39, E40	Passed
Criterion 6 assessment: criterion-6-gis-baseline.png shows the settled Automobile Ping layer. criterion-6-after-point-selection.png lists result 132616638 with Ping Time 238 ms; criterion-6-final.png opens that same result and displays Ping Time (ms) 238 with matching time and service context.				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 evidence: Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E38 - Gis baseline (criterion-6-gis-baseline.png)**  **E39 - After point selection (criterion-6-after-point-selection.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given a Ping point is selected and its details are available, the dialog displays that result's Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E40 - Final (criterion-6-final.png)** 				
7.0.0	Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.	Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count.	criterion-7-before-apply.png selects Video Streaming in Automobile; criterion-7-final.png shows its settled empty map and Rebuffer Count legend, with only the pre-existing Ping detail tab. The tester reports a genuine video-streaming/points HTTP 200 empty array at zoom 9.04 in the existing date range. No matching selectable Video Streaming result was available to verify its detail KPI; the legend cannot prove a per-result Rebuffer Count. Evidence: E41, E30, E42, E43	Blocked
Criterion 7 assessment: criterion-7-before-apply.png selects Video Streaming in Automobile; criterion-7-final.png shows its settled empty map and Rebuffer Count legend, with only the pre-existing Ping detail tab. The tester reports a genuine video-streaming/points HTTP 200 empty array at zoom 9.04 in the existing date range. No matching selectable Video Streaming result was available to verify its detail KPI; the legend cannot prove a per-result Rebuffer Count.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 evidence: Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E41 - Gis baseline (criterion-7-gis-baseline.png)**  **E30 - Test type choices (criterion-7-test-type-choices.png)** 				
Criterion 7 continued: Given a Video Streaming point is selected and its details are available, the dialog displays that result's Rebuffer Count. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E42 - Before apply (criterion-7-before-apply.png)**  **E43 - Final (criterion-7-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.	Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success.	criterion-8-after-failed-point-selection.png shows HTTP result 132301443, Failed, Page Load Time 0 and the separate black Error map series. criterion-8-errors-hidden.png removes the black markers and criterion-8-errors-restored.png restores them. criterion-8-success-comparison.png shows separate successful result 132612568 with 1.737 s; criterion-8-final.png returns to failed result 132301443 with Error visible. This criterion-owned comparison, together with the reported genuine failed aggregate response, supports distinct failed-zero-time styling. Evidence: E44, E02, E04, E31, E45, E46, E47, E48, E49, E50	Passed
Criterion 8 assessment: criterion-8-after-failed-point-selection.png shows HTTP result 132301443, Failed, Page Load Time 0 and the separate black Error map series. criterion-8-errors-hidden.png removes the black markers and criterion-8-errors-restored.png restores them. criterion-8-success-comparison.png shows separate successful result 132612568 with 1.737 s; criterion-8-final.png returns to failed result 132301443 with Error visible. This criterion-owned comparison, together with the reported genuine failed aggregate response, supports distinct failed-zero-time styling. Testing notes: The selected Automobile HTTP aggregate 1080868312373537326 rendered in the separate black Error series. Its genuine cluster-details response contained one result, 132301443, isFailed true, kpiValue 0 and Task TimeOut. The detail pane showed Result Failed and Page Load Time 0. Hiding/restoring Error removed/restored the error series, while successful markers used their KPI styles. In this same criterion, a separate genuine successful result 132612568 showed Success and 1.737 seconds for comparison; final returned to the failed zero-time result with Error restored. Read genuine 200 point data to identify the failed aggregate. Selected it and waited for genuine 200 cluster details and the single failed result 132301443. Captured Result Failed, zero Page Load Time and the black Error legend/marker. Toggled Error off and back on with separate captures, keeping the sequence within this criterion. Returned to the failed result tab; verified Failed remained visible and captured decisive final evidence and actual URL. Closed test-created HTTP tabs/lists, kept Error restored and restored the original Ping layer.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 evidence: Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E44 - Gis baseline (criterion-8-gis-baseline.png)**  **E02 - Before test type (criterion-8-before-test-type.png)** 				
Criterion 8 continued: Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E04 - Before apply (criterion-8-before-apply.png)**  **E31 - Before point selection (criterion-8-before-point-selection.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E45 - After failed point selection (criterion-8-after-failed-point-selection.png)**  **E46 - Errors hidden (criterion-8-errors-hidden.png)** 				
Criterion 8 continued: Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E47 - Errors restored (criterion-8-errors-restored.png)**  **E48 - Before success result selection (criterion-8-before-success-result-selection.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: Given an HTTP Browsing result ends in error, when its point is displayed, it is visually distinct from a successful result; a zero Page Load Time on the failed result is not coloured as success. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis				



E49 - Success comparison (criterion-8-success-comparison.png)



E50 - Final (criterion-8-final.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.	Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed.	SIMULATED UI STATE: On development host o2intelligence-v4-dev.metricell.com, the tester reports an exact-origin POST /api/platform/automobile/http-browsing/cluster-details interception restricted to target mercatorKey 1080868312373537326 and the existing time range, injecting HTTP 503 with an empty text/plain body. Genuine HTTP 200 target result 132301443 was established first (criterion-9-real-target-details.png), followed by distinct loaded result 132612568 (criterion-9-distinct-result-baseline.png). criterion-9-final.png shows Unable to load point details, Retry and no stale detail content in the active destination pane. The tester records exact-handler removal and owned-state deletion; criterion-9-recovery.png shows Retry recovering the genuine target 132301443 list. Passed for this selected point/cluster-detail UI error branch only: this is not a real backend outage, a no-data contract test or proof of other panels. Evidence: E51, E52	Passed
Criterion 9 assessment: SIMULATED UI STATE: On development host o2intelligence-v4-dev.metricell.com, the tester reports an exact-origin POST /api/platform/automobile/http-browsing/cluster-details interception restricted to target mercatorKey 1080868312373537326 and the existing time range, injecting HTTP 503 with an empty text/plain body. Genuine HTTP 200 target result 132301443 was established first (criterion-9-real-target-details.png), followed by distinct loaded result 132612568 (criterion-9-distinct-result-baseline.png). criterion-9-final.png shows Unable to load point details, Retry and no stale detail content in the active destination pane. The tester records exact-handler removal and owned-state deletion; criterion-9-recovery.png shows Retry recovering the genuine target 132301443 list. Passed for this selected point/cluster-detail UI error branch only: this is not a real backend outage, a no-data contract test or proof of other panels.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 evidence: Given details cannot be returned for a selected point, the user sees a clear no-data or error message and no stale details are displayed. **SIMULATED UI STATE: browser-local condition; recovery uses the genuine service.** **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E51 - Final (criterion-9-final.png)**  **E52 - Recovery (criterion-9-recovery.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

