Automated Test Case Document

Jira Ticket: TEST2-82

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	20/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
About Metricell 25

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	20/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-82
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	20/10/2026
Limitations during Testing:	SIMULATED UI STATE: criterion(s) 4, 6 used browser-local conditions; this does not verify backend integration. 1 blocked; 0 inconclusive criterion(s). Completed evidence assessment for cycle-002 attempt-001; unavailable-details verification requires an unavailable fixture or authoritative empty-response contract. Criterion 1: The selected Ping event at 21/09/2026 11:47:36 displayed Ping Time 14 ms after genuine details loaded. Initial Crowd exploration was cancelled without adding a layer. The failed first screenshot save was corrected by creating this handoff's folder and restarting from the launcher before collecting the referenced evidence. Criterion 3: With only 5G NSA selected (outbound technology filter [13]), the selected event at 06/10/2026 10:31:30 loaded Ping Time 23 ms, Jitter 3 ms and Data Technology 5G NSA without a detail-load error. Cleanup initially closed only the cluster because a locator changed; the remaining detail tab and test layer were subsequently removed and restoration was captured separately. Criterion 3: Waited for genuine details; verified 5G NSA, 23 ms and no load error, captured final state and URL. Criterion 3: Closed test tabs and removed the layer; corrected an initial cleanup locator timeout and captured completed restoration. Criterion 5: No unavailable-details fixture was identified in the supplied inputs or observed point data. The selected event's genuine POST /api/platform/surveyor/ping/event-analysis succeeded with populated details; its empty neighbours list is not an empty Ping-detail response. The authoritative empty-response contract is unknown, so no synthetic empty response was installed. Need a known unavailable Ping event or documented empty-detail contract to verify this criterion. Criterion 5: Determined that the empty neighbours list does not establish unavailable Ping details; no verified empty-detail response contract or unavailable fixture was available. Criterion 6: SIMULATED UI STATE: POST https://o2intelligence-v4-dev.metricell.com/api/platform/surveyor/ping/event-analysis, pointId 9531501 and mercatorKey 1513490457731707874; other methods/records fell through. Established the target's genuine successful request, then loaded a distinct valid event (21/09/2026 11:47:35, Ping Time 13 ms, RSSI -96 dBm) within this criterion. Returned to the target (11:47:36, 14 ms) with one owned browser route returning standard HTTP 500, text/plain, body Internal Server Error; no product-specific success/empty-response shape was assumed. The Analysis section showed Unable to load details. and Retry. Previous event analysis fields were absent; the 14 ms summary belonged to the selected target, not stale data. Removed the exact handler in finally, used Retry against the genuine service and verified recovery. This verifies synthetic UI error handling for this endpoint only, not an observed backend failure. Criterion 6: Verified Unable to load details. and Retry; checked target time/14 ms summary and absence of prior event analysis, then captured final state and URL. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked

Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms).	Y	N	0
2. When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time.	Y	N	0
3. With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state.	Y	N	0
4. While Ping details are loading, the detail view shows a loading state.	Y	N	0
5. When Ping details are unavailable, the detail view shows a no-data state.	N	N	0
6. When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms).	When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms).	Ping Time is visibly rendered as 14 ms for the selected event. Evidence: E01, E02, E03, E04, E05, E06	Passed





Criterion 1 evidence: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms).
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Gis before layer (criterion-1-gis-before-layer.png)



E02 - Crowd dialog (criterion-1-crowd-dialog.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms). **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Surveyor before choice (criterion-1-surveyor-before-choice.png)**  **E04 - Ping layer loaded (criterion-1-ping-layer-loaded.png)** 				
Criterion 1 continued: When a selected Ping point's details have loaded, the detail view shows that point's Ping Time with the unit milliseconds (ms). **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Cluster before point (criterion-1-cluster-before-point.png)**  **E06 - Final (criterion-1-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time.	When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time.	Ping Time and returned Ping/network/device attributes are displayed together. Evidence: E07, E08, E04, E05, E09	Passed



Criterion 2 evidence: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E07 - Gis before layer (criterion-2-gis-before-layer.png)



E08 - Surveyor before choice (criterion-2-surveyor-before-choice.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Ping layer loaded (criterion-2-ping-layer-loaded.png)**  **E05 - Cluster before point (criterion-2-cluster-before-point.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Ping attributes are returned for the selected point, the detail view displays those attributes alongside the Ping Time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Final (criterion-2-final.png)** 			


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state.	With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state.	5G NSA-only point details load successfully and show the selected event's data. Evidence: E07, E08, E10, E11, E12, E13, E14, E15, E16, E17, E18, E19, E20	Passed





Criterion 3 evidence: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E07 - Gis before layer (criterion-3-gis-before-layer.png)






E08 - Surveyor before choice (criterion-3-surveyor-before-choice.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Ping before tech (criterion-3-ping-before-tech.png)**  **E11 - Tech menu before (criterion-3-tech-menu-before.png)** 				
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E12 - Tech toggle 1 (criterion-3-tech-toggle-1.png)**  **E13 - Tech toggle 2 (criterion-3-tech-toggle-2.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Tech toggle 3 (criterion-3-tech-toggle-3.png)**  **E15 - Tech toggle 4 (criterion-3-tech-toggle-4.png)** 				
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Tech toggle 5 (criterion-3-tech-toggle-5.png)**  **E17 - Tech toggle 6 (criterion-3-tech-toggle-6.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - Nsa layer loaded (criterion-3-nsa-layer-loaded.png)**  **E19 - Cluster before point (criterion-3-cluster-before-point.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: With 5G NSA as the only selected technology, opening a Ping point displays details for that selected point without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - Final (criterion-3-final.png)** 			


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	While Ping details are loading, the detail view shows a loading state.	While Ping details are loading, the detail view shows a loading state.	Analysis shows Loading… and a progress bar while its genuine read request is held; details recover when released. Evidence: E07, E08, E04, E21, E22, E23, E24	Passed





Criterion 4 evidence: While Ping details are loading, the detail view shows a loading state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E07 - Gis before layer (criterion-4-gis-before-layer.png)



E08 - Surveyor before choice (criterion-4-surveyor-before-choice.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: While Ping details are loading, the detail view shows a loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Ping layer loaded (criterion-4-ping-layer-loaded.png)** 			**E21 - Cluster before point (criterion-4-cluster-before-point.png)** 	
Criterion 4 continued: While Ping details are loading, the detail view shows a loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E22 - Genuine point baseline (criterion-4-genuine-point-baseline.png)** 			**E23 - Before held reopen (criterion-4-before-held-reopen.png)** 	

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: While Ping details are loading, the detail view shows a loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E24 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	When Ping details are unavailable, the detail view shows a no-data state.	When Ping details are unavailable, the detail view shows a no-data state.	Populated Ping details load; the unavailable-details/no-data state could not be established. Evidence: E25, E26, E27, E28, E29	Blocked



Criterion 5 evidence: When Ping details are unavailable, the detail view shows a no-data state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E25 - Gis before layer (criterion-5-gis-before-layer.png)



E26 - Surveyor before choice (criterion-5-surveyor-before-choice.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: When Ping details are unavailable, the detail view shows a no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - Ping layer loaded (criterion-5-ping-layer-loaded.png)**  **E28 - Cluster before point (criterion-5-cluster-before-point.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: When Ping details are unavailable, the detail view shows a no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Final (criterion-5-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point.	When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point.	Analysis shows Unable to load details. with Retry, without the distinct prior event's analysis; genuine retry recovers. Evidence: E07, E08, E04, E05, E06, E23, E30, E31, E32	Passed





Criterion 6 evidence: When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E07 - Gis before layer (criterion-6-gis-before-layer.png)




E08 - Surveyor before choice (criterion-6-surveyor-before-choice.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Ping layer loaded (criterion-6-ping-layer-loaded.png)**  **E05 - Cluster before point (criterion-6-cluster-before-point.png)** 				
Criterion 6 continued: When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - Genuine target baseline (criterion-6-genuine-target-baseline.png)**  **E23 - Before distinct point (criterion-6-before-distinct-point.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E30 - Distinct valid point (criterion-6-distinct-valid-point.png)**  **E31 - Before failed target (criterion-6-before-failed-target.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When Ping details fail to load, the detail view shows an error state and does not display data as if it belonged to the selected point. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E32 - Final (criterion-6-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

