Automated Test Case Document

Jira Ticket: TEST2-84

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	19/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 6
About Metricell 17

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	19/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-84
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	19/10/2026
Limitations during Testing:	10 blocked; 0 inconclusive criterion(s). All 10 criteria are blocked by the unavailable Building layer in the accessible GIS catalogue. Browser screenshots were captured, but Building-specific testing could not be completed; permissions and feature/data availability cannot be distinguished from this evidence. Criterion 1: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires a selectable single Building point, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Criterion 2: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires multiple Building points at one map location, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Criterion 3: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires a selection containing too many Building points, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Criterion 4: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires a building dashboard with building and floorplan summary tables, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Criterion 5: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires a building with floorplans, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Criterion 6: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires a selectable floorplan with associated survey points, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from

	account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Criterion 7: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires a building without floorplans, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Criterion 8: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires a Building data loading operation, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Criterion 9: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires an unavailable Building data scenario, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Criterion 10: The accessible GIS layer catalogue returned 'No layers match this search.' for Building. This criterion requires a Building data load-error scenario, which could not be reached. The complete ticket and criteria supply no alternative Building entry point or fixture. Building functionality/data availability cannot be distinguished from account permissions from this UI; no product failure is inferred. The general GIS map loading state is not evidence of Building loading/no-data/error behavior. Filter restored after final capture. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. Selecting one Building point opens a separate dashboard for that building once its details load.	N	N	0
2. When multiple Building points are selected at one map location, the user can choose which building dashboard to open.	N	N	0
3. When the selection contains too many Building points to identify a building, the user is prompted to zoom in or apply filters, and no ambiguous building dashboard opens.	N	N	0

Area of test	Pass	Fail	Defects (No.)
4. When building information is available, the dashboard shows building and floorplan summary information in sortable and filterable tables.	N	N	0
5. When the building has floorplans, the dashboard displays their images and lets the user select a floorplan.	N	N	0
6. Selecting a floorplan displays its image with the associated survey points overlaid.	N	N	0
7. When the building has no floorplans, the dashboard displays available building details without an empty floorplan image area.	N	N	0
8. While Building data is loading, a loading state is displayed.	N	N	0
9. When Building data is unavailable, a no-data state is displayed.	N	N	0
10. When Building data fails to load, an error state is displayed without incorrect building data.	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Selecting one Building point opens a separate dashboard for that building once its details load.	Selecting one Building point opens a separate dashboard for that building once its details load.	criterion-1-after-open-gis.png shows an available GIS catalogue; criterion-1-after-filter-building.png and criterion-1-final.png show Building entered with 'No layers match this search.' A selectable single Building point was unavailable, so opening its separate dashboard could not be tested. This prerequisite blocker does not establish an application defect. Evidence: E01, E02	Blocked

Criterion 1 evidence: Selecting one Building point opens a separate dashboard for that building once its details load.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - After filter building (criterion-1-after-filter-building.png)




E02 - Final (criterion-1-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	When multiple Building points are selected at one map location, the user can choose which building dashboard to open.	When multiple Building points are selected at one map location, the user can choose which building dashboard to open.	criterion-2-after-open-gis.png shows an available GIS catalogue; criterion-2-after-filter-building.png and criterion-2-final.png show Building entered with 'No layers match this search.' Multiple Building points at one location were unavailable, so the building chooser could not be tested. This prerequisite blocker does not establish an application defect. Evidence: E03, E04	Blocked

Criterion 2 evidence: When multiple Building points are selected at one map location, the user can choose which building dashboard to open.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E03 - After filter building (criterion-2-after-filter-building.png)




E04 - Final (criterion-2-final.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	When the selection contains too many Building points to identify a building, the user is prompted to zoom in or apply filters, and no ambiguous building dashboard opens.	When the selection contains too many Building points to identify a building, the user is prompted to zoom in or apply filters, and no ambiguous building dashboard opens.	criterion-3-after-open-gis.png shows an available GIS catalogue; criterion-3-after-filter-building.png and criterion-3-final.png show Building entered with 'No layers match this search.' A large Building-point selection was unavailable, so the zoom/filter prompt and dashboard suppression could not be tested. This prerequisite blocker does not establish an application defect. Evidence: E05	Blocked

Criterion 3 evidence: When the selection contains too many Building points to identify a building, the user is prompted to zoom in or apply filters, and no ambiguous building dashboard opens.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E05 - Final (criterion-3-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	When building information is available, the dashboard shows building and floorplan summary information in sortable and filterable tables.	When building information is available, the dashboard shows building and floorplan summary information in sortable and filterable tables.	criterion-4-after-open-gis.png shows an available GIS catalogue; criterion-4-after-filter-building.png and criterion-4-final.png show Building entered with 'No layers match this search.' A Building dashboard was inaccessible, so building/floorplan summaries, sorting and filtering could not be tested; the visible Network Information panel is unrelated. This prerequisite blocker does not establish an application defect. Evidence: E06, E07	Blocked

Criterion 4 evidence: When building information is available, the dashboard shows building and floorplan summary information in sortable and filterable tables.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E06 - After filter building (criterion-4-after-filter-building.png)




E07 - Final (criterion-4-final.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	When the building has floorplans, the dashboard displays their images and lets the user select a floorplan.	When the building has floorplans, the dashboard displays their images and lets the user select a floorplan.	criterion-5-after-open-gis.png shows an available GIS catalogue; criterion-5-after-filter-building.png and criterion-5-final.png show Building entered with 'No layers match this search.' A building with floorplans was inaccessible, so floorplan images and selection could not be tested. This prerequisite blocker does not establish an application defect. Evidence: E08	Blocked

Criterion 5 evidence: When the building has floorplans, the dashboard displays their images and lets the user select a floorplan.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E08 - Final (criterion-5-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Selecting a floorplan displays its image with the associated survey points overlaid.	Selecting a floorplan displays its image with the associated survey points overlaid.	criterion-6-after-open-gis.png shows an available GIS catalogue; criterion-6-after-filter-building.png and criterion-6-final.png show Building entered with 'No layers match this search.' A selectable Building floorplan was unavailable, so its image and associated survey-point overlay could not be tested. This prerequisite blocker does not establish an application defect. Evidence: E09, E10	Blocked

Criterion 6 evidence: Selecting a floorplan displays its image with the associated survey points overlaid.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E09 - After filter building (criterion-6-after-filter-building.png)




E10 - Final (criterion-6-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	When the building has no floorplans, the dashboard displays available building details without an empty floorplan image area.	When the building has no floorplans, the dashboard displays available building details without an empty floorplan image area.	criterion-7-after-open-gis.png shows an available GIS catalogue; criterion-7-after-filter-building.png and criterion-7-final.png show Building entered with 'No layers match this search.' A building without floorplans was inaccessible, so its details and omission of an empty image area could not be tested. This prerequisite blocker does not establish an application defect. Evidence: E09, E10	Blocked

Criterion 7 evidence: When the building has no floorplans, the dashboard displays available building details without an empty floorplan image area.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E09 - After filter building (criterion-7-after-filter-building.png)




E10 - Final (criterion-7-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	While Building data is loading, a loading state is displayed.	While Building data is loading, a loading state is displayed.	criterion-8-after-open-gis.png shows an available GIS catalogue; criterion-8-after-filter-building.png and criterion-8-final.png show Building entered with 'No layers match this search.' No Building data request could be initiated, so its loading state could not be tested; the visible Surveyor table is unrelated. This prerequisite blocker does not establish an application defect. Evidence: E11, E12	Blocked

Criterion 8 evidence: While Building data is loading, a loading state is displayed.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E11 - After filter building (criterion-8-after-filter-building.png)




E12 - Final (criterion-8-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	When Building data is unavailable, a no-data state is displayed.	When Building data is unavailable, a no-data state is displayed.	criterion-9-after-open-gis.png shows an available GIS catalogue; criterion-9-after-filter-building.png and criterion-9-final.png show Building entered with 'No layers match this search.' No Building-specific unavailable-data scenario could be reached, so the required no-data state could not be tested; catalogue search emptiness is not that state. This prerequisite blocker does not establish an application defect. Evidence: E13, E14	Blocked

Criterion 9 evidence: When Building data is unavailable, a no-data state is displayed.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E13 - After filter building (criterion-9-after-filter-building.png)




E14 - Final (criterion-9-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
10.0.0	When Building data fails to load, an error state is displayed without incorrect building data.	When Building data fails to load, an error state is displayed without incorrect building data.	criterion-10-after-open-gis.png shows an available GIS catalogue; criterion-10-after-filter-building.png and criterion-10-final.png show Building entered with 'No layers match this search.' No Building data load could be initiated, so its error state and protection against incorrect building data could not be tested; the Automobile legend's Error category is unrelated. This prerequisite blocker does not establish an application defect. Evidence: E15, E16	Blocked

Criterion 10 evidence: When Building data fails to load, an error state is displayed without incorrect building data.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E15 - After filter building (criterion-10-after-filter-building.png)




E16 - Final (criterion-10-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Supporting setup captures - full attempt evidence remains in the local evidence folder				

E17 - After open gis (criterion-1-after-open-gis.png)



E18 - After open gis (criterion-2-after-open-gis.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

