Automated Test Case Document

Jira Ticket: TEST2-87

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	20/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 27

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	20/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-87
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	20/10/2026
Limitations during Testing:	3 blocked; 1 inconclusive criterion(s). Completed independent screenshot review of all seven criteria in attempt-002; required known-cell, zero-duration and exception-state fixtures remain unavailable. Criterion 1: The completed Call summary has no Duration or Handset field. Start/end times establish a measurable 20-second call. It displays Success, Connection Time 984, start/end times, and an empty Disconnection Cause Code. The empty cause value itself is not classified as a failure because no cause was supplied. Criterion 1: The first screenshot save failed with ENOENT because the handoff screenshot folder did not yet exist. Created that folder and restarted criterion 1 from the launcher before collecting its evidence. Criterion 7: This independent load reaches populated Call details successfully. No controlled unavailable-details/error fixture was supplied or found, and a standard loading state was not captured before the successful response settled. Successful populated details and the text 'No Error' do not prove the required loading/no-data/error behaviours. Criterion 7: Observed the settled successful Call detail view and inspected it for loading, no-data and error states. 'Error Message / No Error' is a normal summary field, not an observed load-error state. Criterion 7: Captured the successful final view as context for the unavailable exception-state fixtures; no pass is claimed for unexercised branches. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	N	Y	1
2. When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	N	Y	1
3. When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.	N	Y	0
4. For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	N	N	0
5. Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	Y	N	0
6. When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	N	N	0
7. While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests


Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	criterion-1-summary.png shows Success, Connection Time 984, start/end 10:41:30–10:41:50 and a blank disconnection-cause field, but no Duration or Handset in the captured summary. The timestamps establish measurable duration; the blank cause alone is not a defect. Evidence: E01, E02, E03, E04, E05, E06	Failed


Criterion 1 evidence: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.





Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before surveyor (criterion-1-before-surveyor.png)



E02 - After open surveyor (criterion-1-after-open-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before select call (criterion-1-before-select-call.png)**  **E04 - After add call (criterion-1-after-add-call.png)** 				
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - After map before call (criterion-1-after-map-before-call.png)**  **E06 - Final (criterion-1-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	criterion-2-before-hover-chart.png and criterion-2-final.png show signal strength over seconds with call-initiation, connection and end annotations. The chart legend and hovered tooltip show only Signal strength; service technology appears in the table, not across the timeline. Evidence: E07, E08, E03, E04, E09, E10, E06, E11	Failed





Criterion 2 evidence: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E07 - After gis before surveyor (criterion-2-after-gis-before-surveyor.png)



E08 - After surveyor before options (criterion-2-after-surveyor-before-options.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before select call (criterion-2-before-select-call.png)**  **E04 - After add before map (criterion-2-after-add-before-map.png)** 				
Criterion 2 continued: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After map before event (criterion-2-after-map-before-event.png)**  **E10 - After open event (criterion-2-after-open-event.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 2 continued: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E06 - Before hover chart (criterion-2-before-hover-chart.png)




E06 detail enlargement - full screenshot above




tate	Service	Serving Cell	Signal Strength	Speed
	4G	234-30-3369473	-57 dBm	0.26 m/s

E11 - Final (criterion-2-final.png)



E11 detail enlargement - full screenshot above




tate	Service	Serving Cell	Signal Strength	Speed
	4G	234-30-3369473	-57 dBm	0.26 m/s


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.	When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.	criterion-3-before-time-header-click.png and criterion-3-final.png show plain headers and the same first sample (10:41:30.420) after the reported Time click. Only one row is visible, with no complete ordering comparison or filtering interaction/state; these captures do not establish that sorting and filtering work or conclusively prove their absence. Evidence: E07, E08, E03, E04, E09, E10, E06	Failed





Criterion 3 evidence: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E07 - After gis before surveyor (criterion-3-after-gis-before-surveyor.png)



E08 - After surveyor before options (criterion-3-after-surveyor-before-options.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before select call (criterion-3-before-select-call.png)**  **E04 - After add before map (criterion-3-after-add-before-map.png)** 				
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After map before event (criterion-3-after-map-before-event.png)**  **E10 - After open event (criterion-3-after-open-event.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted and filtered. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	criterion-4-cgi-fallback.png and criterion-4-final.png show CGI 234-30-3369473 in the visible sample of two calls. No independently verified known-serving-site/cell fixture was established, so the known-cell branch and per-sample mapping rule cannot be assessed. Evidence: E07, E08, E03, E12, E09, E10, E13, E14, E15	Blocked





Criterion 4 evidence: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E07 - After gis before surveyor (criterion-4-after-gis-before-surveyor.png)




E08 - After surveyor before options (criterion-4-after-surveyor-before-options.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before select call (criterion-4-before-select-call.png)**  **E12 - After add before map (criterion-4-after-add-before-map.png)** 				
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After map before event (criterion-4-after-map-before-event.png)**  **E10 - After open event (criterion-4-after-open-event.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Before close for known point (criterion-4-before-close-for-known-point.png)**  **E14 - After known map before event (criterion-4-after-known-map-before-event.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	criterion-5-before-select-sample.png shows the 10:41:30.420 sample with −57 dBm and CGI 234-30-3369473; criterion-5-after-select-radio-details.png and criterion-5-final-selected-measurement.png show opened radio details with matching RSRP −57 dBm and CI 3369473. The recorded selection request uses sampleTime 2026-10-06T10:41:30.4200000. Evidence: E16, E08, E03, E17, E09, E10, E18, E19	Passed





Criterion 5 evidence: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E16 - After gis before surveyor (criterion-5-after-gis-before-surveyor.png)



E08 - After surveyor before options (criterion-5-after-surveyor-before-options.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before select call (criterion-5-before-select-call.png)**  **E17 - After add before map (criterion-5-after-add-before-map.png)** 				
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After map before event (criterion-5-after-map-before-event.png)**  **E10 - After open event (criterion-5-after-open-event.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - Before select sample (criterion-5-before-select-sample.png)**  **E19 - Final (criterion-5-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	criterion-6-completed-call-has-duration.png shows a populated 20-second call. The reported Setup Failures load returned HTTP 200 with points:[]; criterion-6-final.png shows the filtered map with no selectable call. No zero-duration fixture was available to open the required no-data dialog. Evidence: E07, E08, E20, E21, E09, E10, E06, E22, E23, E24, E25, E26, E27, E28	Blocked





Criterion 6 evidence: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E07 - After gis before surveyor (criterion-6-after-gis-before-surveyor.png)







E08 - After surveyor before options (criterion-6-after-surveyor-before-options.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - Before select call (criterion-6-before-select-call.png)**  **E21 - After add before map (criterion-6-after-add-before-map.png)** 				
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After map before event (criterion-6-after-map-before-event.png)**  **E10 - After open event (criterion-6-after-open-event.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - Completed call has duration (criterion-6-completed-call-has-duration.png)**  **E22 - Configuration before results (criterion-6-configuration-before-results.png)** 				
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E23 - Before setup failure filter (criterion-6-before-setup-failure-filter.png)**  **E24 - After setup failure filter (criterion-6-after-setup-failure-filter.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Before apply setup failures (criterion-6-before-apply-setup-failures.png)**  **E26 - After apply setup failures (criterion-6-after-apply-setup-failures.png)** 				
Criterion 6 continued: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - Before close completed details (criterion-6-before-close-completed-details.png)**  **E28 - Final (criterion-6-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	criterion-7-after-open-event.png and criterion-7-final.png already show populated Call details. The loading state was not captured, and controlled unavailable-details/error fixtures were not available; the required loading, no-data and error states remain unassessed. Evidence: E07, E08, E03, E29, E09, E30, E31	Blocked





Criterion 7 evidence: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E07 - After gis before surveyor (criterion-7-after-gis-before-surveyor.png)



E08 - After surveyor before options (criterion-7-after-surveyor-before-options.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before select call (criterion-7-before-select-call.png)**  **E29 - After add before map (criterion-7-after-add-before-map.png)** 				
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - After map before event (criterion-7-after-map-before-event.png)**  **E30 - After open event (criterion-7-after-open-event.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Final (criterion-7-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

