



Automated Test Case Document

Jira Ticket: TEST2-63

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	07/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell



This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History.....2

2 Test Cycle Information3

3 Test Summary.....3

4 Test Cases5

About Metricell12

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	07/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review



2 Test Cycle Information

Tester:	Automated
Jira Ticket:	TEST2-63
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 154.0.8037.98
Date of Test:	07/10/2026
Limitations during Testing:	3 blocked; 0 inconclusive criterion(s). The required Map layers list is unavailable in the existing GIS configuration, blocking loaded-layer baseline and invariance checks. Criterion 4: Compared the restored catalogue text with this criterion's own pre-search baseline: identical. Verified the Map region was visible and the page remained GIS at the exact /gis URL. No application-error page or sign-in screen interrupted the journey. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. With GIS open and Search layers empty, the layer catalogue visibly contains a Surveyor entry, and the currently loaded Map layers list is recorded as the baseline.	N	N	0
2. After entering Surveyor in Search layers, the entered text remains visible and the filtered catalogue visibly contains a Surveyor entry, without loading or removing a map layer.	N	N	0

Area of test	Pass	Fail	Defects (No.)
3. After clearing Search layers, the original catalogue entries are visible again, and the loaded Map layers list contains the same entries in the same order as the recorded baseline.	N	N	0
4. After the catalogue is restored, the application remains in GIS with the map visible and no application-error page or sign-in screen has interrupted the search-and-clear journey.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests


<i>Preconditions:</i>	V4 access and ticket conditions.	<i>Associated Requirements:</i>	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.
------------------------------	----------------------------------	--	------------------------	--------------------------	--

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	With GIS open and Search layers empty, the layer catalogue visibly contains a Surveyor entry, and the currently loaded Map layers list is recorded as the baseline.	With GIS open and Search layers empty, the layer catalogue visibly contains a Surveyor entry, and the currently loaded Map layers list is recorded as the baseline.	Empty Search layers, Surveyor and the map are visible in criterion-1-final.png. The required Map layers list is unavailable, so loaded-layer entries and order cannot be recorded as a baseline. Evidence: E01	Blocked

Criterion 1 evidence: With GIS open and Search layers empty, the layer catalogue visibly contains a Surveyor entry, and the currently loaded Map layers list is recorded as the baseline.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E01 - Final (criterion-1-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	After entering Surveyor in Search layers, the entered text remains visible and the filtered catalogue visibly contains a Surveyor entry, without loading or removing a map layer.	After entering Surveyor in Search layers, the entered text remains visible and the filtered catalogue visibly contains a Surveyor entry, without loading or removing a map layer.	Criterion 2 shows Surveyor retained in the search and a filtered Surveyor entry. The required Map layers list is unavailable before and after searching, preventing direct verification that loaded layers remain unchanged. Evidence: E02, E03	Blocked


Criterion 2 evidence: After entering Surveyor in Search layers, the entered text remains visible and the filtered catalogue visibly contains a Surveyor entry, without loading or removing a map layer.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E02 - Before search (criterion-2-before-search.png)



E03 - Final (criterion-2-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	After clearing Search layers, the original catalogue entries are visible again, and the loaded Map layers list contains the same entries in the same order as the recorded baseline.	After clearing Search layers, the original catalogue entries are visible again, and the loaded Map layers list contains the same entries in the same order as the recorded baseline.	Criterion 3 shows the search cleared and the visible original catalogue entries restored in their original order. The required Map layers list and loaded-layer baseline are unavailable, preventing comparison of loaded entries and order. Evidence: E02, E04, E05, E06	Blocked


Criterion 3 evidence: After clearing Search layers, the original catalogue entries are visible again, and the loaded Map layers list contains the same entries in the same order as the recorded baseline.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E02 - Before search (criterion-3-before-search.png)



E04 - After search (criterion-3-after-search.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 3 continued: After clearing Search layers, the original catalogue entries are visible again, and the loaded Map layers list contains the same entries in the same order as the recorded baseline.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E05 - Before clear (criterion-3-before-clear.png)


E06 - Final (criterion-3-final.png)

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	After the catalogue is restored, the application remains in GIS with the map visible and no application-error page or sign-in screen has interrupted the search-and-clear journey.	After the catalogue is restored, the application remains in GIS with the map visible and no application-error page or sign-in screen has interrupted the search-and-clear journey.	Criterion 4's own ordered search-and-clear captures show GIS throughout, the catalogue restored with empty search, and the map visible in the final state; no error or sign-in screen appears in the captured journey. The browser-derived URL confirms the GIS destination. Evidence: E02, E04, E03, E06	Passed


Criterion 4 evidence: After the catalogue is restored, the application remains in GIS with the map visible and no application-error page or sign-in screen has interrupted the search-and-clear journey.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E02 - Before search (criterion-4-before-search.png)




E04 - After search (criterion-4-after-search.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 4 continued: After the catalogue is restored, the application remains in GIS with the map visible and no application-error page or sign-in screen has interrupted the search-and-clear journey.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E03 - Before clear (criterion-4-before-clear.png)




E06 - Final (criterion-4-final.png)




Supporting setup captures - full attempt evidence remains in the local evidence folder

E07 - After open gis (criterion-1-after-open-gis.png)



E08 - After open gis (criterion-2-after-open-gis.png)





About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

