



Automated Test Case Document

Jira Ticket: TEST2-61

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	07/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell



This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution or reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History.....2

2 Test Cycle Information3

3 Test Summary.....3

4 Test Cases4

About Metricell29

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	07/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review



2 Test Cycle Information

Tester:	Automated
Jira Ticket:	TEST2-61
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 154.0.8037.98
Date of Test:	07/10/2026
Limitations during Testing:	Criterion 2: First attempt to open Surveyor via nested button timed out; clicked visible Surveyor row successfully. Criterion 3: Navigated to launcher, opened GIS with 32 existing layers; Network was already collapsed, and attempted collapse timed out without changing state. Criterion 4: Cleared Search layers; Beacons (1) and Surveyor (2) reappeared with empty search. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Passed
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. With GIS open, one test-created Surveyor...	Y	N	0
2. After entering TEST2_NO_SUCH_LAYER_20261006...	Y	N	0
3. While the non-matching search is active, the...	Y	N	0
4. After clearing Search layers, both recorded...	Y	N	0

Area of test	Pass	Fail	Defects (No.)
5. After clearing the non-matching search, the...	Y	N	0
6. After searching for Surveyor in Search...	Y	N	0
7. After clearing the Surveyor search, the...	Y	N	0
8. The search journey completes without an error...	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests


Preconditions:	V4 access and ticket conditions.	Associated Requirements:	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.
-----------------------	----------------------------------	---------------------------------	------------------------	--------------------------	--

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	With GIS open, one test-created Surveyor layer loaded using defaults, and Search layers empty, the unfiltered catalogue visibly includes Surveyor and the recorded non-Surveyor catalogue entry, while the test-created layer is identifiable in Map layers or the legend.	With GIS open, one test-created Surveyor layer loaded using defaults, and Search layers empty, the unfiltered catalogue visibly includes Surveyor and the recorded non-Surveyor catalogue entry, while the test-created layer is identifiable in Map layers or the legend.	criterion-1-after-collapse-network.png shows one existing Surveyor - Service; the newly opened dialog and pre-confirmation capture show unchanged Service / Last 30 days options. criterion-1-final.png shows empty Search layers, Beacons, Surveyor (2), and the added second Surveyor - Service row. Evidence: E01, E02, E03, E04, E05	Passed


Criterion 1 evidence: With GIS open, one test-created Surveyor layer loaded using defaults, and Search layers empty, the unfiltered catalogue visibly includes Surveyor and the recorded non-Surveyor catalogue entry, while the test-created layer is identifiable in Map layers or the legend.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E01 - Before collapse network (criterion-1-before-collapse-network.png)



E02 - After collapse network (criterion-1-after-collapse-network.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------


Criterion 1 continued: With GIS open, one test-created Surveyor layer loaded using defaults, and Search layers empty, the unfiltered catalogue visibly includes Surveyor and the recorded non-Surveyor catalogue entry, while the test-created layer is identifiable in Map layers or the legend.


Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E03 - Before confirm defaults (criterion-1-before-confirm-defaults.png)



E04 - After confirm defaults (criterion-1-after-confirm-defaults.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
	Criterion 1 continued: With GIS open, one test-created Surveyor layer loaded using defaults, and Search layers empty, the unfiltered catalogue visibly includes Surveyor and the recorded non-Surveyor catalogue entry, while the test-created layer is identifiable in Map layers or the legend. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis E05 - Final (criterion-1-final.png)		 The screenshot displays the METRICELL GIS web application. The interface includes a top navigation bar with the METRICELL logo, a search bar, and buttons for 'Single', 'Dual', 'Ask AI...', 'Update', and 'New'. On the left, a sidebar lists various data layers under categories like 'Network', 'Tests and Measurements', 'Improvement Areas', 'Planning', and 'Custom Datasets'. The main map area shows a geographical view of the British Isles. A legend on the right side of the map details the 'Surveyor - Service' layer, showing color-coded points for 'No Service' and signal strength ranges for 5G NSA RSRP, 5G SA RSRP, 4G RSRP, and 3G RSCP. The map also features a scale bar and a 'mapbox' logo at the bottom.	

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	After entering TEST2_NO_SUCH_LAYER_20261006 in Search layers, neither recorded catalogue entry is visible in the filtered catalogue.	After entering TEST2_NO_SUCH_LAYER_20261006 in Search layers, neither recorded catalogue entry is visible in the filtered catalogue.	criterion-2-before-no-match.png shows Beacons and Surveyor; criterion-2-after-no-match.png and criterion-2-final.png show TEST2_NO_SUCH_LAYER_20261006 and a catalogue with no entries. The recorded interaction timeout was recovered before filtering. Evidence: E06, E07	Passed


Criterion 2 evidence: After entering TEST2_NO_SUCH_LAYER_20261006 in Search layers, neither recorded catalogue entry is visible in the filtered catalogue.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E06 - Before no match (criterion-2-before-no-match.png)



E07 - Final (criterion-2-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	While the non-matching search is active, the entered search text remains visible and the Map layers list is unchanged from the pre-search state.	While the non-matching search is active, the entered search text remains visible and the Map layers list is unchanged from the pre-search state.	The criterion-3 recheck baseline and asserted captures at 0, 8, 16, 24 and 32 show the same complete 33-row list in the same order, including the final Surveyor - Service. The non-matching search text remains visible throughout the asserted captures; this complete recheck supersedes the earlier incomplete coverage. Evidence: E06, E08, E09, E10, E11, E12, E07, E13, E14, E15	Passed


Criterion 3 evidence: While the non-matching search is active, the entered search text remains visible and the Map layers list is unchanged from the pre-search state.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E06 - Recheck baseline layers 0 (criterion-3-recheck-baseline-layers-0.png)



E08 - Recheck baseline layers 8 (criterion-3-recheck-baseline-layers-8.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------


Criterion 3 continued: While the non-matching search is active, the entered search text remains visible and the Map layers list is unchanged from the pre-search state.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E09 - Recheck baseline layers 16 (criterion-3-recheck-baseline-layers-16.png)




E10 - Recheck baseline layers 24 (criterion-3-recheck-baseline-layers-24.png)




Criterion 3 continued: While the non-matching search is active, the entered search text remains visible and the Map layers list is unchanged from the pre-search state.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E11 - Recheck before no match (criterion-3-recheck-before-no-match.png)



E12 - Recheck after no match (criterion-3-recheck-after-no-match.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------


Criterion 3 continued: While the non-matching search is active, the entered search text remains visible and the Map layers list is unchanged from the pre-search state.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E07 - Recheck asserted layers 0 (criterion-3-recheck-asserted-layers-0.png)




E13 - Recheck asserted layers 8 (criterion-3-recheck-asserted-layers-8.png)




Criterion 3 continued: While the non-matching search is active, the entered search text remains visible and the Map layers list is unchanged from the pre-search state.


Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E14 - Recheck asserted layers 16 (criterion-3-recheck-asserted-layers-16.png)



E15 - Recheck asserted layers 24 (criterion-3-recheck-asserted-layers-24.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: While the non-matching search is active, the entered search text remains visible and the Map layers list is unchanged from the pre-search state. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis E12 - Recheck final (criterion-3-recheck-final.png)				
	 The screenshot displays the METRICELL GIS web application. The search bar at the top left contains the text 'TEST2_NO_SUCH_LAYER_20261006'. Below the search bar, a message states 'No layers match this search.' The map shows the United Kingdom with various colored overlays representing different data layers. On the right side, there is a legend titled 'Surveyor - Service' which lists several layers: 'ALL Coverage map Landgate A...', 'Demand Score', 'Proposed Development', 'Site Search Area', 'Beacon Chunks', 'Prospective Sites', 'Unwind Polygons', 'TheGrid Blue Report Sites', and 'Surveyor - Service'. The map also shows a scale bar for 100 km and a 'Snapshots' button at the bottom left.			

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	After clearing Search layers, both recorded catalogue entries are visible again.	After clearing Search layers, both recorded catalogue entries are visible again.	criterion-4-after-no-match.png shows the empty filtered catalogue; criterion-4-after-clear-no-match.png and criterion-4-final.png show an empty search and both Beacons (1) and Surveyor (2) restored. Evidence: E06, E16, E17, E18	Passed


Criterion 4 evidence: After clearing Search layers, both recorded catalogue entries are visible again.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E06 - Before no match (criterion-4-before-no-match.png)




E16 - After no match (criterion-4-after-no-match.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 4 continued: After clearing Search layers, both recorded catalogue entries are visible again.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E17 - Before clear no match (criterion-4-before-clear-no-match.png)



E18 - Final (criterion-4-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	After clearing the non-matching search, the original Map layers list is unchanged, with no layer added or removed.	After clearing the non-matching search, the original Map layers list is unchanged, with no layer added or removed.	The criterion-5 recheck baseline and asserted captures at 0, 8, 16, 24 and 32 show the same complete 33-row list and ordering. Its own no-match and clear captures show the intervening search and recovery; the recovered recheck supersedes earlier incomplete list coverage. Evidence: E06, E08, E19, E10, E11, E12, E20, E18, E21, E22, E23	Passed


Criterion 5 evidence: After clearing the non-matching search, the original Map layers list is unchanged, with no layer added or removed.

Browser URL recorded after clearing: <https://o2intelligence-v4-dev.metricell.com/gis>

E06 - Recheck baseline layers 0 (criterion-5-recheck-baseline-layers-0.png)




E08 - Recheck baseline layers 8 (criterion-5-recheck-baseline-layers-8.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 5 continued: After clearing the non-matching search, the original Map layers list is unchanged, with no layer added or removed.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E19 - Recheck baseline layers 16 (criterion-5-recheck-baseline-layers-16.png)




E10 - Recheck baseline layers 24 (criterion-5-recheck-baseline-layers-24.png)




Criterion 5 continued: After clearing the non-matching search, the original Map layers list is unchanged, with no layer added or removed.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E11 - Recheck before no match (criterion-5-recheck-before-no-match.png)



E12 - Recheck before clear no match (criterion-5-recheck-before-clear-no-match.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------


Criterion 5 continued: After clearing the non-matching search, the original Map layers list is unchanged, with no layer added or removed.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E20 - Recheck after clear no match (criterion-5-recheck-after-clear-no-match.png)




E18 - Recheck asserted layers 0 (criterion-5-recheck-asserted-layers-0.png)




Criterion 5 continued: After clearing the non-matching search, the original Map layers list is unchanged, with no layer added or removed.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E21 - Recheck asserted layers 8 (criterion-5-recheck-asserted-layers-8.png)




E22 - Recheck asserted layers 16 (criterion-5-recheck-asserted-layers-16.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 5 continued: After clearing the non-matching search, the original Map layers list is unchanged, with no layer added or removed.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E23 - Recheck asserted layers 24 (criterion-5-recheck-asserted-layers-24.png)



E20 - Recheck final (criterion-5-recheck-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	After searching for Surveyor in Search layers, the Surveyor catalogue entry is visible.	After searching for Surveyor in Search layers, the Surveyor catalogue entry is visible.	criterion-6-after-search-surveyor.png and criterion-6-final.png show Surveyor in Search layers and the Surveyor (2) entry in the filtered catalogue. Evidence: E24, E25, E26, E27	Passed


Criterion 6 evidence: After searching for Surveyor in Search layers, the Surveyor catalogue entry is visible.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E24 - Before no match (criterion-6-before-no-match.png)




E25 - Before clear no match (criterion-6-before-clear-no-match.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 6 continued: After searching for Surveyor in Search layers, the Surveyor catalogue entry is visible.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E26 - Before search surveyor (criterion-6-before-search-surveyor.png)



E27 - Final (criterion-6-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	After clearing the Surveyor search, the original catalogue and the same loaded layers are restored.	After clearing the Surveyor search, the original catalogue and the same loaded layers are restored.	The criterion-7 recheck captures show its own no-match, clear, Surveyor and clear sequence. Baseline and asserted captures at 0, 8, 16, 24 and 32 show the same complete 33-row list and original visible catalogue with empty search; this recheck supersedes earlier incomplete coverage. Evidence: E28, E29, E30, E31, E32, E33, E34, E35, E36, E37, E38, E39, E40	Passed


Criterion 7 evidence: After clearing the Surveyor search, the original catalogue and the same loaded layers are restored.

Browser URL recorded after clearing: <https://o2intelligence-v4-dev.metricell.com/gis>

E28 - Recheck baseline layers 0 (criterion-7-recheck-baseline-layers-0.png)




E29 - Recheck baseline layers 8 (criterion-7-recheck-baseline-layers-8.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 7 continued: After clearing the Surveyor search, the original catalogue and the same loaded layers are restored.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E30 - Recheck baseline layers 16 (criterion-7-recheck-baseline-layers-16.png)




E31 - Recheck baseline layers 24 (criterion-7-recheck-baseline-layers-24.png)




Criterion 7 continued: After clearing the Surveyor search, the original catalogue and the same loaded layers are restored.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E32 - Recheck baseline layers 32 (criterion-7-recheck-baseline-layers-32.png)



E33 - Recheck before no match (criterion-7-recheck-before-no-match.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 7 continued: After clearing the Surveyor search, the original catalogue and the same loaded layers are restored.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E34 - Recheck before clear no match (criterion-7-recheck-before-clear-no-match.png)

E35 - Recheck before search surveyor (criterion-7-recheck-before-search-surveyor.png)

Criterion 7 continued: After clearing the Surveyor search, the original catalogue and the same loaded layers are restored.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>


E36 - Recheck before clear surveyor (criterion-7-recheck-before-clear-surveyor.png)

E35 - Recheck after clear surveyor (criterion-7-recheck-after-clear-surveyor.png)


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 7 continued: After clearing the Surveyor search, the original catalogue and the same loaded layers are restored.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E37 - Recheck asserted layers 0 (criterion-7-recheck-asserted-layers-0.png)




E38 - Recheck asserted layers 8 (criterion-7-recheck-asserted-layers-8.png)




Criterion 7 continued: After clearing the Surveyor search, the original catalogue and the same loaded layers are restored.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E39 - Recheck asserted layers 16 (criterion-7-recheck-asserted-layers-16.png)



E40 - Recheck asserted layers 24 (criterion-7-recheck-asserted-layers-24.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: After clearing the Surveyor search, the original catalogue and the same loaded layers are restored. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis E35 - Recheck final (criterion-7-recheck-final.png)				
				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	The search journey completes without an error page or sign-in screen interrupting it.	The search journey completes without an error page or sign-in screen interrupting it.	The criterion-8 search sequence and final capture remain in GIS with no error page or sign-in screen. criterion-8-after-open-gis.png still shows loading, but criterion-8-before-no-match.png shows the settled map before the complete no-match, clear, Surveyor and clear journey. Evidence: E06, E07, E16, E18, E41	Passed


Criterion 8 evidence: The search journey completes without an error page or sign-in screen interrupting it.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E06 - Before no match (criterion-8-before-no-match.png)




E07 - After no match (criterion-8-after-no-match.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 8 continued: The search journey completes without an error page or sign-in screen interrupting it.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E16 - Before clear no match (criterion-8-before-clear-no-match.png)




E18 - Before search surveyor (criterion-8-before-search-surveyor.png)




Criterion 8 continued: The search journey completes without an error page or sign-in screen interrupting it.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E41 - Before clear surveyor (criterion-8-before-clear-surveyor.png)




E18 - Final (criterion-8-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Supporting setup captures - full attempt evidence remains in the local evidence folder

E42 - After open gis (criterion-2-after-open-gis.png)



E43 - After open gis (criterion-3-after-open-gis.png)





About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

