



Automated Test Case Document

Jira Ticket: TEST2-46

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	30/09/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell



This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution or reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History.....2

2 Test Cycle Information3

3 Test Summary.....3

4 Test Cases5

About Metricell18

Version	Date	Revision Author	Summary of Changes
[1.0]	30/09/2026	TEST2 QA Automation	Generated from TEST2 evidence review



Tester:	Automated
Jira Ticket:	TEST2-46
Environment:	Chrome
Browser Details:	Chrome version not recorded
Date of Test:	30/09/2026
Limitations during Testing:	None recorded

Area of test	Pass	Fail	Defects (No.)
1. With two supported Surveyor layers available in the V4 GIS layer panel, select the first layer and verify that its displayed configuration matches that layer's configured defaults.	N	Y	1
2. After selecting a second supported Surveyor layer, verify that it becomes the active layer and that the displayed configuration matches the second layer's configured defaults rather than the previously selected layer's configuration.	Y	N	0
3. After saving or otherwise entering a valid GIS state with a Surveyor layer selected,	N	Y	1



restore or reload that GIS state and verify that the same Surveyor layer remains selected and its displayed options are restored without an invalid selection state.			
--	--	--	--



All automated tests must map to an approved criterion and produce reproducible results plus decisive evidence. Use Failed, Blocked, or Unverified where applicable.



4.1 Tests



Preconditions:	Not recorded in agent output.	Associated Requirements:	Criteria from criteria.md.	Automation Notes:	Automated browser run; PNG evidence reviewed.
-----------------------	-------------------------------	---------------------------------	----------------------------	--------------------------	---


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	With two supported Surveyor layers available in the V4 GIS layer panel, select the first layer and verify that its displayed configuration matches that layer's configured defaults.	With two supported Surveyor layers available in the V4 GIS layer panel, select the first layer and verify that its displayed configuration matches that layer's configured defaults.	Screenshots show Surveyor - Service selected and its configuration, but the layer panel lists only one Surveyor catalog item and no independent configured-default reference is available to establish that these are the configured defaults. Steps taken: Opened the launcher and selected GIS.; Added the available Surveyor catalog layer, selected Service, and applied the configuration.; Observed Service, Last 30 days, the full technology selection, and the Service signal-strength legend.	Failed
















				
2.0.0	After selecting a second supported Surveyor layer, verify that it becomes the active layer and that the displayed configuration matches the second layer's configured defaults rather than the previously selected layer's configuration.	After selecting a second supported Surveyor layer, verify that it becomes the active layer and that the displayed configuration matches the second layer's configured defaults rather than the previously selected layer's configuration.	The screenshots show Surveyor - Download as the active layer with Download Rate legend bands after switching from Service, supporting that the active configuration changed. Steps taken: Returned to the launcher and opened GIS.; Opened the existing Surveyor - Service configuration.; Changed Active layer from Service to Download and applied it.; Verified the selected layer became Surveyor - Download and the legend changed from Colour by Signal Strength to Colour by Download Rate, with Download Rate bands.	Passed





				
3.0.0	After saving or otherwise entering a valid GIS state with a Surveyor layer selected, restore or reload that GIS state and verify that the same Surveyor layer remains selected and its displayed options are restored without an invalid selection state.	After saving or otherwise entering a valid GIS state with a Surveyor layer selected, restore or reload that GIS state and verify that the same Surveyor layer remains selected and its displayed options are restored without an invalid selection state.	The after-restore screenshot shows Surveyor - Service with Signal Strength, while the state previously applied was Surveyor - Download with Download Rate; the applied selection and options did not persist through reopening GIS. Steps taken: After applying Surveyor - Download, returned to the launcher as required before the next criterion.; Reopened GIS and checked the active layer and displayed options.; Observed Surveyor - Service and its Signal Strength legend rather than the previously applied Surveyor - Download state.; Removed the temporary Surveyor layer to restore the initially empty map layer selection.	Failed





About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

