Automated Test Case Document

Jira Ticket: TEST2-83

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	21/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 6
About Metricell 13

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	21/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-83
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	21/10/2026
Limitations during Testing:	Blocked criterion(s): 1, 2, 3, 4, 5, 6, 7, 8, 9. See the assessment below each criterion. Some source URLs were not recorded. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Outcome	Fail	Defects (No.)
1. Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	Blocked	N	0
2. Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	Blocked	N	0
3. Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	Blocked	N	0
4. Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	Blocked	N	0
5. Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	Blocked	N	0
6. Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	Blocked	N	0
7. Given Service point details are loading, the detail presentation shows a loading state.	Blocked	N	0
8. Given Service point details are unavailable, the detail presentation shows a no-data state.	Blocked	N	0

Metricell Limited © 2026 – Refer to Title Page
Commercial in Confidence

Area of test	Outcome	Fail	Defects (No.)
9. Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	Blocked	N	0





4 Test Cases


Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	criterion-1-service-selected.png shows Automobile > Test type > Service; criterion-1-service-load.png and criterion-1-final.png show the Automobile - Service layer and legend with no visible selectable points or detail dialog. Tester reports GET /api/platform/automobile/service/points returned HTTP 500 across three batches, reproduced on a fresh load; the PNGs do not independently show HTTP status or an on-screen error. Serving-cell details could not be tested; the map does not establish a settled empty response. Evidence: E01, E02, E03, E04, E05	Blocked
Criterion 1 assessment: criterion-1-service-selected.png shows Automobile > Test type > Service; criterion-1-service-load.png and criterion-1-final.png show the Automobile - Service layer and legend with no visible selectable points or detail dialog. Tester reports GET /api/platform/automobile/service/points returned HTTP 500 across three batches, reproduced on a fresh load; the PNGs do not independently show HTTP status or an on-screen error. Serving-cell details could not be tested; the map does not establish a settled empty response. Testing notes: GET /api/platform/automobile/service/points returned HTTP 500 for all three visible-map tile batches, reproduced by one controlled fresh GIS load. Automobile > Test type > Service and all technology choices including 5G SA are available, but no Service points could be retrieved for selection. This is not a settled empty response or a Service-detail error-state test. No on-screen HTTP error message was observed.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 evidence: Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E01 - Before automobile (criterion-1-before-automobile.png)**  **E02 - Automobile configuration (criterion-1-automobile-configuration.png)** 				
Criterion 1 continued: Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Test types (criterion-1-test-types.png)**  **E04 - Service selected (criterion-1-service-selected.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Final (criterion-1-final.png)**  				
2.0.0	Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	Neighbour sections could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected point, returned neighbour data or criterion-specific detail evidence is available. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 assessment: Neighbour sections could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected point, returned neighbour data or criterion-specific detail evidence is available. Testing notes: GET /api/platform/automobile/service/points returned HTTP 500 for all three visible-map tile batches, reproduced by one controlled fresh GIS load. Automobile > Test type > Service and all technology choices including 5G SA are available, but no Service points could be retrieved for selection. This is not a settled empty response or a Service-detail error-state test. No on-screen HTTP error message was observed. This criterion requires a selected Service point and its detail request, which could not be established. No criterion-specific detail PNG was possible; criterion 1's images are not reused as this criterion's evidence. No loading/error/no-data simulation was installed because the correct selected-record detail request could not first be established.				
3.0.0	Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	The no-neighbour presentation could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected point or detail response without neighbours is available; an empty-looking map does not establish this state. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 3 assessment: The no-neighbour presentation could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected point or detail response without neighbours is available; an empty-looking map does not establish this state. Testing notes: GET /api/platform/automobile/service/points returned HTTP 500 for all three visible-map tile batches, reproduced by one controlled fresh GIS load. Automobile > Test type > Service and all technology choices including 5G SA are available, but no Service points could be retrieved for selection. This is not a settled empty response or a Service-detail error-state test. No on-screen HTTP error message was observed. This criterion requires a selected Service point and its detail request, which could not be established. No criterion-specific detail PNG was possible; criterion 1's images are not reused as this criterion's evidence. No loading/error/no-data simulation was installed because the correct selected-record detail request could not first be established.				
4.0.0	Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	Sorting and filtering detail rows could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected point, loaded rows or criterion-specific interaction evidence is available. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 4 assessment: Sorting and filtering detail rows could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected point, loaded rows or criterion-specific interaction evidence is available. Testing notes: GET /api/platform/automobile/service/points returned HTTP 500 for all three visible-map tile batches, reproduced by one controlled fresh GIS load. Automobile > Test type > Service and all technology choices including 5G SA are available, but no Service points could be retrieved for selection. This is not a settled empty response or a Service-detail error-state test. No on-screen HTTP error message was observed. This criterion requires a selected Service point and its detail request, which could not be established. No criterion-specific detail PNG was possible; criterion 1's images are not reused as this criterion's evidence. No loading/error/no-data simulation was installed because the correct selected-record detail request could not first be established.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	Generation-specific detail KPI names could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). Layer configuration and legend labels do not establish the KPI names in loaded point details. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 5 assessment: Generation-specific detail KPI names could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). Layer configuration and legend labels do not establish the KPI names in loaded point details. Testing notes: GET /api/platform/automobile/service/points returned HTTP 500 for all three visible-map tile batches, reproduced by one controlled fresh GIS load. Automobile > Test type > Service and all technology choices including 5G SA are available, but no Service points could be retrieved for selection. This is not a settled empty response or a Service-detail error-state test. No on-screen HTTP error message was observed. This criterion requires a selected Service point and its detail request, which could not be established. No criterion-specific detail PNG was possible; criterion 1's images are not reused as this criterion's evidence. No loading/error/no-data simulation was installed because the correct selected-record detail request could not first be established.				
6.0.0	Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	5G SA point-detail loading could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected 5G SA point or criterion-specific detail journey is available. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 6 assessment: 5G SA point-detail loading could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected 5G SA point or criterion-specific detail journey is available. Testing notes: GET /api/platform/automobile/service/points returned HTTP 500 for all three visible-map tile batches, reproduced by one controlled fresh GIS load. Automobile > Test type > Service and all technology choices including 5G SA are available, but no Service points could be retrieved for selection. This is not a settled empty response or a Service-detail error-state test. No on-screen HTTP error message was observed. This criterion requires a selected Service point and its detail request, which could not be established. No criterion-specific detail PNG was possible; criterion 1's images are not reused as this criterion's evidence. No loading/error/no-data simulation was installed because the correct selected-record detail request could not first be established.				
7.0.0	Given Service point details are loading, the detail presentation shows a loading state.	Given Service point details are loading, the detail presentation shows a loading state.	The detail loading state could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected-record detail request or criterion-specific loading/recovery captures exist; no simulation was used. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 assessment: The detail loading state could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected-record detail request or criterion-specific loading/recovery captures exist; no simulation was used. Testing notes: GET /api/platform/automobile/service/points returned HTTP 500 for all three visible-map tile batches, reproduced by one controlled fresh GIS load. Automobile > Test type > Service and all technology choices including 5G SA are available, but no Service points could be retrieved for selection. This is not a settled empty response or a Service-detail error-state test. No on-screen HTTP error message was observed. This criterion requires a selected Service point and its detail request, which could not be established. No criterion-specific detail PNG was possible; criterion 1's images are not reused as this criterion's evidence. No loading/error/no-data simulation was installed because the correct selected-record detail request could not first be established.				
8.0.0	Given Service point details are unavailable, the detail presentation shows a no-data state.	Given Service point details are unavailable, the detail presentation shows a no-data state.	The detail no-data state could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected-record detail request or empty-detail response exists; the map is not evidence of no-data details. No simulation was used. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 8 assessment: The detail no-data state could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). No selected-record detail request or empty-detail response exists; the map is not evidence of no-data details. No simulation was used. Testing notes: GET /api/platform/automobile/service/points returned HTTP 500 for all three visible-map tile batches, reproduced by one controlled fresh GIS load. Automobile > Test type > Service and all technology choices including 5G SA are available, but no Service points could be retrieved for selection. This is not a settled empty response or a Service-detail error-state test. No on-screen HTTP error message was observed. This criterion requires a selected Service point and its detail request, which could not be established. No criterion-specific detail PNG was possible; criterion 1's images are not reused as this criterion's evidence. No loading/error/no-data simulation was installed because the correct selected-record detail request could not first be established.				
9.0.0	Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	The detail error state and absence of incorrect data could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). A failed points request is not a failed detail request; no criterion-specific error/recovery evidence or simulation exists. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 assessment: The detail error state and absence of incorrect data could not be tested because Automobile Service point retrieval was blocked (tester reports repeated GET /api/platform/automobile/service/points HTTP 500). A failed points request is not a failed detail request; no criterion-specific error/recovery evidence or simulation exists. Testing notes: GET /api/platform/automobile/service/points returned HTTP 500 for all three visible-map tile batches, reproduced by one controlled fresh GIS load. Automobile > Test type > Service and all technology choices including 5G SA are available, but no Service points could be retrieved for selection. This is not a settled empty response or a Service-detail error-state test. No on-screen HTTP error message was observed. This criterion requires a selected Service point and its detail request, which could not be established. No criterion-specific detail PNG was possible; criterion 1's images are not reused as this criterion's evidence. No loading/error/no-data simulation was installed because the correct selected-record detail request could not first be established.				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

