Automated Test Case Document

Jira Ticket: TEST2-83

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.2
Date:	28/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
4.1 Tests 5
About Metricell 23

1 Revision History

Version	Date	Revision Author	Summary of Changes
1.2	28/10/2026	TEST2 QA follow-up	Added genuine no-neighbour, 3G and SA checks and recorded human acceptance for criteria 2 and 4.

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-83
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.48
Date of Test:	27-28/10/2026
Limitations during Testing:	Blocked criterion(s): 8. See the assessment below each criterion. Criteria 7, 9 used simulated UI conditions; see their assessments.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis
Review update:	8 Passed, 0 Failed, 1 Blocked. Criterion 8 needs an unavailable-detail fixture or agreed response contract. Original test history retained; focused follow-up completed 28/10/2026. Criteria 2 and 4 include scoped human acceptance.

3 Test Summary

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	Y	N	N	0
2. Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	Y	N	N	0
3. Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	Y	N	N	0
4. Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	Y	N	N	0
5. Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	Y	N	N	0
6. Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	Y	N	N	0
7. Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data.	Y	N	N	0
8. Given Service point details are unavailable, the detail presentation shows a no-data state without displaying incorrect detail data.	N	N	Y	0
9. Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	Y	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	criterion-1-final.png, criterion-1-serving-280.png and criterion-1-final-complete-serving.png show point 131928136, serving cell 2592_130_4 and the complete serving panel. The overlapping captures display the identity, location and radio fields reconciled with the recorded genuine Service response. Evidence: E01, E02, E03	Passed


Criterion 1 evidence: Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E01 - Final (criterion-1-final.png)




E02 - Serving 280 (criterion-1-serving-280.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Final complete serving (criterion-1-final-complete-serving.png)** 				
2.0.0	Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	All seven returned neighbours are shown in distinct sections. Harry explicitly accepted the demonstrated side-by-side placement on 28 October 2026; the earlier placement-only failure is withdrawn under that scoped human acceptance. Evidence: E04, E05, E06, E07, E08	Passed
Criterion 2 assessment: Testing notes: All seven returned neighbours are shown in distinct sections. Harry explicitly accepted the demonstrated side-by-side placement on 28 October 2026; the earlier placement-only failure is withdrawn under that scoped human acceptance. Recorded the final GIS URL and inspected saved captures. Cleanup initially timed out after closing the cluster tab; inspected current UI, then closed the remaining owned detail tab and removed the layer before restarting criterion 3.				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 evidence: Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Neighbours 0 (criterion-2-neighbours-0.png)**  **E05 - Neighbours 280 (criterion-2-neighbours-280.png)** 				
Criterion 2 continued: Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - Neighbours 560 (criterion-2-neighbours-560.png)**  **E07 - Neighbours 840 (criterion-2-neighbours-840.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Final (criterion-2-final.png)** 			


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	criterion-3-followup-selected-row.png, criterion-3-followup-final.png and criterion-3-followup-serving.png show the genuine Service record opened successfully with serving cell 504712_130_4 and serving-site information retained. With no neighbours, the right panel says "No cell neighbours are available for this point." No empty neighbour field block is rendered; the informational message is retained as the actual observed state. Evidence: E09, E10, E11	Passed


Criterion 3 evidence: Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E09 - Followup selected row (criterion-3-followup-selected-row.png)



E10 - Followup final (criterion-3-followup-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Followup serving (criterion-3-followup-serving.png)**  			


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	The existing captures demonstrate selection-table sorting and filtering. Harry explicitly accepted that demonstrated scope as satisfying criterion 4 on 28 October 2026. This is a scoped human acceptance, not a claim that a different detail table was exercised. Evidence: E12, E13, E14, E15	Passed



Criterion 4 evidence: Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E12 - Baseline (criterion-4-baseline.png)



E13 - Sorted ascending (criterion-4-sorted-ascending.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Sorted descending (criterion-4-sorted-descending.png)**  **E15 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	The earlier evidence covers 2G, 4G and 5G NSA. Fresh 28 October captures add genuine 3G and 5G SA details: 3G uses RSCP, PSC, UARFCN and Ec/N0; SA uses RSRP, RSRQ, SINR, PCI and EARFCN. Some 3G values are N/A. Service generation and Data Technology are separate displayed fields; the latter reads 4G on the 3G record and 2G on the SA record. This check verifies generation-specific KPI labels, not that those separate source fields agree. Evidence: E16, E17, E18, E19, E20, E21, E22, E23, E24, E25	Passed





Criterion 5 evidence: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E16 - 2g kpis top (criterion-5-2g-kpis-top.png)



E17 - 2g kpis bottom (criterion-5-2g-kpis-bottom.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - Followup 3g top (criterion-5-followup-3g-top.png)**  **E19 - Followup 3g kpis (criterion-5-followup-3g-kpis.png)** 				
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - 4g top (criterion-5-4g-top.png)**  **E21 - 4g kpis (criterion-5-4g-kpis.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E22 - Nsa kpis top (criterion-5-nsa-kpis-top.png)




E23 - Nsa kpis bottom (criterion-5-nsa-kpis-bottom.png)




Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E24 - Followup sa top (criterion-5-followup-sa-top.png)




E25 - Followup sa kpis (criterion-5-followup-sa-kpis.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	criterion-6-followup-sa-configuration.png and criterion-6-followup-selected-row.png establish the SA-only selection. criterion-6-followup-final.png and criterion-6-followup-identity.png show the genuine London-area record dated 24/08/2026 11:16:54 opened successfully. The matching detail shows Service 5G SA, Generation 5, serving cell 1307_13702_5 and radio values, with no loading error. The former Cambridge-only missing-fixture blocker is resolved. Evidence: E26, E27, E28, E29	Passed



Criterion 6 evidence: Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E26 - Followup sa configuration (criterion-6-followup-sa-configuration.png)






E27 - Followup selected row (criterion-6-followup-selected-row.png)








ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E28 - Followup final (criterion-6-followup-final.png)**  **E29 - Followup identity (criterion-6-followup-identity.png)** 				
7.0.0	Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data.	Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data.	The recorded check satisfied the criterion; see the assessment below. Evidence: E30, E31, E32, E33, E34, E35	Passed
Criterion 7 assessment: SIMULATED UI STATE: Delayed the selected detail request to check loading. The evidence shows only a loading spinner in the entire active detail presentation, without prior fields or neighbours.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 evidence: Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E30 - Final (criterion-7-final.png)**  **E31 - Recovery (criterion-7-recovery.png)** 				
Criterion 7 continued: Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E32 - Target genuine baseline (criterion-7-target-genuine-baseline.png)**  **E33 - Valid baseline (criterion-7-valid-baseline.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E34 - Before held load (criterion-7-before-held-load.png)**  **E35 - Before target selection (criterion-7-before-target-selection.png)** 				
8.0.0	Given Service point details are unavailable, the detail presentation shows a no-data state without displaying incorrect detail data.	Given Service point details are unavailable, the detail presentation shows a no-data state without displaying incorrect detail data.	No genuine unavailable-detail fixture or authoritative empty-response contract for POST /api/platform/automobile/service/cluster-details was established. criterion-8-final.png instead shows the selected point 131928117 loaded with serving information and two neighbours. An empty point-list response is a different endpoint/state. The no-data presentation and exclusion of stale details are blocked pending the required fixture or contract; no fabricated empty detail response is accepted. Evidence: E36	Blocked
Criterion 8 assessment: Testing notes: No genuine unavailable-detail fixture or authoritative empty response contract for the individual Service detail request was established. The no-data UI branch and incorrect-data exclusion cannot be decided safely. Inspected the genuine POST /api/platform/automobile/service/cluster-details HTTP 200 response: it contained populated serving details and two neighbours. It was not an unavailable-details fixture. No authoritative empty-detail response contract or genuine unavailable-detail response was supplied or established. Empty map point-list responses are a different endpoint/state.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 evidence: Given Service point details are unavailable, the detail presentation shows a no-data state without displaying incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E36 - Final (criterion-8-final.png)** 			
9.0.0	Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	The recorded check satisfied the criterion; see the assessment below. Evidence: E37, E38, E39, E40, E41	Passed
Criterion 9 assessment: SIMULATED UI STATE: Returned HTTP 503 for the selected detail request to check error handling. The evidence shows 'Unable to load point details.' and Retry with no stale serving fields or neighbours in the active presentation.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 evidence: Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E37 - Restart final (criterion-9-restart-final.png)**  **E38 - Restart recovery (criterion-9-restart-recovery.png)** 				
Criterion 9 continued: Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E39 - Restart target genuine (criterion-9-restart-target-genuine.png)**  **E40 - Restart before error (criterion-9-restart-before-error.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E41 - Restart before target (criterion-9-restart-before-target.png)** 			

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

