Automated Test Case Document

Jira Ticket: TEST2-83

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.1
Date:	28/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
4.1 Tests 5
About Metricell 21

1 Revision History

Version	Date	Revision Author	Summary of Changes
1.1	28/10/2026	TEST2 QA reassessment	Corrected criterion 4 scope; presented reviewed proof. Original attempt retained.

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-83
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.48
Date of Test:	27/10/2026
Limitations during Testing:	Blocked criterion(s): 3, 5, 6, 8. See the assessment below each criterion. Unverified criterion(s): 4. See the assessment below each criterion. Criteria 7, 9 used simulated UI conditions; see their assessments. Inconclusive evidence is reported as Failed, but is not a confirmed application defect.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis
Review correction:	Existing evidence reassessed 28/10/2026. Criterion 4 is inconclusive and shown as Failed without a confirmed defect. No new attempt. Totals: 3 passed, 1 confirmed failure, 1 inconclusive, 4 blocked.

3 Test Summary

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	Y	N	N	0
2. Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	N	Y	N	1
3. Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	N	N	Y	0
4. Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	N	Y	N	0
5. Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	N	N	Y	0
6. Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	N	N	Y	0
7. Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data.	Y	N	N	0
8. Given Service point details are unavailable, the detail presentation shows a no-data state without displaying incorrect detail data.	N	N	Y	0
9. Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	Y	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	criterion-1-final.png, criterion-1-serving-280.png and criterion-1-final-complete-serving.png show point 131928136, serving cell 2592_130_4 and the complete serving panel. The overlapping captures display the identity, location and radio fields reconciled with the recorded genuine Service response. Evidence: E01, E02, E03	Passed


Criterion 1 evidence: Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E01 - Final (criterion-1-final.png)







E02 - Serving 280 (criterion-1-serving-280.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Final complete serving (criterion-1-final-complete-serving.png)** 			
2.0.0	Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	criterion-2-neighbours-0.png, criterion-2-neighbours-280.png, criterion-2-neighbours-560.png, criterion-2-neighbours-840.png and criterion-2-neighbours-1000.png reconcile all seven returned neighbours for the selected point 131928136, using EARFCN/PCI and RSRP/RSRQ tuples. Each has a distinct section. The first capture directly contradicts placement beneath the serving information: neighbours occupy the separate right-hand column beside serving details. criterion-2-final.png retains the bottom of that layout. Evidence: E04, E05, E06, E07, E08	Failed
Criterion 2 assessment: Testing notes: Recorded the final GIS URL and inspected saved captures. Cleanup initially timed out after closing the cluster tab; inspected current UI, then closed the remaining owned detail tab and removed the layer before restarting criterion 3.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 evidence: Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Neighbours 0 (criterion-2-neighbours-0.png)**  **E05 - Neighbours 280 (criterion-2-neighbours-280.png)** 				
Criterion 2 continued: Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - Neighbours 560 (criterion-2-neighbours-560.png)**  **E07 - Neighbours 840 (criterion-2-neighbours-840.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Neighbours 1000 (criterion-2-neighbours-1000.png)**  **E08 - Final (criterion-2-final.png)** 				
3.0.0	Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	criterion-3-record-131928146.png and criterion-3-final.png show populated serving details and two neighbour sections for each inspected record (131928146 and 131921586). No qualifying no-neighbour detail fixture was established in this Automobile Service run, so serving-only rendering and absence of an empty neighbour section remain blocked. This is a fixture limitation, not evidence that the feature is unavailable or defective. Evidence: E09, E10	Blocked
Criterion 3 assessment: Testing notes: Missing qualifying Automobile Service fixture with serving-cell details and no neighbour data. The sampled records both returned neighbours; absence of an empty section therefore cannot be tested. This is not a product failure.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 evidence: Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Record 131928146 (criterion-3-record-131928146.png)**  **E10 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	Required detail-row scope not established. criterion-4-baseline.png, criterion-4-sorted-ascending.png, criterion-4-sorted-descending.png and criterion-4-final.png prove sorting/filtering of the six-row Service-test selection list. They do not establish sorting/filtering of the individual Service point detail rows named in VM2ST-105. The earlier Pass was too broad. A focused check must identify the intended detail view and exercise its controls; no product defect is inferred from testing another table. Evidence: E11, E12, E13, E14	Failed



Criterion 4 evidence: Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E11 - Baseline (criterion-4-baseline.png)









E12 - Sorted ascending (criterion-4-sorted-ascending.png)









ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Sorted descending (criterion-4-sorted-descending.png)**  **E14 - Final (criterion-4-final.png)** 				
5.0.0	Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	criterion-5-2g-kpis-top.png and criterion-5-2g-kpis-bottom.png show reported 2G with RxLevel, RxQual, ARFCN and BSIC; criterion-5-4g-top.png and criterion-5-4g-kpis.png show 4G with RSRP, RSRQ, EARFCN and SINR; criterion-5-nsa-kpis-top.png and criterion-5-nsa-kpis-bottom.png show 5G NSA and its LTE-anchor labels. criterion-5-3g-configuration.png/criterion-5-3g-map.png and criterion-5-sa-configuration.png/criterion-5-final.png show exclusive generation selection followed by empty scoped maps. No 3G or 5G SA detail fixture was established in the inspected Cambridge/date scope; their KPI branches remain blocked, without asserting global data absence. Evidence: E15, E16, E17, E18, E19, E20, E21, E22, E23, E24	Blocked
Criterion 5 assessment: Testing notes: 2G, 4G and 5G NSA KPI labels were observed; 3G and 5G SA detail fixtures were unavailable in the inspected area/date scope. Map legend labels alone do not verify point detail labels. Used Configure Automobile - Service to select only 2G, applied, and selected a visible marker. It opened the individual point directly; the initial wait for a cluster table timed out, so inspected the current UI before proceeding. Record 131921613 reports 2G/generation 2, RxLevel, RxQual, ARFCN and BSIC.				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 evidence: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - 4g top (criterion-5-4g-top.png)**  **E16 - 4g kpis (criterion-5-4g-kpis.png)** 				
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - 2g kpis top (criterion-5-2g-kpis-top.png)**  **E18 - 2g kpis bottom (criterion-5-2g-kpis-bottom.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E19 - 3g configuration (criterion-5-3g-configuration.png)**  **E20 - 3g map (criterion-5-3g-map.png)** 				
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E21 - Nsa kpis top (criterion-5-nsa-kpis-top.png)**  **E22 - Nsa kpis bottom (criterion-5-nsa-kpis-bottom.png)** 				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E23 - Sa configuration (criterion-5-sa-configuration.png)**  **E24 - Final (criterion-5-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	criterion-6-sa-configuration.png shows only 5G SA selected for Automobile Service. criterion-6-final.png shows the settled scoped map without selectable points, consistent with the result's recorded technologies=5 point-list HTTP 200 empty responses. With no qualifying 5G SA point in the inspected Cambridge/date scope, opening it and observing a successful detail load are blocked; an empty map cannot prove either requirement. Evidence: E25, E26	Blocked
Criterion 6 evidence: Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Sa configuration (criterion-6-sa-configuration.png)**  **E26 - Final (criterion-6-final.png)** 				
7.0.0	Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data.	Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data.	The recorded check satisfied the criterion; see the assessment below. Evidence: E27, E28, E29, E30, E31, E32	Passed
Criterion 7 assessment: SIMULATED UI STATE: Delayed the selected detail request to check loading. The evidence shows only a loading spinner in the entire active detail presentation, without prior fields or neighbours.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 evidence: Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - Final (criterion-7-final.png)**  **E28 - Recovery (criterion-7-recovery.png)** 				
Criterion 7 continued: Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Target genuine baseline (criterion-7-target-genuine-baseline.png)**  **E30 - Valid baseline (criterion-7-valid-baseline.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given Service point details are loading, the detail presentation shows a loading state without displaying incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Before held load (criterion-7-before-held-load.png)**  **E32 - Before target selection (criterion-7-before-target-selection.png)** 				
8.0.0	Given Service point details are unavailable, the detail presentation shows a no-data state without displaying incorrect detail data.	Given Service point details are unavailable, the detail presentation shows a no-data state without displaying incorrect detail data.	No genuine unavailable-detail fixture or authoritative empty-response contract for POST /api/platform/automobile/service/cluster-details was established. criterion-8-final.png instead shows the selected point 131928117 loaded with serving information and two neighbours. An empty point-list response is a different endpoint/state. The no-data presentation and exclusion of stale details are blocked pending the required fixture or contract; no fabricated empty detail response is accepted. Evidence: E33	Blocked
Criterion 8 assessment: Testing notes: No genuine unavailable-detail fixture or authoritative empty response contract for the individual Service detail request was established. The no-data UI branch and incorrect-data exclusion cannot be decided safely. Inspected the genuine POST /api/platform/automobile/service/cluster-details HTTP 200 response: it contained populated serving details and two neighbours. It was not an unavailable-details fixture. No authoritative empty-detail response contract or genuine unavailable-detail response was supplied or established. Empty map point-list responses are a different endpoint/state.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 evidence: Given Service point details are unavailable, the detail presentation shows a no-data state without displaying incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Final (criterion-8-final.png)** 			
9.0.0	Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	The recorded check satisfied the criterion; see the assessment below. Evidence: E34, E35, E36, E37, E38	Passed
Criterion 9 assessment: SIMULATED UI STATE: Returned HTTP 503 for the selected detail request to check error handling. The evidence shows 'Unable to load point details.' and Retry with no stale serving fields or neighbours in the active presentation.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 evidence: Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E34 - Restart final (criterion-9-restart-final.png)**  **E35 - Restart recovery (criterion-9-restart-recovery.png)** 				
Criterion 9 continued: Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E36 - Restart target genuine (criterion-9-restart-target-genuine.png)**  **E37 - Restart before error (criterion-9-restart-before-error.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E38 - Restart before target (criterion-9-restart-before-target.png)** 			

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

