Automated Test Case Document

Jira Ticket: TEST2-86

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	19/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 6
About Metricell 40

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	19/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-86
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	19/10/2026
Limitations during Testing:	4 blocked; 3 inconclusive criterion(s). Assessed all 10 criteria against attempt-001 screenshots; average-metric, zero-duration, unavailable-details and failing-detail fixtures remain unavailable. Criterion 5: The active Automobile tab showed an unrelated HTTP Browsing error; selected the separate Upload cluster tab whose request succeeded. Criterion 7: The independently reopened Upload cluster contained two tests, each with a seven-second start/end interval. No zero-duration Upload fixture was identified in the inspected cluster; this is not a product failure. Criterion 9: The independently opened Upload cluster offered two completed tests with numeric rates and No error. No unavailable-details Upload fixture was identified; the no-data presentation could not be exercised. Criterion 9: Inspected the two available completed Upload events and their No error values; no unavailable-details fixture was identified. Criterion 10: The independently opened Upload cluster offered two completed tests with No error. No failing Upload-detail request fixture was identified. Observed HTTP Browsing errors belonged to Automobile and cannot establish the Upload error-state assertion. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	N	Y	0
2. Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	Y	N	0
3. Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	N	Y	1
4. Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	N	Y	1
5. Given per-sample data is available, filtering the table shows only rows matching the selected filter.	N	Y	0
6. Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	N	N	0
7. Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	N	N	0
8. While Upload details are loading, the detail presentation shows the standard loading state.	N	Y	0
9. When Upload details are unavailable, the detail presentation shows the standard no-data state.	N	N	0
10. When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	criterion-1-final.png shows the loaded summary with 2.62 Mbps Upload Rate, technology, user, serving cell and Wi-Fi False, but the summary continues below the viewport. No criterion-owned capture shows the remaining summary, so missing Service/Duration and coverage of handset and indoor/outdoor cannot be confirmed. Evidence: E01, E02, E03, E04, E05, E06, E07	Failed





Criterion 1 evidence: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E01 - Before surveyor (criterion-1-before-surveyor.png)



E02 - After surveyor (criterion-1-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before upload (criterion-1-before-upload.png)**  **E04 - After upload (criterion-1-after-upload.png)** 				
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - After add layer (criterion-1-after-add-layer.png)**  **E06 - After map selection (criterion-1-after-map-selection.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Final (criterion-1-final.png)** 


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	criterion-2-final.png directly shows the Upload analysis chart with Signal strength in dBm and Upload rate in Mbps against Seconds across the completed test. Evidence: E08, E09, E10, E11, E12, E13, E14	Passed





Criterion 2 evidence: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E08 - Before surveyor (criterion-2-before-surveyor.png)



E09 - Before reset panels (criterion-2-before-reset-panels.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Before map selection (criterion-2-before-map-selection.png)**  **E11 - Before event (criterion-2-before-event.png)** 				
Criterion 2 continued: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E12 - Before upload event (criterion-2-before-upload-event.png)**  **E13 - Details (criterion-2-details.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Final (criterion-2-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	criterion-3-final.png shows populated sample rows with Signal Strength values in dBm, while Upload Rate and Size headers and numeric cells omit units. Evidence: E15, E16, E17, E18, E19, E20, E21, E22, E23, E24	Failed





Criterion 3 evidence: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E15 - Before reset panels (criterion-3-before-reset-panels.png)



E16 - Before map selection (criterion-3-before-map-selection.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Before surveyor (criterion-3-before-surveyor.png)**  **E18 - Before layer selector (criterion-3-before-layer-selector.png)** 				
Criterion 3 continued: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E19 - Before upload (criterion-3-before-upload.png)**  **E20 - Before location search (criterion-3-before-location-search.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E21 - Before map select (criterion-3-before-map-select.png)**  **E22 - Before select upload (criterion-3-before-select-upload.png)** 				
Criterion 3 continued: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E23 - Before event (criterion-3-before-event.png)**  **E24 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	criterion-4-before-sort.png and criterion-4-final.png retain the same unsorted Upload Rate sequence (0, 1.88, 0, 0, 3.05, 3.2, 6.93) after the recorded Upload Rate header click. Evidence: E25, E26, E27, E28, E29, E30, E31, E32, E33, E34, E35	Failed





Criterion 4 evidence: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E25 - Before surveyor (criterion-4-before-surveyor.png)




E26 - Before layer selector (criterion-4-before-layer-selector.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - Before upload (criterion-4-before-upload.png)**  **E28 - Before location (criterion-4-before-location.png)** 				
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Before search submit (criterion-4-before-search-submit.png)**  **E30 - Before clear search (criterion-4-before-clear-search.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Before map selection (criterion-4-before-map-selection.png)**  **E32 - Before event (criterion-4-before-event.png)** 				
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Details (criterion-4-details.png)**  **E34 - Before sort (criterion-4-before-sort.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E35 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	criterion-5-final.png shows populated sample rows and no filter above the visible table, but the table extends below the viewport. The captures do not establish absence of controls throughout the table or show a selected filter and matching result. Evidence: E36, E37, E38, E39, E40, E41, E42, E43, E44	Failed





Criterion 5 evidence: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E36 - Before surveyor (criterion-5-before-surveyor.png)




E37 - Before layer selector (criterion-5-before-layer-selector.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E38 - Before upload (criterion-5-before-upload.png)**  **E39 - Before location (criterion-5-before-location.png)** 				
Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E40 - Before search submit (criterion-5-before-search-submit.png)**  **E41 - Before clear search (criterion-5-before-clear-search.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E42 - Before map selection (criterion-5-before-map-selection.png)**  **E43 - Before upload event (criterion-5-before-upload-event.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E44 - Final (criterion-5-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	criterion-6-final.png shows loaded Upload details, with Band immediately after Upload Rate. The results report an empty details array and no returned average signal metrics; no matching fixture was identified to exercise the conditional placement requirement. Evidence: E45, E46, E47, E48, E49, E50, E51, E52, E53, E54	Blocked





Criterion 6 evidence: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E45 - Before surveyor (criterion-6-before-surveyor.png)



E46 - Before layer selector (criterion-6-before-layer-selector.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E47 - Before upload (criterion-6-before-upload.png)**  **E48 - Before location (criterion-6-before-location.png)** 				
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E49 - Before search submit (criterion-6-before-search-submit.png)**  **E50 - Before clear search (criterion-6-before-clear-search.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E51 - Before map selection (criterion-6-before-map-selection.png)**  **E52 - Before cluster tabs (criterion-6-before-cluster-tabs.png)** 				
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E53 - Before upload event (criterion-6-before-upload-event.png)**  **E54 - Final (criterion-6-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	criterion-7-final.png shows two Upload tests, each spanning seven seconds. No zero-duration Upload fixture was identified, so the required no-data state could not be exercised. Evidence: E55, E46, E47, E48, E49, E50, E51, E56	Blocked





Criterion 7 evidence: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E55 - Before surveyor (criterion-7-before-surveyor.png)



E46 - Before layer selector (criterion-7-before-layer-selector.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E47 - Before upload (criterion-7-before-upload.png)**  **E48 - Before location (criterion-7-before-location.png)** 				
Criterion 7 continued: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E49 - Before search submit (criterion-7-before-search-submit.png)**  **E50 - Before clear search (criterion-7-before-clear-search.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E51 - Before map selection (criterion-7-before-map-selection.png)**  **E56 - Final (criterion-7-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	While Upload details are loading, the detail presentation shows the standard loading state.	While Upload details are loading, the detail presentation shows the standard loading state.	criterion-8-details.png and criterion-8-final.png both show already loaded Upload details. The loading transition was not captured, so the standard loading state cannot be verified. Evidence: E57, E58, E59, E60, E61, E62, E63, E64, E65	Failed





Criterion 8 evidence: While Upload details are loading, the detail presentation shows the standard loading state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E57 - Before surveyor (criterion-8-before-surveyor.png)




E58 - Before layer selector (criterion-8-before-layer-selector.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: While Upload details are loading, the detail presentation shows the standard loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E59 - Before upload (criterion-8-before-upload.png)**  **E60 - Before location (criterion-8-before-location.png)** 				
Criterion 8 continued: While Upload details are loading, the detail presentation shows the standard loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E61 - Before search submit (criterion-8-before-search-submit.png)**  **E62 - Before clear search (criterion-8-before-clear-search.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: While Upload details are loading, the detail presentation shows the standard loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E63 - Before map selection (criterion-8-before-map-selection.png)**  **E64 - Before event (criterion-8-before-event.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: While Upload details are loading, the detail presentation shows the standard loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E65 - Final (criterion-8-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	When Upload details are unavailable, the detail presentation shows the standard no-data state.	When Upload details are unavailable, the detail presentation shows the standard no-data state.	criterion-9-final.png shows two available Upload tests with numeric rates. No unavailable-details Upload fixture was identified, so the required no-data state could not be exercised. Evidence: E66, E67, E68, E69, E70, E71, E72, E73	Blocked





Criterion 9 evidence: When Upload details are unavailable, the detail presentation shows the standard no-data state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E66 - Before surveyor (criterion-9-before-surveyor.png)



E67 - Before layer selector (criterion-9-before-layer-selector.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: When Upload details are unavailable, the detail presentation shows the standard no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E68 - Before upload (criterion-9-before-upload.png)**  **E69 - Before location (criterion-9-before-location.png)** 				
Criterion 9 continued: When Upload details are unavailable, the detail presentation shows the standard no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E70 - Before search submit (criterion-9-before-search-submit.png)**  **E71 - Before clear search (criterion-9-before-clear-search.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: When Upload details are unavailable, the detail presentation shows the standard no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E72 - Before map selection (criterion-9-before-map-selection.png)**  **E73 - Final (criterion-9-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
10.0.0	When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	criterion-10-final.png shows the available Upload test list. No failing Upload-detail fixture was identified; reported Automobile HTTP Browsing errors do not establish Upload error handling or absence of incorrect data. Evidence: E74, E75, E76, E77, E78, E79, E80, E81	Blocked





Criterion 10 evidence: When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E74 - Before surveyor (criterion-10-before-surveyor.png)



E75 - Before layer selector (criterion-10-before-layer-selector.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 continued: When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E76 - Before upload (criterion-10-before-upload.png)**  **E77 - Before location (criterion-10-before-location.png)** 				
Criterion 10 continued: When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E78 - Before search submit (criterion-10-before-search-submit.png)**  **E79 - Before clear search (criterion-10-before-clear-search.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 continued: When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E80 - Before map selection (criterion-10-before-map-selection.png)**  **E81 - Final (criterion-10-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

