Automated Test Case Document

Jira Ticket: TEST2-80

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	19/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 6
About Metricell 23

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	19/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-80
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	19/10/2026
Limitations during Testing:	7 blocked; 0 inconclusive criterion(s). Service selection and the unselected map are directly evidenced. Recorded Service points HTTP 500 prevents establishing matching authorised results and reaching Service details; visible Surveyor/HTTP Browsing panels are unrelated. Criterion 3: Matching authorised results could not be established because /api/platform/automobile/service/points returned HTTP 500 for both requested tile batches. This is a service-access blocker, not proof of empty data or a criterion failure. The same HTTP 500 was observed across criteria 3–9 after independent launcher starts, so a working Service points endpoint is a prerequisite. Criterion 3: Clicked Automobile row, which added default HTTP Browsing; the subsequent wait for Test type timed out. Captured and removed that test-created layer. Criterion 4: Service points endpoint /api/platform/automobile/service/points consistently returned HTTP 500 for both tile batches. Matching authorised data could not be established; this was not a confirmed empty result set. Could not open a Service details dialog or inspect its required fields. A working Service points endpoint is required before this criterion can be decided. Criterion 4: An initial attempt to locate Automobile through the code tool timed out before the dialog opened. Restarted independently from the launcher and captured a fresh initial state. An unrelated Surveyor - Download selection appeared in this run and was left untouched; cleanup removed Service only. Criterion 5: Service points endpoint /api/platform/automobile/service/points consistently returned HTTP 500 for both tile batches. Matching authorised data could not be established; this was not a confirmed empty result set. Could not reach the Service details table; sorting was not exercised. A working Service points endpoint is required before this criterion can be decided. Criterion 6: Service points endpoint /api/platform/automobile/service/points consistently returned HTTP 500 for both tile batches. Matching authorised data could not be established; this was not a confirmed empty result set. Could not reach the Service details table; filtering was not exercised. A working Service points endpoint is required before this criterion can be decided. Criterion 7: Service points endpoint /api/platform/automobile/service/points consistently returned HTTP 500 for both tile batches. Matching authorised data could not be established; this was not a confirmed empty result set. No Service point could be opened, so returned neighbour data and separate labelled tables could not be inspected. A working Service points endpoint is required before this criterion can be decided. Criterion 8: Service points endpoint /api/platform/automobile/service/points consistently returned HTTP 500 for both tile batches. Matching authorised data could not be established; this was not a confirmed empty result set. Could not open Service details, so its loading state was not observed. Map-points loading is not details loading. A working Service points endpoint is required before this criterion can be decided. Criterion 9: Service points endpoint /api/platform/automobile/service/points consistently returned HTTP 500 for both tile batches. Matching authorised data could not be established; this was not a confirmed empty result set. Could not open Service details, so its

	retrieval-error and stale-data handling were not observed. The points HTTP 500 is not a details retrieval error. A working Service points endpoint is required before this criterion can be decided. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. The map layer selector includes Service as a selectable layer.	Y	N	0
2. With Service unselected, the map displays no Service test-result points.	Y	N	0
3. When the user selects Service and matching authorised results are available, each matching result is displayed as a selectable map point.	N	N	0
4. When the user selects a Service result point and its details load successfully, a Service details dialog displays MSISDN, Test Time, Signal, Band, Service, Data Technology, PLMN and Serving Cell.	N	N	0
5. With the Service details table displayed, sorting a supported column reorders the displayed rows according to that column.	N	N	0
6. With the Service details table displayed, filtering a supported column limits the displayed rows to those matching the filter.	N	N	0
7. When returned details include cell-neighbour data, the dialog displays each neighbour in its own labelled details table.	N	N	0
8. While Service details are loading, the dialog displays a loading state.	N	N	0
9. If Service details cannot be retrieved, the dialog displays an error state and does not display stale details.	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	The map layer selector includes Service as a selectable layer.	The map layer selector includes Service as a selectable layer.	criterion-1-types-before-service.png visibly lists Service; criterion-1-final.png shows Service selected in the Automobile dialog with Add layer available. Evidence: E01, E02, E03, E04	Passed



Criterion 1 evidence: The map layer selector includes Service as a selectable layer.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before automobile (criterion-1-before-automobile.png)



E02 - After automobile before types (criterion-1-after-automobile-before-types.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: The map layer selector includes Service as a selectable layer. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Types before service (criterion-1-types-before-service.png)**  **E04 - Final (criterion-1-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	With Service unselected, the map displays no Service test-result points.	With Service unselected, the map displays no Service test-result points.	criterion-2-map-service-unselected.png and criterion-2-final.png show the settled map with Automobile unselected and no Service result points on the displayed viewport. Evidence: E05, E06	Passed

Criterion 2 evidence: With Service unselected, the map displays no Service test-result points.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E05 - Map service unselected (criterion-2-map-service-unselected.png)




E06 - Final (criterion-2-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	When the user selects Service and matching authorised results are available, each matching result is displayed as a selectable map point.	When the user selects Service and matching authorised results are available, each matching result is displayed as a selectable map point.	criterion-3-final.png shows Automobile - Service selected but no visible Service result points. The recorded Service points HTTP 500 prevents establishing matching authorised results; absence of points does not prove empty data or a defect. Evidence: E07, E08, E09, E10, E11, E12	Blocked





Criterion 3 evidence: When the user selects Service and matching authorised results are available, each matching result is displayed as a selectable map point.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E07 - Before automobile (criterion-3-before-automobile.png)



E08 - Default http layer (criterion-3-default-http-layer.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When the user selects Service and matching authorised results are available, each matching result is displayed as a selectable map point. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Http removed (criterion-3-http-removed.png)** 			**E10 - Dialog (criterion-3-dialog.png)** 	
Criterion 3 continued: When the user selects Service and matching authorised results are available, each matching result is displayed as a selectable map point. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Types (criterion-3-types.png)** 			**E12 - Final (criterion-3-final.png)** 	


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	When the user selects a Service result point and its details load successfully, a Service details dialog displays MSISDN, Test Time, Signal, Band, Service, Data Technology, PLMN and Serving Cell.	When the user selects a Service result point and its details load successfully, a Service details dialog displays MSISDN, Test Time, Signal, Band, Service, Data Technology, PLMN and Serving Cell.	criterion-4-final.png shows Service selected alongside Surveyor - Download, with a Surveyor cluster table rather than Service details. The recorded Service points HTTP 500 blocks opening a Service result and checking the required fields. Evidence: E13, E14, E15, E16	Blocked

Criterion 4 evidence: When the user selects a Service result point and its details load successfully, a Service details dialog displays MSISDN, Test Time, Signal, Band, Service, Data Technology, PLMN and Serving Cell.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E13 - Before automobile (criterion-4-before-automobile.png)




E14 - Dialog before types (criterion-4-dialog-before-types.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: When the user selects a Service result point and its details load successfully, a Service details dialog displays MSISDN, Test Time, Signal, Band, Service, Data Technology, PLMN and Serving Cell. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis				

E15 - Types before service (criterion-4-types-before-service.png)




E16 - Final (criterion-4-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	With the Service details table displayed, sorting a supported column reorders the displayed rows according to that column.	With the Service details table displayed, sorting a supported column reorders the displayed rows according to that column.	criterion-5-final.png shows a Surveyor cluster table, not the required Service details table. The recorded Service points HTTP 500 blocks reaching Service details; Service-column sorting was not exercised. Evidence: E17, E18, E19, E16	Blocked



Criterion 5 evidence: With the Service details table displayed, sorting a supported column reorders the displayed rows according to that column.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E17 - Before automobile (criterion-5-before-automobile.png)



E18 - Dialog before types (criterion-5-dialog-before-types.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: With the Service details table displayed, sorting a supported column reorders the displayed rows according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E19 - Types before service (criterion-5-types-before-service.png)**  **E16 - Final (criterion-5-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	With the Service details table displayed, filtering a supported column limits the displayed rows to those matching the filter.	With the Service details table displayed, filtering a supported column limits the displayed rows to those matching the filter.	criterion-6-final.png shows Service selected without a Service details table. The recorded Service points HTTP 500 blocks reaching that table and exercising its column filters. Evidence: E05, E20, E21, E12	Blocked



Criterion 6 evidence: With the Service details table displayed, filtering a supported column limits the displayed rows to those matching the filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E05 - Before automobile (criterion-6-before-automobile.png)



E20 - Dialog before types (criterion-6-dialog-before-types.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: With the Service details table displayed, filtering a supported column limits the displayed rows to those matching the filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E21 - Types before service (criterion-6-types-before-service.png)**  **E12 - Final (criterion-6-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	When returned details include cell-neighbour data, the dialog displays each neighbour in its own labelled details table.	When returned details include cell-neighbour data, the dialog displays each neighbour in its own labelled details table.	criterion-7-final.png shows Automobile - HTTP Browsing alongside Service and an HTTP Browsing test-information panel, not Service neighbour details. The recorded Service points HTTP 500 blocks inspecting returned Service neighbours and their labelled tables. Evidence: E22, E23, E24, E25	Blocked



Criterion 7 evidence: When returned details include cell-neighbour data, the dialog displays each neighbour in its own labelled details table.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E22 - Before automobile (criterion-7-before-automobile.png)



E23 - Dialog before types (criterion-7-dialog-before-types.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: When returned details include cell-neighbour data, the dialog displays each neighbour in its own labelled details table. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E24 - Types before service (criterion-7-types-before-service.png)**  **E25 - Final (criterion-7-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	While Service details are loading, the dialog displays a loading state.	While Service details are loading, the dialog displays a loading state.	criterion-8-final.png shows an HTTP Browsing test-information panel, not a Service details loading state. The recorded Service points HTTP 500 blocks initiating Service details retrieval; map-points loading cannot establish this criterion. Evidence: E26, E27, E28, E29	Blocked



Criterion 8 evidence: While Service details are loading, the dialog displays a loading state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E26 - Before automobile (criterion-8-before-automobile.png)



E27 - Dialog before types (criterion-8-dialog-before-types.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: While Service details are loading, the dialog displays a loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E28 - Types before service (criterion-8-types-before-service.png)**  **E29 - Final (criterion-8-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	If Service details cannot be retrieved, the dialog displays an error state and does not display stale details.	If Service details cannot be retrieved, the dialog displays an error state and does not display stale details.	criterion-9-final.png shows HTTP Browsing details, not a Service retrieval-error state. The recorded Service points HTTP 500 blocks opening Service details and checking error/stale-data handling; unrelated HTTP details do not prove stale Service data. Evidence: E22, E30, E31, E29	Blocked



Criterion 9 evidence: If Service details cannot be retrieved, the dialog displays an error state and does not display stale details.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E22 - Before automobile (criterion-9-before-automobile.png)



E30 - Dialog before types (criterion-9-dialog-before-types.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: If Service details cannot be retrieved, the dialog displays an error state and does not display stale details. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Types before service (criterion-9-types-before-service.png)**  **E29 - Final (criterion-9-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

