Automated Test Case Document

Jira Ticket: TEST2-86

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	21/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 6
About Metricell 15

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	21/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-86
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	21/10/2026
Limitations during Testing:	Blocked criterion(s): 1, 2, 3, 4, 5, 6, 7, 8, 9, 10. See the assessment below each criterion. Some source URLs were not recorded. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Outcome	Fail	Defects (No.)
1. Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	Blocked	N	0
2. Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	Blocked	N	0
3. Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	Blocked	N	0
4. Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Blocked	N	0
5. Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Blocked	N	0
6. Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	Blocked	N	0
7. Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	Blocked	N	0
8. While Upload details are loading, the detail presentation shows the standard loading state.	Blocked	N	0

Area of test	Outcome	Fail	Defects (No.)
9. When Upload details are unavailable, the detail presentation shows the standard no-data state.	Blocked	N	0
10. When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	Blocked	N	0





4 Test Cases


Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	criterion-1-test-types.png and criterion-1-upload-configuration.png show Automobile > Upload; criterion-1-after-add-upload.png and criterion-1-final.png show its layer/legend with no selected point or summary. Results report GET /api/platform/automobile/upload/points HTTP 500 on two loads, preventing selection of a completed test. Summary fields could not be tested; the PNGs do not independently show HTTP status. Evidence: E01, E02, E03, E04, E05	Blocked
Criterion 1 assessment: criterion-1-test-types.png and criterion-1-upload-configuration.png show Automobile > Upload; criterion-1-after-add-upload.png and criterion-1-final.png show its layer/legend with no selected point or summary. Results report GET /api/platform/automobile/upload/points HTTP 500 on two loads, preventing selection of a completed test. Summary fields could not be tested; the PNGs do not independently show HTTP status. Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not select a completed Upload test or load its summary. Its PNGs document module configuration and the blocked map state, not successful detail behavior.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 evidence: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E01 - Before automobile (criterion-1-before-automobile.png)**  **E02 - Automobile configuration (criterion-1-automobile-configuration.png)** 				
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Test types (criterion-1-test-types.png)**  **E04 - Upload configuration (criterion-1-upload-configuration.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Final (criterion-1-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	criterion-2-test-types.png and criterion-2-upload-configuration.png show Automobile > Upload; criterion-2-after-add-upload.png and criterion-2-final.png show its layer/legend without a selected point or time-series chart. Results report the fresh load reproduced GET /api/platform/automobile/upload/points HTTP 500. Upload samples and the chart prerequisite were unavailable; the PNGs do not independently show HTTP status. Evidence: E01, E06, E07, E08, E05, E09	Blocked


Criterion 2 assessment: criterion-2-test-types.png and criterion-2-upload-configuration.png show Automobile > Upload; criterion-2-after-add-upload.png and criterion-2-final.png show its layer/legend without a selected point or time-series chart. Results report the fresh load reproduced GET /api/platform/automobile/upload/points HTTP 500. Upload samples and the chart prerequisite were unavailable; the PNGs do not independently show HTTP status.
Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not obtain Upload samples or open the test-duration chart. Its PNGs document module configuration and the blocked map state, not successful detail behavior.





Criterion 2 evidence: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before automobile (criterion-2-before-automobile.png)



E06 - Automobile configuration (criterion-2-automobile-configuration.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Test types (criterion-2-test-types.png)**  **E08 - Upload configuration (criterion-2-upload-configuration.png)** 				
Criterion 2 continued: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - After add upload (criterion-2-after-add-upload.png)**  **E09 - Final (criterion-2-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	Results report repeated Automobile Upload point-list HTTP 500, preventing selection and returned sample rows. Dependency-blocked before this criterion's browser execution; no criterion-specific evidence establishes the table or units. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 3 assessment: Results report repeated Automobile Upload point-list HTTP 500, preventing selection and returned sample rows. Dependency-blocked before this criterion's browser execution; no criterion-specific evidence establishes the table or units. Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not obtain returned per-sample Upload rows or inspect their units. This criterion was dependency-blocked before its own browser execution. No criterion-specific detail-state PNG or final URL was obtainable; evidence from other criteria has not been reused.				
4.0.0	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Results report repeated Automobile Upload point-list HTTP 500; no selected test or populated per-sample table was available for sorting. Dependency-blocked before this criterion's browser execution, with no criterion-specific sorting evidence. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 4 assessment: Results report repeated Automobile Upload point-list HTTP 500; no selected test or populated per-sample table was available for sorting. Dependency-blocked before this criterion's browser execution, with no criterion-specific sorting evidence. Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not obtain a populated per-sample table needed to test sorting. This criterion was dependency-blocked before its own browser execution. No criterion-specific detail-state PNG or final URL was obtainable; evidence from other criteria has not been reused.				
5.0.0	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Results report repeated Automobile Upload point-list HTTP 500; no selected test or per-sample rows were available for filtering. Dependency-blocked before this criterion's browser execution, with no criterion-specific filtering evidence. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 assessment: Results report repeated Automobile Upload point-list HTTP 500; no selected test or per-sample rows were available for filtering. Dependency-blocked before this criterion's browser execution, with no criterion-specific filtering evidence. Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not obtain per-sample rows needed to test filtering. This criterion was dependency-blocked before its own browser execution. No criterion-specific detail-state PNG or final URL was obtainable; evidence from other criteria has not been reused.				
6.0.0	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	Results report repeated Automobile Upload point-list HTTP 500; no completed test with returned average signal metrics could be selected. Dependency-blocked before this criterion's browser execution; summary metric presence and placement could not be tested. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 6 assessment: Results report repeated Automobile Upload point-list HTTP 500; no completed test with returned average signal metrics could be selected. Dependency-blocked before this criterion's browser execution; summary metric presence and placement could not be tested. Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not obtain a completed test with returned average signal metrics. This criterion was dependency-blocked before its own browser execution. No criterion-specific detail-state PNG or final URL was obtainable; evidence from other criteria has not been reused.				
7.0.0	Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	Results report repeated Automobile Upload point-list HTTP 500; no Upload point with no measurable duration could be selected. Dependency-blocked before this criterion's browser execution. A failed point-list request does not establish the detail no-data state. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 7 assessment: Results report repeated Automobile Upload point-list HTTP 500; no Upload point with no measurable duration could be selected. Dependency-blocked before this criterion's browser execution. A failed point-list request does not establish the detail no-data state. Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not select an Upload point with no measurable duration; a failed point-list request does not establish no-data behavior. This criterion was dependency-blocked before its own browser execution. No criterion-specific detail-state PNG or final URL was obtainable; evidence from other criteria has not been reused.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	While Upload details are loading, the detail presentation shows the standard loading state.	While Upload details are loading, the detail presentation shows the standard loading state.	Results report repeated Automobile Upload point-list HTTP 500; no selected record or genuine point-detail request was established. Dependency-blocked before this criterion's browser execution; no detail loading-state evidence or permitted simulation was obtained. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 8 assessment: Results report repeated Automobile Upload point-list HTTP 500; no selected record or genuine point-detail request was established. Dependency-blocked before this criterion's browser execution; no detail loading-state evidence or permitted simulation was obtained. Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not establish a selected record and genuine point-detail endpoint, so loading-state simulation is not permitted. This criterion was dependency-blocked before its own browser execution. No criterion-specific detail-state PNG or final URL was obtainable; evidence from other criteria has not been reused.				
9.0.0	When Upload details are unavailable, the detail presentation shows the standard no-data state.	When Upload details are unavailable, the detail presentation shows the standard no-data state.	Results report repeated Automobile Upload point-list HTTP 500; no selected record, genuine detail endpoint or authoritative empty-response contract was established. Dependency-blocked before this criterion's browser execution; unavailable-detail behavior could not be tested or validly simulated. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 9 assessment: Results report repeated Automobile Upload point-list HTTP 500; no selected record, genuine detail endpoint or authoritative empty-response contract was established. Dependency-blocked before this criterion's browser execution; unavailable-detail behavior could not be tested or validly simulated. Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not establish a selected record, genuine point-detail endpoint, or authoritative empty-response contract, so unavailable-detail simulation is not permitted. This criterion was dependency-blocked before its own browser execution. No criterion-specific detail-state PNG or final URL was obtainable; evidence from other criteria has not been reused.				
10.0.0	When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	Results report repeated Automobile Upload point-list HTTP 500, preventing any point-detail request. Dependency-blocked before this criterion's browser execution; point-list failure and the legend's Error category do not establish detail-load error handling or absence of incorrect data. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 assessment: Results report repeated Automobile Upload point-list HTTP 500, preventing any point-detail request. Dependency-blocked before this criterion's browser execution; point-list failure and the legend's Error category do not establish detail-load error handling or absence of incorrect data. Testing notes: Automobile > Upload is available in its actual nested Test type choices. GET /api/platform/automobile/upload/points returned HTTP 500 on the initial load and again on a controlled fresh launcher-to-GIS load; /api/platform/automobile/filter-options returned 200. The response is an HTTP error, not a settled empty result. No selectable Upload point or point-detail request was obtained. The visible map retained the Automobile - Upload layer and its Upload Rate legend, without selectable point data or an on-screen HTTP status message. The legend's Error category is not treated as a point-detail error state. Could not establish a selected record and genuine point-detail endpoint; the point-list HTTP 500 is not a detail-load failure and cannot verify this criterion. This criterion was dependency-blocked before its own browser execution. No criterion-specific detail-state PNG or final URL was obtainable; evidence from other criteria has not been reused.				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

