



Automated Test Case Document

Jira Ticket: TEST2-67

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	09/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell



This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution or reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History.....2

2 Test Cycle Information3

3 Test Summary.....3

4 Test Cases5

About Metricell11

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	09/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review



2 Test Cycle Information

Tester:	Automated
Jira Ticket:	TEST2-67
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.40
Date of Test:	09/10/2026
Limitations during Testing:	Criterion 4: Settled GIS basemap and controls rendered at /gis. A pre-existing ALL Coverage Gap Candidate Areas layer/panel displayed 'Unable to load coverage gap candidate areas.' This ancillary layer data error did not prevent the map/navigation assertion; no layer was added or changed. Existing GIS state was preserved and cleanup ended on launcher. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Passed
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/launcher ; https://o2intelligence-v4-dev.metricell.com/api-request-audit ; https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. Starting from the authorised V4 launcher, the page displays GIS and API Request Audit cards, each with an Open module control.	Y	N	0


Area of test	Pass	Fail	Defects (No.)
2. After selecting Open for API Request Audit, the module displays identifiable audit content, such as request metrics or the Requests and errors over time chart, rather than a sign-in or application error page; specific metric values are not required.	Y	N	0
3. After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available.	Y	N	0
4. From the returned launcher, selecting Open for GIS displays the settled map and map controls rather than a sign-in or application error page.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests

Preconditions:		V4 access and ticket conditions.	Associated Requirements:	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.
ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path		Outcome	
1.0.0	Starting from the authorised V4 launcher, the page displays GIS and API Request Audit cards, each with an Open module control.	Starting from the authorised V4 launcher, the page displays GIS and API Request Audit cards, each with an Open module control.	Initial and final launcher images show GIS and API request audit cards with arrow Open controls; the browser-derived URL is the authorised /launcher address. Evidence: E01		Passed	
Criterion 1 evidence: Starting from the authorised V4 launcher, the page displays GIS and API Request Audit cards, each with an Open module control. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/launcher E01 - Final (criterion-1-final.png)						




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	After selecting Open for API Request Audit, the module displays identifiable audit content, such as request metrics or the Requests and errors over time chart, rather than a sign-in or application error page; specific metric values are not required.	After selecting Open for API Request Audit, the module displays identifiable audit content, such as request metrics or the Requests and errors over time chart, rather than a sign-in or application error page; specific metric values are not required.	The criterion-owned sequence shows the launcher followed by API request audit metrics and the Requests and errors over time chart, with the browser-derived URL on the authorised /api-request-audit destination. Evidence: E02	Passed

Criterion 2 evidence: After selecting Open for API Request Audit, the module displays identifiable audit content, such as request metrics or the Requests and errors over time chart, rather than a sign-in or application error page; specific metric values are not required.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/api-request-audit>

E02 - Final (criterion-2-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available.	After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available.	The criterion-owned sequence shows launcher, populated audit content, and the launcher after browser Back, with GIS and its Open control visible; the final browser-derived URL is the exact authorised /launcher address. Evidence: E03, E04, E05	Passed


Criterion 3 evidence: After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available.


Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/launcher>

E03 - After open audit before back (criterion-3-after-open-audit-before-back.png)



E04 - After back (criterion-3-after-back.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
	Criterion 3 continued: After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/launcher E05 - Final (criterion-3-final.png)			
	 The screenshot displays the Metricell Launcher interface. At the top, there is a dark blue header with the Metricell logo and the word 'Launcher'. Below the header, a light blue banner reads 'Welcome, Harry' and 'Your network insights, all in one place.' The main area features a grid of twelve interactive tiles, each with an icon, a title, and a brief description. The tiles are arranged in two rows of six. The first row includes: 'Agentic AI' (investigate network issues), 'GIS' (open the GIS workspace), 'Dashboards' (build dashboards), 'Customer Care' (understand network impacts), 'Survey Analyser' (build workbooks), and 'RPO' (radio performance optimisation). The second row includes: 'Data Management' (import, describe, and manage CSV datasets), 'Knowledge Library' (browse and read books), 'Agentic AI Administration' (manage runtime agents), 'Device Administration' (administer Aptus, Beacon, Automobile, and Surveyor devices), 'Access admin' (administer local and SSO users), and 'API request audit' (explore authenticated API usage). Each tile has a right-pointing arrow at the bottom right corner. The background of the interface shows a scenic view of snow-capped mountains.			

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	From the returned launcher, selecting Open for GIS displays the settled map and map controls rather than a sign-in or application error page.	From the returned launcher, selecting Open for GIS displays the settled map and map controls rather than a sign-in or application error page.	The criterion-owned sequence shows launcher, audit, returned launcher, then a settled GIS basemap with streets, labels and map controls at the browser-derived /gis destination. The coverage-gap layer panel reports a data load error, but the map and controls render. Evidence: E06, E07, E08	Passed


Criterion 4 evidence: From the returned launcher, selecting Open for GIS displays the settled map and map controls rather than a sign-in or application error page.


Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E06 - Initial (criterion-4-initial.png)



E07 - After open audit before back (criterion-4-after-open-audit-before-back.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: From the returned launcher, selecting Open for GIS displays the settled map and map controls rather than a sign-in or application error page. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis E08 - Final (criterion-4-final.png)				
				



About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

