Automated Test Case Document

Jira Ticket: TEST2-87

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	02/11/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
About Metricell 37

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	02/11/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-87
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.48
Date of Test:	Not recorded
Limitations during Testing:	Criteria 7 used simulated UI conditions; see their assessments.
Overall review outcome:	Passed
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	Y	N	N	0
2. When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	Y	N	N	0
3. When Call samples are returned, the dialog displays them in a table whose columns can be sorted.	Y	N	N	0
4. For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	Y	N	N	0
5. Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	Y	N	N	0
6. When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	Y	N	N	0
7. While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	Y	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.	criterion-1-summary-decisive.png and criterion-1-summary-middle.png show the completed Automobile Call summary: Success, duration 70 s, connection time 1888 ms, start 19/08/2026 09:34:39, end 09:35:49, and handset identifier MSISDN 447925375897. Disconnection Cause Code is N/A, consistent with the reported null value; the source requires available fields, not an invented cause or unreturned handset model. Evidence: E01, E02, E03, E04, E05, E06, E07	Passed



Criterion 1 evidence: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E01 - Call config (criterion-1-call-config.png)





E02 - Before search (criterion-1-before-search.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Search position (criterion-1-search-position.png)**  **E04 - Detail open (criterion-1-detail-open.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Summary middle (criterion-1-summary-middle.png)**  **E06 - Summary end (criterion-1-summary-end.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: When a completed Call test is opened in the shared point-detail dialog, its summary shows the available duration, test result, connection time, start time, end time, handset, and disconnection cause. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Final (criterion-1-final.png)**  **E07 - Summary decisive (criterion-1-summary-decisive.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration.	Focused live check on 2 November: the built-in expanded Call analysis view for 5 October 2026, 19:35:02 displays Call initiated (CI), Connected (CC) and Call ended (CE) annotations over the signal-strength timeline spanning the 70-second test. The readable returned samples show Idle, Off Hook and Connected transitions; the chart marks initiation, connection and end. The source asks for call state over time, without prescribing a separate continuous state series or lane. The prior Unverified interpretation imposed that extra presentation requirement. Service technology is shown as Service in the same analysis view, accepted by the user. This is a source-aligned reassessment with a fresh chart capture, not a new full attempt. Evidence: E08	Passed

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 evidence: When Call samples are returned, the timeline chart shows call state, service technology, and signal strength across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Chart events final (criterion-2-chart-events-final-81874360-e84a-4535-b905-0fc0966aecff.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	When Call samples are returned, the dialog displays them in a table whose columns can be sorted.	When Call samples are returned, the dialog displays them in a table whose columns can be sorted.	Filtering was removed from the current acceptance scope by the user on 2 November. Existing readable evidence proves the displayed samples and Signal Strength sorting in both directions. The 27 October supplemental investigation also verifies differing-value order for Time, Call State, Site and Cell. Constant-value columns permit direction toggling but cannot establish differing-value order; no exhaustive all-column ordering claim is made. Evidence: E09, E10, E11, E12, E13, E14, E15, E16, E17, E18, E19, E20, E21	Passed





Criterion 3 evidence: When Call samples are returned, the dialog displays them in a table whose columns can be sorted.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E09 - Before automobile (criterion-3-before-automobile.png)









E10 - Automobile config (criterion-3-automobile-config.png)











ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Test type choices (criterion-3-test-type-choices.png)**  				
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E12 - Call config (criterion-3-call-config.png)**  			
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Call layer (criterion-3-call-layer.png)** 				
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Search position (criterion-3-search-position.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Detail open (criterion-3-detail-open.png)** 				
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Table baseline (criterion-3-table-baseline.png)** 				
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Sort ascending (criterion-3-sort-ascending.png)** 				
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E18 - Sort descending (criterion-3-sort-descending.png)** 				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E19 - Descending readable (criterion-3-descending-readable.png)** 			**E20 - Ascending readable (criterion-3-ascending-readable.png)** 	
Criterion 3 continued: When Call samples are returned, the dialog displays them in a table whose columns can be sorted. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E21 - Table end no filters (criterion-3-table-end-no-filters.png)** 			**E18 - Final (criterion-3-final.png)** 	

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI.	Human acceptance: the user confirmed that the separate Site and Cell columns are acceptable. Existing evidence reconciles the two bounded datasets and proves the CGI fallback when a value is supplied. This corrects the column-label interpretation; no new browser test was performed. Evidence: E22, E23, E24, E25, E13, E26, E27, E28, E29, E30, E31, E32	Passed
Criterion 4 assessment: Testing notes: Closed the owned test tab and searched the unknown-cell aggregate at 52.19729641975413, 0.10128021240234375. A center click timed out because the search marker intercepted it; reinspected the UI, cleared that marker with its visible search clear control, and opened the actual aggregate. POST cluster-details and test-analysis returned HTTP 200 for the Success test starting 2026-08-19T09:43:34.693 (70 s).				
Criterion 4 evidence: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E22 - Before automobile (criterion-4-before-automobile.png)**  **E23 - Automobile config (criterion-4-automobile-config.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E24 - Test type choices (criterion-4-test-type-choices.png)**  **E25 - Call config (criterion-4-call-config.png)** 				
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Call layer (criterion-4-call-layer.png)**  **E26 - Search position (criterion-4-search-position.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - Detail open (criterion-4-detail-open.png)**  **E28 - Samples 1 (criterion-4-samples-1.png)** 				
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E29 - Samples 2 (criterion-4-samples-2.png)**  **E30 - Samples 3 (criterion-4-samples-3.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: For each displayed Call sample, the Serving Cell column shows the known serving site/cell when available; when it is unavailable, it shows that sample's CGI. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Samples 4 (criterion-4-samples-4.png)**  **E32 - Final (criterion-4-final.png)** 				
5.0.0	Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.	Existing 27 October supplemental navigation evidence shows selected sample 19 August 09:35:17.33 and the expanded destination title 19/08/2026, 09:35:17, with matching cell 105_120_4 and -91 dBm Service fields. The built-in Open in a new window action exposed the full title; no DOM content was altered. Evidence: E33, E34, E35, E36, E37, E38, E39, E40, E41, E42, E43, E44, E45	Passed
Criterion 5 assessment: Testing notes: An initial cleanup loop timed out after closing one owned tab because its second index changed; reinspected the UI and completed cleanup using the remaining first matching owned tab.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 evidence: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Before automobile (criterion-5-before-automobile.png)**  **E34 - Automobile config (criterion-5-automobile-config.png)** 				
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E35 - Test type choices (criterion-5-test-type-choices.png)**  **E36 - Call config (criterion-5-call-config.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E37 - Call layer (criterion-5-call-layer.png)




E38 - Search position (criterion-5-search-position.png)








Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E39 - Detail open (criterion-5-detail-open.png)



E40 - Before select sample (criterion-5-before-select-sample.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E41 - After select sample (criterion-5-after-select-sample.png)**  **E42 - Service fields (criterion-5-service-fields.png)** 				
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E43 - Final (criterion-5-final.png)**  **E44 - Followup navigation selected row (criterion-5-followup-navigation-selected-row.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Selecting a displayed Call sample opens the related Service details for the selected sample's point in time. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E45 - Followup navigation expanded final (criterion-5-followup-navigation-expanded-final.png)**  Call detail - 19/08/2026, 09:35:17 Restore tab MSISDN 447925375897 Latitude 52.2025 Longitude 0.12452 Altitude 66m Service State In Service Service 4G Data Technology 5G NSA Cell ID 105_120_4 Site ID 105 Serving Site Latitude N/A Serving Site Longitude N/A PLMN 23410 Band Unknown TAC 432 CI 154150264 PCI 72 RSRP -91 dBm EARFCN 6400 RSRQ -11 SINR 6 BSIC N/A Cell Neighbour 1 Cell ID N/A RSRP -96 dBm RSRQ -20 EARFCN 6400 PCI 73				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.	Genuine zero-duration Automobile Call test 132762259 (12 October 2026, 19:42:27; identical start/end and raw testDurationMs 0) opens the standard No data available state. It was selected normally after a populated 70-second Call; the old chart and sample table are absent and the correct zero-duration summary remains visible. No simulation was used. Evidence: E46, E47	Passed

Criterion 6 evidence: When the selected Call point has no measurable duration, the dialog shows the standard no-data state instead of an empty detail view.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E46 - Zero before (criterion-6-zero-before-ec9dea46-3edc-4ea1-aa57-3e03dbd8357b.png)



E47 - Zero final (criterion-6-zero-final-1872c83b-d368-49eb-a46d-f48076c18fb1.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.	The recorded check satisfied the criterion; see the assessment below. Evidence: E48, E49, E50, E51, E52, E53, E39, E54, E55, E56, E57, E58, E59, E60, E61, E62, E63, E47	Passed


Criterion 7 assessment: The existing disclosed delayed-request and HTTP 503 checks establish loading/error handling. A new genuine no-data fixture now completes the unavailable-analysis branch: after displaying a populated Call, normal selection of zero-duration Call 132762259 shows No data available, retains only its correct summary and clears the earlier chart/sample table. This proves the actual no-analysis case, not arbitrary missing-record or backend-error schemas. New fixture check was not simulated; the older loading/error checks remain explicitly simulated.

Testing notes: SIMULATED UI STATE: Within this criterion first loaded distinct valid record A (132006263, 19 August 09:34:39), then normally opened target B (132307934, 9 September 10:55:53) at 52.185720837176895, 0.1490020751953125. Verified its genuine POST test-analysis response HTTP 200 and 22 rows. A wait for visible text 'Call measurements' timed out because this is the table's accessibility name; reinspected and confirmed the table by role, without repeating the action.


Criterion 7 evidence: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed.



Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E48 - Before automobile (criterion-7-before-automobile.png)







E49 - Automobile config (criterion-7-automobile-config.png)







ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E50 - Test type choices (criterion-7-test-type-choices.png)**  **E51 - Call config (criterion-7-call-config.png)**  			



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E52 - Call layer (criterion-7-call-layer.png)**  **E53 - Search position (criterion-7-search-position.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E39 - Valid record baseline (criterion-7-valid-record-baseline.png)**  **E54 - Target before open (criterion-7-target-before-open.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E55 - Target genuine baseline (criterion-7-target-genuine-baseline.png)**  **E56 - Prior record before open (criterion-7-prior-record-before-open.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E54 - Before simulated loading (criterion-7-before-simulated-loading.png)**  **E57 - Simulated loading (criterion-7-simulated-loading.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E58 - Loading genuine recovery (criterion-7-loading-genuine-recovery.png)**  **E59 - Prior record before error open (criterion-7-prior-record-before-error-open.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E39 - Prior record before error (criterion-7-prior-record-before-error.png)**  **E54 - Before simulated error (criterion-7-before-simulated-error.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E60 - Simulated error (criterion-7-simulated-error.png)**  **E61 - Final (criterion-7-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E62 - Error genuine recovery (criterion-7-error-genuine-recovery.png)**  **E63 - Zero before (criterion-7-zero-before-3409ca76-ee3e-4476-a875-f0585f338967.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: While Call details are loading, the dialog shows the standard loading state; when details are unavailable, it shows the standard no-data state; when loading fails, it shows the standard error state, with no incorrect Call data displayed. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E47 - Zero final (criterion-7-zero-final-2b1ec9e2-f61d-4d72-a543-361cc4160ee5.png)** 

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Supporting setup captures - full attempt evidence remains in the local evidence folder				

E64 - Before automobile (criterion-1-before-automobile.png)



E65 - Automobile config (criterion-1-automobile-config.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

