Automated Test Case Document

Jira Ticket: TEST2-76

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	12/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 21

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	12/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-76
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.40
Date of Test:	12/10/2026
Limitations during Testing:	0 blocked; 1 inconclusive criterion(s). Completed screenshot assessment of attempt-001; Username editability is not demonstrated within criterion 3's own captures. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Failed (inconclusive evidence)
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result.	Y	N	0
2. Replacing that query with Surveyor without reloading shows the Surveyor matching entry.	Y	N	0

Area of test	Pass	Fail	Defects (No.)
3. Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls.	N	Y	0
4. Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field.	Y	N	0
5. After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored.	Y	N	0
6. After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result.	With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result.	criterion-1-after-unmatched-search.png and criterion-1-final.png show TEST2-no-match-showcase-20261012 retained in the search field and 'No layers match this search', with no Surveyor result. Evidence: E01, E02, E03	Passed

Criterion 1 evidence: With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before unmatched search (criterion-1-before-unmatched-search.png)




E02 - After unmatched search (criterion-1-after-unmatched-search.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: With the GIS catalogue open, entering TEST2-no-match-showcase-20261012 leaves the query visible and shows no matching catalogue entries, including no Surveyor result. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis				


E03 - Final (criterion-1-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Replacing that query with Surveyor without reloading shows the Surveyor matching entry.	Replacing that query with Surveyor without reloading shows the Surveyor matching entry.	criterion-2-before-replace-query.png shows the unmatched query with no results; criterion-2-after-replace-query.png and criterion-2-final.png show Surveyor and its matching entry. The recorded ordered steps replace the query without reloading. Evidence: E04, E05, E06, E07	Passed



Criterion 2 evidence: Replacing that query with Surveyor without reloading shows the Surveyor matching entry.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E04 - Before unmatched search (criterion-2-before-unmatched-search.png)



E05 - Before replace query (criterion-2-before-replace-query.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Replacing that query with Surveyor without reloading shows the Surveyor matching entry. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - After replace query (criterion-2-after-replace-query.png)**  **E07 - Final (criterion-2-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls.	Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls.	criterion-3-after-open-configuration.png and criterion-3-final.png show the Surveyor dialog with an empty Username field, Cancel and Add layer controls. This criterion's captures do not demonstrate Username accepting input; the reported enabled/not-read-only state alone does not prove editability. Evidence: E08, E09, E10	Failed


Criterion 3 evidence: Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E08 - Before search surveyor (criterion-3-before-search-surveyor.png)



E09 - After search surveyor (criterion-3-after-search-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Opening the Surveyor configuration displays an editable Username field and Cancel and Add layer controls. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field.	Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field.	criterion-4-after-first-edit-username.png and criterion-4-before-first-cancel-confirmed.png show TEST2-showcase-unsaved-20261012 entered. criterion-4-after-first-cancel-confirmed.png shows the dialog closed with only the existing coverage-gap layer; criterion-4-after-final-reopen.png and criterion-4-final.png show the reopened Surveyor dialog with empty Username. Evidence: E11, E07, E12, E10, E13, E14, E15	Passed





Criterion 4 evidence: Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E11 - Before search surveyor (criterion-4-before-search-surveyor.png)



E07 - After search surveyor (criterion-4-after-search-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E12 - Before first open configuration (criterion-4-before-first-open-configuration.png)**  			**E10 - Before first edit username (criterion-4-before-first-edit-username.png)**  	
Criterion 4 continued: Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E13 - Before first cancel confirmed (criterion-4-before-first-cancel-confirmed.png)**  			**E14 - Before final reopen (criterion-4-before-final-reopen.png)**  	

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Entering TEST2-showcase-unsaved-20261012 in Username and selecting Cancel without Add layer closes the configuration; reopening the same configuration shows an empty Username field. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E15 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored.	After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored.	criterion-5-baseline-catalogue.png records the original entries and browsing position. The criterion-owned search/edit/cancel/reopen sequence culminates in criterion-5-after-reopen-configuration.png showing empty Username, criterion-5-after-final-cancel.png showing the closed dialog, and criterion-5-after-final-clear-query.png / criterion-5-final.png showing empty search and restored catalogue entries at the same top scroll position. Evidence: E08, E16, E17, E12, E10, E13, E14, E15, E18	Passed





Criterion 5 evidence: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E08 - Before unmatched search (criterion-5-before-unmatched-search.png)



E16 - After unmatched search (criterion-5-after-unmatched-search.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E17 - Before replace query (criterion-5-before-replace-query.png)**  **E12 - Before first open configuration (criterion-5-before-first-open-configuration.png)**  				
Criterion 5 continued: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E10 - Before first edit username (criterion-5-before-first-edit-username.png)**  **E13 - Before first cancel (criterion-5-before-first-cancel.png)**  				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E14 - Before reopen configuration (criterion-5-before-reopen-configuration.png)**  **E15 - Before final cancel (criterion-5-before-final-cancel.png)**  				
Criterion 5 continued: After cancelling the reopened configuration and clearing the catalogue query, the search field is empty and the original catalogue entries and browsing position are restored. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E14 - Before final clear query (criterion-5-before-final-clear-query.png)**  **E18 - Final (criterion-5-final.png)**  				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added.	After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added.	criterion-6-baseline-map.png and criterion-6-baseline-layers.png show the original map extent/features and complete one-item active-layer list: ALL Coverage Gap Candidate Areas. criterion-6-after-unmatched-search.png and criterion-6-after-replace-query.png preserve these during search. After the entered Username, cancellation, empty-field reopening and final cancellation, criterion-6-after-final-clear-query.png, criterion-6-final-map.png and criterion-6-final-layers.png match the baselines with no Surveyor layer. The existing coverage-gap load error is unchanged. Evidence: E08, E04, E16, E17, E12, E10, E13, E14, E15, E18	Passed





Criterion 6 evidence: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E08 - Baseline map (criterion-6-baseline-map.png)





E04 - Baseline layers (criterion-6-baseline-layers.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Before unmatched search (criterion-6-before-unmatched-search.png)**  **E16 - After unmatched search (criterion-6-after-unmatched-search.png)** 				
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Before replace query (criterion-6-before-replace-query.png)**  **E12 - Before first open configuration (criterion-6-before-first-open-configuration.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Before first edit username (criterion-6-before-first-edit-username.png)**  **E13 - Before first cancel (criterion-6-before-first-cancel.png)** 				
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Before reopen configuration (criterion-6-before-reopen-configuration.png)**  **E15 - Before final cancel (criterion-6-before-final-cancel.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: After these actions, the visible map and complete active-layer list match their recorded initial states, with no Surveyor layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Before final clear query (criterion-6-before-final-clear-query.png)**  **E18 - Final (criterion-6-final.png)**  				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

