Automated Test Case Document

Jira Ticket: TEST2-86

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	20/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 28

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	20/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-86
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	20/10/2026
Limitations during Testing:	2 blocked; 0 inconclusive criterion(s). Reviewed attempt-002 screenshots against all ten criteria; average-metric and zero-duration fixtures remain unavailable. Criterion 1: The complete visible summary contains user, survey, timestamps, rate, band, serving cell, technologies, Wi-Fi state, error, URL, indoor/outdoor and handset fields, but no duration field or distinct service field. A completed test with start/end timestamps is available; the full requested summary is not shown. Criterion 10: Waited for the Unable to load details. alert; verified no chart or measurement table was displayed and captured the final state. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	N	Y	1

Area of test	Pass	Fail	Defects (No.)
2. Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	Y	N	0
3. Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	N	Y	1
4. Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	N	Y	1
5. Given per-sample data is available, filtering the table shows only rows matching the selected filter.	N	Y	1
6. Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	N	N	0
7. Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	N	N	0
8. While Upload details are loading, the detail presentation shows the standard loading state.	Y	N	0
9. When Upload details are unavailable, the detail presentation shows the standard no-data state.	Y	N	0
10. When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	criterion-1-summary-top.png, criterion-1-summary-middle.png and criterion-1-final.png cover the summary from top to bottom: user, handset, technology, cell, Upload Rate, Wi-Fi and indoor/outdoor fields are visible, but duration and service fields are absent; start/end timestamps alone do not display duration. Evidence: E01, E02, E03, E04, E05, E06, E07	Failed





Criterion 1 evidence: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E01 - Before surveyor (criterion-1-before-surveyor.png)



E02 - After surveyor (criterion-1-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before upload (criterion-1-before-upload.png)**  **E04 - After add layer (criterion-1-after-add-layer.png)** 				
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Summary top (criterion-1-summary-top.png)**  **E06 - Summary middle (criterion-1-summary-middle.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Final (criterion-1-final.png)** 


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	criterion-2-final.png shows Signal strength and Upload rate series against Seconds, with dBm and Mbps axes and plotted samples spanning about 2.1 seconds. Evidence: E08, E02, E03, E09, E10, E05	Passed





Criterion 2 evidence: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E08 - Before surveyor (criterion-2-before-surveyor.png)



E02 - After surveyor (criterion-2-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before upload (criterion-2-before-upload.png)**  			**E09 - After add layer (criterion-2-after-add-layer.png)**  	
Criterion 2 continued: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Before open details (criterion-2-before-open-details.png)**  			**E05 - Final (criterion-2-final.png)**  	


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	criterion-3-final.png shows ten timestamped sample rows and signal values in dBm, but Upload Rate and Size have no units in either headers or cells. Evidence: E01, E02, E03, E11, E05, E12	Failed

Criterion 3 evidence: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before surveyor (criterion-3-before-surveyor.png)




E02 - After surveyor (criterion-3-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 3 continued: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E03 - Before upload (criterion-3-before-upload.png)




E11 - After add layer (criterion-3-after-add-layer.png)



Criterion 3 continued: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E05 - After open details (criterion-3-after-open-details.png)




E12 - Final (criterion-3-final.png)

Time	Upload Rate	Technology	Serving Cell	Signal Strength	Size	Mobile Data State
2026-10-06 10:34:59.250	60.16	4G	234-30-3369473	-68 dBm	2.52	Device is connected
2026-10-06 10:34:59.510	196.99	4G	234-30-3369473	-68 dBm	9.23	Device is connected
2026-10-06 10:34:59.770	138.33	4G	234-30-3369473	-68 dBm	13.78	Device is connected
2026-10-06 10:35:00.037	142.9	4G	234-30-3369473	-68 dBm	18.75	Device is connected
2026-10-06 10:35:00.300	124.99	4G	234-30-3369473	-68 dBm	23.19	Device is connected
2026-10-06 10:35:00.560	131.33	4G	234-30-3369473	-68 dBm	27.99	Device is connected
2026-10-06 10:35:00.823	135.65	4G	234-30-3369473	-68 dBm	32.74	Device is connected
2026-10-06 10:35:01.083	143.09	4G	234-30-3369473	-68 dBm	37.54	Device is connected
2026-10-06 10:35:01.343	127.95	4G	234-30-3369473	-68 dBm	41.94	Device is connected
2026-10-06 10:35:01.347	132.93	4G	234-30-3369473	-68 dBm	41.94	Device is connected


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	criterion-4-before-sort.png and criterion-4-final.png show the same ten-row Upload Rate order after the recorded header click (60.16, 196.99, 138.33 ... 132.93); it is neither ascending nor descending. Evidence: E01, E02, E03, E13, E05, E12, E14	Failed




Criterion 4 evidence: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before surveyor (criterion-4-before-surveyor.png)



E02 - After surveyor (criterion-4-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before upload (criterion-4-before-upload.png)**  **E13 - After add layer (criterion-4-after-add-layer.png)** 				
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - After open details (criterion-4-after-open-details.png)**  **E12 - Before sort (criterion-4-before-sort.png)** Time | Upload Rate | Technology | Serving Cell | Signal Strength | Size | Mobile Data State 2026-10-06 10:34:59.250 | 60.16 | 4G | 234-30-3369473 | -68 dBm | 2.52 | Device is connected 2026-10-06 10:34:59.510 | 196.99 | 4G | 234-30-3369473 | -68 dBm | 9.23 | Device is connected 2026-10-06 10:34:59.770 | 138.33 | 4G | 234-30-3369473 | -68 dBm | 13.78 | Device is connected 2026-10-06 10:35:00.037 | 142.9 | 4G | 234-30-3369473 | -68 dBm | 18.75 | Device is connected 2026-10-06 10:35:00.300 | 124.99 | 4G | 234-30-3369473 | -68 dBm | 23.19 | Device is connected 2026-10-06 10:35:00.560 | 131.33 | 4G | 234-30-3369473 | -68 dBm | 27.99 | Device is connected 2026-10-06 10:35:00.823 | 135.65 | 4G | 234-30-3369473 | -68 dBm | 32.74 | Device is connected 2026-10-06 10:35:01.083 | 143.09 | 4G | 234-30-3369473 | -68 dBm | 37.54 | Device is connected 2026-10-06 10:35:01.343 | 127.95 | 4G | 234-30-3369473 | -68 dBm | 41.94 | Device is connected 2026-10-06 10:35:01.347 | 132.93 | 4G | 234-30-3369473 | -68 dBm | 41.94 | Device is connected	

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E14 - Final (criterion-4-final.png)




Time	Upload Rate	Technology	Serving Cell	Signal Strength	Size	Mobile Data State
2026-10-06 10:34:59.250	60.16	4G	234-30-3369473	-68 dBm	2.52	Device is connected
2026-10-06 10:34:59.510	196.99	4G	234-30-3369473	-68 dBm	9.23	Device is connected
2026-10-06 10:34:59.770	138.33	4G	234-30-3369473	-68 dBm	13.78	Device is connected
2026-10-06 10:35:00.037	142.9	4G	234-30-3369473	-68 dBm	18.75	Device is connected
2026-10-06 10:35:00.300	124.99	4G	234-30-3369473	-68 dBm	23.19	Device is connected
2026-10-06 10:35:00.560	131.33	4G	234-30-3369473	-68 dBm	27.99	Device is connected
2026-10-06 10:35:00.823	135.65	4G	234-30-3369473	-68 dBm	32.74	Device is connected
2026-10-06 10:35:01.083	143.09	4G	234-30-3369473	-68 dBm	37.54	Device is connected
2026-10-06 10:35:01.343	127.95	4G	234-30-3369473	-68 dBm	41.94	Device is connected
2026-10-06 10:35:01.347	132.93	4G	234-30-3369473	-68 dBm	41.94	Device is connected


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	criterion-5-after-open-details.png shows the chart and table entrance; criterion-5-final.png and criterion-5-analysis.png expose the populated table and full horizontal span. No per-sample filter control is displayed and all ten rows remain visible, consistent with the recorded inability to select a filter. Evidence: E01, E02, E03, E15, E16, E12	Failed

Criterion 5 evidence: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before surveyor (criterion-5-before-surveyor.png)




E02 - After surveyor (criterion-5-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E03 - Before upload (criterion-5-before-upload.png)




E15 - After add layer (criterion-5-after-add-layer.png)



Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E16 - After open details (criterion-5-after-open-details.png)




E12 - Final (criterion-5-final.png)

Time	Upload Rate	Technology	Serving Cell	Signal Strength	Size	Mobile Data State
2026-10-06 10:34:59.250	60.16	4G	234-30-3369473	-68 dBm	2.52	Device is connected
2026-10-06 10:34:59.510	196.99	4G	234-30-3369473	-68 dBm	9.23	Device is connected
2026-10-06 10:34:59.770	138.33	4G	234-30-3369473	-68 dBm	13.78	Device is connected
2026-10-06 10:35:00.037	142.9	4G	234-30-3369473	-68 dBm	18.75	Device is connected
2026-10-06 10:35:00.300	124.99	4G	234-30-3369473	-68 dBm	23.19	Device is connected
2026-10-06 10:35:00.560	131.33	4G	234-30-3369473	-68 dBm	27.99	Device is connected
2026-10-06 10:35:00.823	135.65	4G	234-30-3369473	-68 dBm	32.74	Device is connected
2026-10-06 10:35:01.083	143.09	4G	234-30-3369473	-68 dBm	37.54	Device is connected
2026-10-06 10:35:01.343	127.95	4G	234-30-3369473	-68 dBm	41.94	Device is connected
2026-10-06 10:35:01.347	132.93	4G	234-30-3369473	-68 dBm	41.94	Device is connected


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	criterion-6-final.png shows Band immediately after Upload Rate, with no average metrics. The recorded event-analysis response contains empty details and no returned average fields; a fixture returning Average Signal Strength, Average Signal Quality and Average SNR is unavailable, so conditional placement cannot be assessed. Evidence: E01, E17, E03, E18, E05, E19	Blocked




Criterion 6 evidence: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before surveyor (criterion-6-before-surveyor.png)



E17 - After surveyor (criterion-6-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before upload (criterion-6-before-upload.png)**  **E18 - After add layer (criterion-6-after-add-layer.png)** 				
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - After open details (criterion-6-after-open-details.png)**  **E19 - Final (criterion-6-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	criterion-7-final.png shows start 10:34:58 and end 10:35:01; criterion-7-after-open-details.png shows a populated analysis. This event has measurable duration; no zero-duration Upload fixture was available to exercise the required no-data state. Evidence: E01, E02, E03, E20, E05, E19	Blocked




Criterion 7 evidence: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before surveyor (criterion-7-before-surveyor.png)



E02 - After surveyor (criterion-7-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before upload (criterion-7-before-upload.png)**  **E20 - After add layer (criterion-7-after-add-layer.png)** 				
Criterion 7 continued: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - After open details (criterion-7-after-open-details.png)**  **E19 - Final (criterion-7-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	While Upload details are loading, the detail presentation shows the standard loading state.	While Upload details are loading, the detail presentation shows the standard loading state.	criterion-8-final.png directly shows the analysis progress bar and Loading... while the recorded real request was delayed. criterion-8-cleanup-loaded.png shows the chart and samples after release; the recovered run supports the loading assertion despite the earlier route-helper error. Evidence: E01, E02, E03, E21, E10, E22	Passed





Criterion 8 evidence: While Upload details are loading, the detail presentation shows the standard loading state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before surveyor (criterion-8-before-surveyor.png)



E02 - After surveyor (criterion-8-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: While Upload details are loading, the detail presentation shows the standard loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Before upload (criterion-8-before-upload.png)** 			**E21 - After add layer (criterion-8-after-add-layer.png)** 	
Criterion 8 continued: While Upload details are loading, the detail presentation shows the standard loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Before open details (criterion-8-before-open-details.png)** 			**E22 - Final (criterion-8-final.png)** 	


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	When Upload details are unavailable, the detail presentation shows the standard no-data state.	When Upload details are unavailable, the detail presentation shows the standard no-data state.	criterion-9-final.png shows No chart data is available. and No results are available., with no chart or sample table, after the recorded controlled empty HTTP 200 response. This verifies the induced empty-response UI path. Evidence: E23, E24, E25, E26, E27, E28	Passed





Criterion 9 evidence: When Upload details are unavailable, the detail presentation shows the standard no-data state.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E23 - Before surveyor (criterion-9-before-surveyor.png)



E24 - After surveyor (criterion-9-after-surveyor.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: When Upload details are unavailable, the detail presentation shows the standard no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Before upload (criterion-9-before-upload.png)**  **E26 - After add layer (criterion-9-after-add-layer.png)** 				
Criterion 9 continued: When Upload details are unavailable, the detail presentation shows the standard no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - Before open details (criterion-9-before-open-details.png)**  **E28 - Final (criterion-9-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
10.0.0	When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	criterion-10-final.png shows Unable to load details. and Retry with no chart or sample table after the recorded controlled HTTP 500 response. The selected-event summary remains visible; criterion-10-cleanup-recovered.png shows chart/sample recovery after removing interception and retrying. Evidence: E29, E24, E25, E30, E27, E31	Passed





Criterion 10 evidence: When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E29 - Before surveyor (criterion-10-before-surveyor.png)



E24 - After surveyor (criterion-10-after-surveyor.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 continued: When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Before upload (criterion-10-before-upload.png)**  **E30 - After add layer (criterion-10-after-add-layer.png)** 				
Criterion 10 continued: When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - Before open details (criterion-10-before-open-details.png)**  **E31 - Final (criterion-10-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

