Automated Test Case Document

Jira Ticket: TEST2-88

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	29/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
About Metricell 30

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	29/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-88
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.48
Date of Test:	29/10/2026
Limitations during Testing:	Blocked criterion(s): 2, 12. See the assessment below each criterion.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis; https://o2intelligence-v4-dev.metricell.com/authenticate/Account/Login

3 Test Summary

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. Given the MS Teams Call layer is active, when the user opens its display settings, then the configured map-colouring choices and controls for detailed routes, linked sites and linked cells are visible.	N	Y	N	1
2. Given the MS Teams Call layer is active and a configured colouring choice is selected, when the map updates, then MS Teams Call result points and the legend display the selected configured colouring and its corresponding legend section.	N	N	Y	0
3. Given the MS Teams Call layer is active, when the user turns detailed routes on and the map refreshes, then detailed route geometry for the active MS Teams Call results is visible.	Y	N	N	0
4. Given the MS Teams Call layer is active and detailed routes are visible, when the user turns detailed routes off and the map refreshes, then that detailed route geometry is hidden.	Y	N	N	0
5. Given the MS Teams Call layer is active and the map is below the configured zoom level for linked sites, when display settings are open, then the linked-site control is unavailable and indicates that the user must zoom in.	Y	N	N	0
6. Given the MS Teams Call layer is active and the map is at or above the configured zoom level for linked sites, when the user turns linked sites on and the map refreshes, then linked-site overlays for the active MS Teams Call results are visible.	Y	N	N	0
7. Given linked-site overlays are visible at a supported zoom level, when the user turns linked sites off and the map refreshes, then those linked-site overlays are hidden.	Y	N	N	0
8. Given linked sites are enabled and the map is at a zoom level that supports linked cells, when display settings are open, then the linked-cell control is available.	Y	N	N	0
9. Given linked sites are disabled or the map is below the zoom level that supports linked cells, when display settings are open, then the linked-cell control is unavailable.	Y	N	N	0
10. Given linked sites are enabled and the map is at a zoom level that supports linked cells, when the user turns linked cells on and the map refreshes, then linked-cell overlays are visible.	Y	N	N	0
11. Given linked-cell overlays are visible, when the user turns linked cells off and the map refreshes, then those linked-cell overlays are hidden.	Y	N	N	0
12. Given any MS Teams Call display setting is changed, when the map refreshes, then the setting is applied only to the active MS Teams Call layer and other visible map layers, standard map filters and legend point-filtering state retain their prior visible states.	N	N	Y	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given the MS Teams Call layer is active, when the user opens its display settings, then the configured map-colouring choices and controls for detailed routes, linked sites and linked cells are visible.	Given the MS Teams Call layer is active, when the user opens its display settings, then the configured map-colouring choices and controls for detailed routes, linked sites and linked cells are visible.	criterion-1-display-controls.png and criterion-1-final.png show the complete Display Settings popover with the three required overlay controls, but no map-colouring choice; the active Automobile MS Teams Call legend has a static Call Quality heading. The source explicitly requires a configured colouring choice, so that missing control is a visible failure. Evidence: E01, E02, E03	Failed


Criterion 1 evidence: Given the MS Teams Call layer is active, when the user opens its display settings, then the configured map-colouring choices and controls for detailed routes, linked sites and linked cells are visible.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E01 - Automobile ms teams config (criterion-1-automobile-ms-teams-config.png)



E02 - Display controls (criterion-1-display-controls.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given the MS Teams Call layer is active, when the user opens its display settings, then the configured map-colouring choices and controls for detailed routes, linked sites and linked cells are visible. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Final (criterion-1-final.png)** 				
2.0.0	Given the MS Teams Call layer is active and a configured colouring choice is selected, when the map updates, then MS Teams Call result points and the legend display the selected configured colouring and its corresponding legend section.	Given the MS Teams Call layer is active and a configured colouring choice is selected, when the map updates, then MS Teams Call result points and the legend display the selected configured colouring and its corresponding legend section.	criterion-2-before-choice.png shows the Call Quality legend and criterion-2-final.png shows only the three overlay controls. With no colouring-choice selector available, selecting a configuration and comparing its point colours and corresponding legend section could not be exercised; this prerequisite block is separate from criterion 1's missing-control failure. Evidence: E04, E05	Blocked
Criterion 2 assessment: Testing notes: No configured colouring-mode selector is exposed for Automobile MS Teams Call: only a static Call Quality legend heading and three overlay checkboxes. Could not select a colouring choice or compare result-point colouring against an independent selected configuration. This is separate from the visible missing-control failure in criterion 1.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 evidence: Given the MS Teams Call layer is active and a configured colouring choice is selected, when the map updates, then MS Teams Call result points and the legend display the selected configured colouring and its corresponding legend section. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Before choice (criterion-2-before-choice.png)**  **E05 - Final (criterion-2-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given the MS Teams Call layer is active, when the user turns detailed routes on and the map refreshes, then detailed route geometry for the active MS Teams Call results is visible.	Given the MS Teams Call layer is active, when the user turns detailed routes on and the map refreshes, then detailed route geometry for the active MS Teams Call results is visible.	criterion-3-route-isolated-off-baseline.png shows sparse MS Teams Call positions with Download hidden and linked-site markers absent; criterion-3-final.png shows dense route geometry along the same Preston streets after enabling detailed routes. The earlier criterion-3-routes-enabled-control.png confirms the route control can be enabled; the matched isolated Preston pair is the decisive rendering proof. Evidence: E06, E07, E08, E09, E10	Passed



Criterion 3 evidence: Given the MS Teams Call layer is active, when the user turns detailed routes on and the map refreshes, then detailed route geometry for the active MS Teams Call results is visible.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E06 - Before routes (criterion-3-before-routes.png)




E07 - Routes enabled control (criterion-3-routes-enabled-control.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given the MS Teams Call layer is active, when the user turns detailed routes on and the map refreshes, then detailed route geometry for the active MS Teams Call results is visible. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Preston before routes (criterion-3-preston-before-routes.png)**  **E09 - Route isolated off baseline (criterion-3-route-isolated-off-baseline.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given the MS Teams Call layer is active, when the user turns detailed routes on and the map refreshes, then detailed route geometry for the active MS Teams Call results is visible. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Final (criterion-3-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given the MS Teams Call layer is active and detailed routes are visible, when the user turns detailed routes off and the map refreshes, then that detailed route geometry is hidden.	Given the MS Teams Call layer is active and detailed routes are visible, when the user turns detailed routes off and the map refreshes, then that detailed route geometry is hidden.	criterion-4-before-routes-off.png establishes the dense-route baseline in the Preston view with Download hidden. criterion-4-routes-off-control.png shows routes unchecked and criterion-4-final.png shows those traces removed while sparse MS Teams Call positions remain. Evidence: E11, E12, E13	Passed


Criterion 4 evidence: Given the MS Teams Call layer is active and detailed routes are visible, when the user turns detailed routes off and the map refreshes, then that detailed route geometry is hidden.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E11 - Before routes off (criterion-4-before-routes-off.png)



E12 - Routes off control (criterion-4-routes-off-control.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the MS Teams Call layer is active and detailed routes are visible, when the user turns detailed routes off and the map refreshes, then that detailed route geometry is hidden. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Final (criterion-4-final.png)** 


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given the MS Teams Call layer is active and the map is below the configured zoom level for linked sites, when display settings are open, then the linked-site control is unavailable and indicates that the user must zoom in.	Given the MS Teams Call layer is active and the map is below the configured zoom level for linked sites, when display settings are open, then the linked-site control is unavailable and indicates that the user must zoom in.	criterion-5-before-disabled-activation.png and criterion-5-after-pointer.png show the same unavailable, retained checked linked-site control and unchanged map before and after the recorded ordinary pointer attempt. criterion-5-final.png visibly explains 'Zoom in to level 13 to show linked sites'; the recorded zoom was 12, and ordinary Tab traversal skipped the disabled controls. Evidence: E14, E15	Passed


Criterion 5 evidence: Given the MS Teams Call layer is active and the map is below the configured zoom level for linked sites, when display settings are open, then the linked-site control is unavailable and indicates that the user must zoom in.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E14 - Before disabled activation (criterion-5-before-disabled-activation.png)



E15 - After pointer (criterion-5-after-pointer.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given the MS Teams Call layer is active and the map is below the configured zoom level for linked sites, when display settings are open, then the linked-site control is unavailable and indicates that the user must zoom in. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Final (criterion-5-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Given the MS Teams Call layer is active and the map is at or above the configured zoom level for linked sites, when the user turns linked sites on and the map refreshes, then linked-site overlays for the active MS Teams Call results are visible.	Given the MS Teams Call layer is active and the map is at or above the configured zoom level for linked sites, when the user turns linked sites on and the map refreshes, then linked-site overlays for the active MS Teams Call results are visible.	criterion-6-before-sites-on.png shows MS Teams Call positions without linked-site dots or connections; criterion-6-sites-on-control.png shows the enabled control checked. criterion-6-final.png adds labelled blue site dots and point-to-site links, including 500716, 516884 and 509658, with Download hidden and routes off. Evidence: E13, E16, E17	Passed


Criterion 6 evidence: Given the MS Teams Call layer is active and the map is at or above the configured zoom level for linked sites, when the user turns linked sites on and the map refreshes, then linked-site overlays for the active MS Teams Call results are visible.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E13 - Before sites on (criterion-6-before-sites-on.png)



E16 - Sites on control (criterion-6-sites-on-control.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given the MS Teams Call layer is active and the map is at or above the configured zoom level for linked sites, when the user turns linked sites on and the map refreshes, then linked-site overlays for the active MS Teams Call results are visible. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Final (criterion-6-final.png)** 			


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given linked-site overlays are visible at a supported zoom level, when the user turns linked sites off and the map refreshes, then those linked-site overlays are hidden.	Given linked-site overlays are visible at a supported zoom level, when the user turns linked sites off and the map refreshes, then those linked-site overlays are hidden.	criterion-7-before-sites-off.png establishes labelled site dots and point-to-site connections in the Preston view. criterion-7-sites-off-control.png shows the site checkbox cleared, and criterion-7-final.png removes those overlays while retaining the MS Teams Call positions. Evidence: E17, E18, E19	Passed


Criterion 7 evidence: Given linked-site overlays are visible at a supported zoom level, when the user turns linked sites off and the map refreshes, then those linked-site overlays are hidden.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E17 - Before sites off (criterion-7-before-sites-off.png)



E18 - Sites off control (criterion-7-sites-off-control.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given linked-site overlays are visible at a supported zoom level, when the user turns linked sites off and the map refreshes, then those linked-site overlays are hidden. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E19 - Final (criterion-7-final.png)**					


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	Given linked sites are enabled and the map is at a zoom level that supports linked cells, when display settings are open, then the linked-cell control is available.	Given linked sites are enabled and the map is at a zoom level that supports linked cells, when display settings are open, then the linked-cell control is available.	criterion-8-available-baseline.png shows linked sites checked and the linked-cell checkbox available at the recorded zoom 13. Its ordinary activation is followed by a checked, still available control in criterion-8-final.png; cell rendering is assessed separately. Evidence: E20, E21	Passed

Criterion 8 evidence: Given linked sites are enabled and the map is at a zoom level that supports linked cells, when display settings are open, then the linked-cell control is available.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E20 - Available baseline (criterion-8-available-baseline.png)




E21 - Final (criterion-8-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	Given linked sites are disabled or the map is below the zoom level that supports linked cells, when display settings are open, then the linked-cell control is unavailable.	Given linked sites are disabled or the map is below the zoom level that supports linked cells, when display settings are open, then the linked-cell control is unavailable.	Both prerequisite branches have their own recorded ordinary pointer attempts and settled comparisons: criterion-9-sites-off-before-activation.png / criterion-9-sites-off-after-activation.png retain unchecked disabled cells with sites off, while criterion-9-low-zoom-before-activation.png / criterion-9-final.png retain disabled cells below the supported zoom with sites retained on. The after images explain 'Enable linked sites to show linked cells' and 'Zoom in to level 13 to show linked cells', respectively. Evidence: E22, E23, E24, E25, E26	Passed



Criterion 9 evidence: Given linked sites are disabled or the map is below the zoom level that supports linked cells, when display settings are open, then the linked-cell control is unavailable.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E22 - Supported baseline (criterion-9-supported-baseline.png)



E23 - Sites off before activation (criterion-9-sites-off-before-activation.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given linked sites are disabled or the map is below the zoom level that supports linked cells, when display settings are open, then the linked-cell control is unavailable. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E24 - Sites off after activation (criterion-9-sites-off-after-activation.png)**  **E25 - Low zoom before activation (criterion-9-low-zoom-before-activation.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: Given linked sites are disabled or the map is below the zoom level that supports linked cells, when display settings are open, then the linked-cell control is unavailable. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E26 - Final (criterion-9-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
10.0.0	Given linked sites are enabled and the map is at a zoom level that supports linked cells, when the user turns linked cells on and the map refreshes, then linked-cell overlays are visible.	Given linked sites are enabled and the map is at a zoom level that supports linked cells, when the user turns linked cells on and the map refreshes, then linked-cell overlays are visible.	criterion-10-before-cells-on.png establishes linked sites and connections without sectors, with Download hidden and routes off. criterion-10-cells-on-control.png shows sites and cells checked; criterion-10-final.png adds visible multi-sector cell overlays at the same linked sites in the Preston view. Evidence: E17, E27, E28	Passed

Criterion 10 evidence: Given linked sites are enabled and the map is at a zoom level that supports linked cells, when the user turns linked cells on and the map refreshes, then linked-cell overlays are visible.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E17 - Before cells on (criterion-10-before-cells-on.png)



E27 - Cells on control (criterion-10-cells-on-control.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 continued: Given linked sites are enabled and the map is at a zoom level that supports linked cells, when the user turns linked cells on and the map refreshes, then linked-cell overlays are visible. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis **E28 - Final (criterion-10-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
11.0.0	Given linked-cell overlays are visible, when the user turns linked cells off and the map refreshes, then those linked-cell overlays are hidden.	Given linked-cell overlays are visible, when the user turns linked cells off and the map refreshes, then those linked-cell overlays are hidden.	criterion-11-before-cells-off.png establishes visible sectors around the linked sites. criterion-11-cells-off-control.png shows cells unchecked while sites remain checked, and criterion-11-final.png removes the sectors while retaining site dots, labels and connections. Evidence: E29, E30, E17	Passed

Criterion 11 evidence: Given linked-cell overlays are visible, when the user turns linked cells off and the map refreshes, then those linked-cell overlays are hidden.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E29 - Before cells off (criterion-11-before-cells-off.png)



E30 - Cells off control (criterion-11-cells-off-control.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 11 continued: Given linked-cell overlays are visible, when the user turns linked cells off and the map refreshes, then those linked-cell overlays are hidden. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Final (criterion-11-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
12.0.0	Given any MS Teams Call display setting is changed, when the map refreshes, then the setting is applied only to the active MS Teams Call layer and other visible map layers, standard map filters and legend point-filtering state retain their prior visible states.	Given any MS Teams Call display setting is changed, when the map refreshes, then the setting is applied only to the active MS Teams Call layer and other visible map layers, standard map filters and legend point-filtering state retain their prior visible states.	criterion-12-final.png shows the actual SmartTools sign-in blocker after the recorded launcher recovery attempt failed. There is no complete criterion-owned before/change/after comparison of other-layer, standard-filter or legend-filter preservation, so the isolation assertion remains Blocked; the original source also names Route Replay preservation, which the canonical wording does not explicitly retain. The last test-created MS Teams layer/map cleanup was inaccessible after authentication loss; no sign-in control or request interception was used. Evidence: E31	Blocked
Criterion 12 assessment: Testing notes: The session redirected from GIS to SmartTools Authenticate and then the external Microsoft identity provider during the final isolation check. The permitted brief wait and single launcher retry did not recover authentication. No sign-in control was operated. Could not establish full other-layer, standard-filter or legend point-filter preservation across the display changes. The last test-created MS Teams layer could not be removed after authentication loss; no request interception or backend mutation was installed.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 12 evidence: Given any MS Teams Call display setting is changed, when the map refreshes, then the setting is applied only to the active MS Teams Call layer and other visible map layers, standard map filters and legend point-filtering state retain their prior visible states.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/authenticate/Account/Login

E31 - Final (criterion-12-final.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

