Automated Test Case Document

Jira Ticket: TEST2-91

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	03/11/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
About Metricell 19

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	03/11/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-91
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.74
Date of Test:	03/11/2026
Limitations during Testing:	Blocked criterion(s): 12, 13, 14, 15, 16. See the assessment below each criterion. Unverified criterion(s): 7. See the assessment below each criterion. Some source URLs were not recorded. Inconclusive evidence is reported as Failed, but is not a confirmed application defect.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. Given an Automobile filter is edited, when SIM MCC is entered, then the field accepts numeric digits only.	Y	N	N	0
2. Given an Automobile filter is edited, when SIM MNC is entered, then the field accepts numeric digits only.	Y	N	N	0
3. Given an Automobile filter is edited, when MCC is entered, then the field accepts numeric digits only.	Y	N	N	0
4. Given an Automobile filter is edited, when MNC is entered, then the field accepts numeric digits only.	Y	N	N	0
5. Given an Automobile filter is edited, when LAC is entered, then the field accepts numeric digits only.	Y	N	N	0
6. Given an Automobile filter is edited, when MSISDN, CI, Site or Cell is entered, then each field accepts text input.	Y	N	N	0
7. Given a standard Automobile map layer is active, when filters are opened, then a rolling 90-day time range filter is available.	N	Y	N	0
8. Given a standard Automobile map layer is active, when filters are opened, then handset filters for MSISDN, SIM MNC and SIM MCC are available.	Y	N	N	0
9. Given a standard Automobile map layer is active, when filters are opened, then technology filters for no-Service, 2G, 3G, 4G, 5G NSA and 5G SA are available.	Y	N	N	0
10. Given a standard Automobile map layer is active, when filters are opened, then network filters for MCC, MNC, LAC, CI, Site and Cell are available.	Y	N	N	0
11. Given a standard Automobile map layer is active, when filters are opened, then available device-group filters are shown.	N	Y	N	1
12. Given configured frequencies are available, when filters are displayed, then those frequencies are offered from configuration rather than being hard-coded.	N	N	Y	0
13. Given configured device groups are available, when filters are displayed, then those device groups are offered from configuration rather than being hard-coded.	N	N	Y	0
14. Given one or more filters are applied and results reload, then only map results matching the active criteria and authorised for the user are shown.	N	N	Y	0
15. Given a restricted device-segregation option exists, when device groups are displayed, then that option is unavailable.	N	N	Y	0
16. Given Route Replay is active, when filters are viewed, then this story's standard-map filter controls do not apply.	N	N	Y	0

Metricell Limited © 2026 – Refer to Title Page
Commercial in Confidence

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given an Automobile filter is edited, when SIM MCC is entered, then the field accepts numeric digits only.	Given an Automobile filter is edited, when SIM MCC is entered, then the field accepts numeric digits only.	Automobile - Call SIM MCC is empty after the recorded non-digit/decimal attempt in criterion-1-rejected-decimal-c2d25496-b196-4660-9fe5-0324524afa45.png and retains 234 in criterion-1-final-2f1f1e30-5c0f-4606-8f08-db03d844163f.png. Evidence: E01, E02	Passed

Criterion 1 evidence: Given an Automobile filter is edited, when SIM MCC is entered, then the field accepts numeric digits only.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Rejected decimal (criterion-1-rejected-decimal-c2d25496-b196-4660-9fe5-0324524afa45.png)




E02 - Final (criterion-1-final-2f1f1e30-5c0f-4606-8f08-db03d844163f.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Given an Automobile filter is edited, when SIM MNC is entered, then the field accepts numeric digits only.	Given an Automobile filter is edited, when SIM MNC is entered, then the field accepts numeric digits only.	Automobile - Call SIM MNC retains 15 before and after the recorded decimal, negative and letter attempts: criterion-2-digits-39f0d613-8b6b-468b-84a8-a1779f921216.png, criterion-2-final-f421c474-9bdd-44fb-945f-40fc59aaf1cb.png. Evidence: E03	Passed

Criterion 2 evidence: Given an Automobile filter is edited, when SIM MNC is entered, then the field accepts numeric digits only.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E03 - Digits (criterion-2-digits-39f0d613-8b6b-468b-84a8-a1779f921216.png)




E03 - Final (criterion-2-final-f421c474-9bdd-44fb-945f-40fc59aaf1cb.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given an Automobile filter is edited, when MCC is entered, then the field accepts numeric digits only.	Given an Automobile filter is edited, when MCC is entered, then the field accepts numeric digits only.	Automobile - Call MCC retains 234 before and after the recorded decimal, negative and letter attempts: criterion-3-digits-03e64436-14f4-4381-a8d1-0592f4430478.png, criterion-3-final-1934503f-0c94-4959-ad48-41cbc212b980.png. Evidence: E04	Passed

Criterion 3 evidence: Given an Automobile filter is edited, when MCC is entered, then the field accepts numeric digits only.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E04 - Digits (criterion-3-digits-03e64436-14f4-4381-a8d1-0592f4430478.png)




E04 - Final (criterion-3-final-1934503f-0c94-4959-ad48-41cbc212b980.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given an Automobile filter is edited, when MNC is entered, then the field accepts numeric digits only.	Given an Automobile filter is edited, when MNC is entered, then the field accepts numeric digits only.	Automobile - Call MNC retains 15 before and after the recorded decimal, negative and letter attempts: criterion-4-digits-ab0726a4-79cb-4917-975d-af93952b82a9.png, criterion-4-final-e64e9fb8-431d-4c39-a717-8f92cc1c0f75.png. Evidence: E05	Passed

Criterion 4 evidence: Given an Automobile filter is edited, when MNC is entered, then the field accepts numeric digits only.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E05 - Digits (criterion-4-digits-ab0726a4-79cb-4917-975d-af93952b82a9.png)




E05 - Final (criterion-4-final-e64e9fb8-431d-4c39-a717-8f92cc1c0f75.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given an Automobile filter is edited, when LAC is entered, then the field accepts numeric digits only.	Given an Automobile filter is edited, when LAC is entered, then the field accepts numeric digits only.	Automobile - Call LAC retains 12345 before and after the recorded decimal, negative and letter attempts: criterion-5-digits-d43fbb5b-c444-4540-b8cb-5b74092eb59e.png, criterion-5-final-c3609be0-5e24-4d34-99a2-f6bf9b636310.png. Evidence: E06	Passed

Criterion 5 evidence: Given an Automobile filter is edited, when LAC is entered, then the field accepts numeric digits only.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E06 - Digits (criterion-5-digits-d43fbb5b-c444-4540-b8cb-5b74092eb59e.png)




E06 - Final (criterion-5-final-c3609be0-5e24-4d34-99a2-f6bf9b636310.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Given an Automobile filter is edited, when MSISDN, CI, Site or Cell is entered, then each field accepts text input.	Given an Automobile filter is edited, when MSISDN, CI, Site or Cell is entered, then each field accepts text input.	MSISDN visibly retains QA-text+0123 in criterion-6-msisdn-9178f7f8-db4a-4456-9370-862564df2aaf.png; CI, Site and Cell each retain that text in criterion-6-final-5ae9530e-58f2-41a2-8718-94504bf1e10d.png under Configure Automobile - Call. Evidence: E07, E08	Passed

Criterion 6 evidence: Given an Automobile filter is edited, when MSISDN, CI, Site or Cell is entered, then each field accepts text input.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E07 - Msisdn (criterion-6-msisdn-9178f7f8-db4a-4456-9370-862564df2aaf.png)




E08 - Final (criterion-6-final-5ae9530e-58f2-41a2-8718-94504bf1e10d.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given a standard Automobile map layer is active, when filters are opened, then a rolling 90-day time range filter is available.	Given a standard Automobile map layer is active, when filters are opened, then a rolling 90-day time range filter is available.	The From/To controls visibly offer 4 August–2 November 2026 and a date/time picker in criterion-7-range-ff405097-ddb1-47d7-b2b8-758ee69519a1.png, criterion-7-final-cfb8bdf4-4b00-4943-bdc9-7395def76f7e.png. A saved 90-day interval and opened calendar do not establish that the window rolls with time; no independent rolling-window baseline or advancing state is supplied. Evidence: E09, E10	Failed

Criterion 7 evidence: Given a standard Automobile map layer is active, when filters are opened, then a rolling 90-day time range filter is available.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E09 - Range (criterion-7-range-ff405097-ddb1-47d7-b2b8-758ee69519a1.png)




E10 - Final (criterion-7-final-cfb8bdf4-4b00-4943-bdc9-7395def76f7e.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
8.0.0	Given a standard Automobile map layer is active, when filters are opened, then handset filters for MSISDN, SIM MNC and SIM MCC are available.	Given a standard Automobile map layer is active, when filters are opened, then handset filters for MSISDN, SIM MNC and SIM MCC are available.	All three labelled handset inputs are visible under Configure Automobile - Call in criterion-8-final-7ea919d0-4dd0-4e70-a44f-1b28521140e1.png. The unrelated Automobile Call details panel and changed map framing are disclosed in the tester report; this capture still directly establishes the named controls, not any detail-panel behaviour. Evidence: E11	Passed

Criterion 8 evidence: Given a standard Automobile map layer is active, when filters are opened, then handset filters for MSISDN, SIM MNC and SIM MCC are available.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E11 - Final (criterion-8-final-7ea919d0-4dd0-4e70-a44f-1b28521140e1.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	Given a standard Automobile map layer is active, when filters are opened, then technology filters for no-Service, 2G, 3G, 4G, 5G NSA and 5G SA are available.	Given a standard Automobile map layer is active, when filters are opened, then technology filters for no-Service, 2G, 3G, 4G, 5G NSA and 5G SA are available.	The Automobile - Call Technology section shows no-service, 2G, 3G and 4G in criterion-9-technology-top-9bce3dce-085b-4076-9c64-5f0433e7a860.png and overlapping 3G, 4G, 5G NSA and 5G SA in criterion-9-final-f91b1aab-0dbf-4eeb-8f97-695ab75e7327.png. Evidence: E12, E13	Passed

Criterion 9 evidence: Given a standard Automobile map layer is active, when filters are opened, then technology filters for no-Service, 2G, 3G, 4G, 5G NSA and 5G SA are available.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E12 - Technology top (criterion-9-technology-top-9bce3dce-085b-4076-9c64-5f0433e7a860.png)




E13 - Final (criterion-9-final-f91b1aab-0dbf-4eeb-8f97-695ab75e7327.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
10.0.0	Given a standard Automobile map layer is active, when filters are opened, then network filters for MCC, MNC, LAC, CI, Site and Cell are available.	Given a standard Automobile map layer is active, when filters are opened, then network filters for MCC, MNC, LAC, CI, Site and Cell are available.	The Automobile - Call Network section visibly includes MCC, MNC, LAC, CI, Site and Cell in criterion-10-network-top-a965b550-bff8-4bd9-b282-c5cbdc365e8c.png, criterion-10-final-75d2f765-d683-4ccc-a214-012e0d721d37.png. Evidence: E14, E15	Passed

Criterion 10 evidence: Given a standard Automobile map layer is active, when filters are opened, then network filters for MCC, MNC, LAC, CI, Site and Cell are available.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E14 - Network top (criterion-10-network-top-a965b550-bff8-4bd9-b282-c5cbdc365e8c.png)




E15 - Final (criterion-10-final-75d2f765-d683-4ccc-a214-012e0d721d37.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
11.0.0	Given a standard Automobile map layer is active, when filters are opened, then available device-group filters are shown.	Given a standard Automobile map layer is active, when filters are opened, then available device-group filters are shown.	The SHA-256-verified criterion-11-filter-options.json contains nine device groups in the genuine GET /api/platform/automobile/filter-options body identified by the recorded steps. Configure Automobile - Call top, nested Test type choices and bottom are shown in criterion-11-test-types-ff3cf3af-9336-4315-a43f-b54c8867adc1.png, criterion-11-panel-top-f94ad5e7-2496-447b-b0bf-952fa75b544d.png, criterion-11-final-b6372019-d54c-4128-a579-4345eb5c4e95.png; the criterion-owned full DOM inventory criterion-11-panel-inventory.json (SHA-256 verified) includes all configuration sections and no device-group control. Available device groups are not offered. The panel-middle capture duplicates panel-top; the complete inventory corroborates the intervening controls rather than treating that duplicate as additional scroll coverage. Evidence: E16, E17, E18	Failed



Criterion 11 evidence: Given a standard Automobile map layer is active, when filters are opened, then available device-group filters are shown.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E16 - Test types (criterion-11-test-types-ff3cf3af-9336-4315-a43f-b54c8867adc1.png)



E17 - Panel top (criterion-11-panel-top-f94ad5e7-2496-447b-b0bf-952fa75b544d.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 11 continued: Given a standard Automobile map layer is active, when filters are opened, then available device-group filters are shown. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Panel middle (criterion-11-panel-middle-cd33c467-eab4-47fe-8fc0-abaecb8ef652.png)**  **E18 - Final (criterion-11-final-b6372019-d54c-4128-a579-4345eb5c4e95.png)** 				
12.0.0	Given configured frequencies are available, when filters are displayed, then those frequencies are offered from configuration rather than being hard-coded.	Given configured frequencies are available, when filters are displayed, then those frequencies are offered from configuration rather than being hard-coded.	Testing could not be completed after the reported shared-browser state interruption: the original Automobile - Call layer disappeared, map centre changed and configuration activation timed out. criterion-12-initial-87598d7a-1bfb-4bbd-9589-6b2355f896b2.png shows only the launcher, not configured frequency choices. No settled configuration/comparison proof was captured; the interruption does not establish a product defect. Evidence: E19	Blocked
Criterion 12 assessment: Testing notes: Browser state changed unexpectedly during criterion 12: the pre-existing Automobile - Call layer disappeared and map centre changed. Configure Automobile - Call click timed out after 30000ms. Read-only snapshot confirmed no selected layer. Own lease token still matches; cause is unestablished. Browser work stopped for coordinator reconciliation; no further PNG was possible without continuing in an untrusted shared state. Configure Automobile - Call click timed out waiting 30000ms; tool returned completed timeout, with no pending operation.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 12 evidence: Given configured frequencies are available, when filters are displayed, then those frequencies are offered from configuration rather than being hard-coded. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E19 - Initial (criterion-12-initial-87598d7a-1bfb-4bbd-9589-6b2355f896b2.png)** 				
13.0.0	Given configured device groups are available, when filters are displayed, then those device groups are offered from configuration rather than being hard-coded.	Given configured device groups are available, when filters are displayed, then those device groups are offered from configuration rather than being hard-coded.	Testing could not be completed after the reported shared-browser state interruption during criterion 12 (selected Automobile - Call layer absent and configuration activation timed out). No criterion-13 browser evidence was captured for configured group availability, offered choices or configuration provenance; criterion-11 evidence is not reused as this criterion's test. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 13 assessment: Testing notes: Browser state changed unexpectedly during criterion 12: the pre-existing Automobile - Call layer disappeared and map centre changed. Configure Automobile - Call click timed out after 30000ms. Read-only snapshot confirmed no selected layer. Own lease token still matches; cause is unestablished. Browser work stopped for coordinator reconciliation; no further PNG was possible without continuing in an untrusted shared state.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
14.0.0	Given one or more filters are applied and results reload, then only map results matching the active criteria and authorised for the user are shown.	Given one or more filters are applied and results reload, then only map results matching the active criteria and authorised for the user are shown.	Testing could not be completed after the reported shared-browser state interruption during criterion 12. No criterion-14 browser evidence was captured; no filters were applied. Matching and authorised result reconciliation, including the genuine result scope, remains untested. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 14 assessment: Testing notes: Browser state changed unexpectedly during criterion 12: the pre-existing Automobile - Call layer disappeared and map centre changed. Configure Automobile - Call click timed out after 30000ms. Read-only snapshot confirmed no selected layer. Own lease token still matches; cause is unestablished. Browser work stopped for coordinator reconciliation; no further PNG was possible without continuing in an untrusted shared state.				
15.0.0	Given a restricted device-segregation option exists, when device groups are displayed, then that option is unavailable.	Given a restricted device-segregation option exists, when device groups are displayed, then that option is unavailable.	Testing could not be completed after the reported shared-browser state interruption during criterion 12. No criterion-15 browser evidence was captured establishing a restricted option fixture or its unavailability; absence of the whole group selector in another criterion is not proof of restricted-option behaviour. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 15 assessment: Testing notes: Browser state changed unexpectedly during criterion 12: the pre-existing Automobile - Call layer disappeared and map centre changed. Configure Automobile - Call click timed out after 30000ms. Read-only snapshot confirmed no selected layer. Own lease token still matches; cause is unestablished. Browser work stopped for coordinator reconciliation; no further PNG was possible without continuing in an untrusted shared state.				
16.0.0	Given Route Replay is active, when filters are viewed, then this story's standard-map filter controls do not apply.	Given Route Replay is active, when filters are viewed, then this story's standard-map filter controls do not apply.	Testing could not be completed after the reported shared-browser state interruption during criterion 12. No criterion-16 browser evidence was captured with Route Replay active. The canonical source expressly excludes Route Replay and separately states this negative boundary assertion; it does not require implementing standard-map controls in Route Replay. That boundary remains untested. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
Criterion 16 assessment: Testing notes: Browser state changed unexpectedly during criterion 12: the pre-existing Automobile - Call layer disappeared and map centre changed. Configure Automobile - Call click timed out after 30000ms. Read-only snapshot confirmed no selected layer. Own lease token still matches; cause is unestablished. Browser work stopped for coordinator reconciliation; no further PNG was possible without continuing in an untrusted shared state. Source also says Route Replay is out of scope; clarify the intended negative assertion before execution.				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

