Automated Test Case Document

Jira Ticket: TEST2-91

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	19/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 15

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	19/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-91
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	19/10/2026
Limitations during Testing:	9 blocked; 1 inconclusive criterion(s). Independent screenshot review completed for all 12 criteria; configuration-reference and browser-execution blockers prevent completion. The reported technology defect is inconclusive because the full list was not captured. Some source URLs were not recorded. Criterion 1: Navigated to the launcher. The initial screenshot failed with ENOENT; created this handoff's screenshot folder and restarted from the launcher before interacting. Criterion 4: The live ticket and criteria supply no expected frequency configuration fixture, and browser inspection did not establish an authoritative configured list. Unrequested Surveyor state also appeared during the criterion. No configuration was changed. Cleanup of the pending Automobile state was not safely completed because unrelated state appeared and subsequent browser access failed. Criterion 5: Configured Playwright browser access prevented reliable independent execution. Actual browser_navigate error: The automatic permission approval review did not finish before its deadline. Do not assume the action is unsafe based on the timeout alone. You may retry once, or ask the user for guidance or explicit approval. No criterion-specific PNG could be captured because navigation failed before a verified launcher initial state; no earlier criterion's images were reused. Final browser URL is unknown because browser access failed. Browser identity was observed once earlier in this run. Prior unrequested Surveyor/Automobile state changes also prevented a reliable continuous sequence. Criterion 5: Attempted browser_navigate to exactly https://o2intelligence-v4-dev.metricell.com/launcher to begin the independent criterion; it returned the approval-review timeout. Criterion 6: Independent criterion was not entered after the configured browser navigation failed with an approval-review timeout; no product actions were taken for this criterion. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. On a standard Automobile map layer, opening filters shows a time filter for a rolling 90-day range.	Y	N	0
2. On a standard Automobile map layer, opening filters shows handset fields for MSISDN, SIM MNC, and SIM MCC.	Y	N	0
3. On a standard Automobile map layer, opening filters shows technology choices for Unknown, 2G, 3G, 4G, 5G NSA, and 5G SA.	N	Y	0
4. On a standard Automobile map layer, the frequency filter offers the frequencies supplied by the application configuration.	N	N	0
5. On a standard Automobile map layer, opening filters shows network fields for MCC, MNC, LAC, CI, Site, and Cell.	N	N	0
6. On a standard Automobile map layer, the device-group filter offers the groups supplied by the application configuration.	N	N	0
7. When SIM MCC, SIM MNC, MCC, MNC, or LAC is edited, each field accepts numeric digits only.	N	N	0
8. When MSISDN, CI, Site, or Cell is edited, each field accepts text input.	N	N	0
9. When one or more filters are applied on a standard Automobile map layer, the displayed map results match the active filter values and are within the user's authorised results.	N	N	0
10. On a Call layer, the technology filter does not offer 5G NSA.	N	N	0
11. When device groups are shown, restricted device-segregation options are not offered.	N	N	0
12. On Route Replay, the standard Automobile map filter controls described in this ticket are not available.	N	N	0

Metricell Limited © 2026 – Refer to Title Page
Commercial in Confidence

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	On a standard Automobile map layer, opening filters shows a time filter for a rolling 90-day range.	On a standard Automobile map layer, opening filters shows a time filter for a rolling 90-day range.	criterion-1-after-open-automobile.png independently shows the initial From 21/07/2026 14:26 and To 19/10/2026 14:26, a 90-day interval ending on the test date. criterion-1-after-add-layer.png shows the new HTTP Browsing layer; criterion-1-final.png shows the same date range when its configuration is opened. Evidence: E01, E02, E03	Passed


Criterion 1 evidence: On a standard Automobile map layer, opening filters shows a time filter for a rolling 90-day range.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - After open automobile (criterion-1-after-open-automobile.png)



E02 - After add layer (criterion-1-after-add-layer.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: On a standard Automobile map layer, opening filters shows a time filter for a rolling 90-day range. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Final (criterion-1-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	On a standard Automobile map layer, opening filters shows handset fields for MSISDN, SIM MNC, and SIM MCC.	On a standard Automobile map layer, opening filters shows handset fields for MSISDN, SIM MNC, and SIM MCC.	criterion-2-restart-after-open-automobile.png and criterion-2-final.png visibly show MSISDN, SIM MCC and SIM MNC under Handset for HTTP Browsing after the independent restart and layer creation. Evidence: E04, E05, E06	Passed

Criterion 2 evidence: On a standard Automobile map layer, opening filters shows handset fields for MSISDN, SIM MNC, and SIM MCC.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E04 - Restart after open automobile (criterion-2-restart-after-open-automobile.png)



E05 - Restart after add layer (criterion-2-restart-after-add-layer.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: On a standard Automobile map layer, opening filters shows handset fields for MSISDN, SIM MNC, and SIM MCC. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - Final (criterion-2-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	On a standard Automobile map layer, opening filters shows technology choices for Unknown, 2G, 3G, 4G, 5G NSA, and 5G SA.	On a standard Automobile map layer, opening filters shows technology choices for Unknown, 2G, 3G, 4G, 5G NSA, and 5G SA.	criterion-3-final.png shows no-service, 2G, 3G and 4G; Unknown appears in Band values. The lower technology controls are outside the captured viewport, so the complete list, 5G NSA/SA availability and absence of an Unknown technology cannot be established from screenshots. The tester's DOM observations alone do not confirm the reported defect. criterion-3-after-open-gis.png is still loading; the later modal and layer captures show recovery. Evidence: E07, E08, E09	Failed

Criterion 3 evidence: On a standard Automobile map layer, opening filters shows technology choices for Unknown, 2G, 3G, 4G, 5G NSA, and 5G SA.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E07 - After open automobile (criterion-3-after-open-automobile.png)



E08 - After add layer (criterion-3-after-add-layer.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: On a standard Automobile map layer, opening filters shows technology choices for Unknown, 2G, 3G, 4G, 5G NSA, and 5G SA. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Final (criterion-3-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	On a standard Automobile map layer, the frequency filter offers the frequencies supplied by the application configuration.	On a standard Automobile map layer, the frequency filter offers the frequencies supplied by the application configuration.	criterion-4-after-open-automobile.png and criterion-4-final.png show populated Band controls, but no authoritative configured-frequency reference is available to compare the offered values or establish configuration provenance. Surveyor layers and a cluster table are already present in criterion-4-after-open-gis.png and remain in the final view. Evidence: E10, E11, E12	Blocked


Criterion 4 evidence: On a standard Automobile map layer, the frequency filter offers the frequencies supplied by the application configuration.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E10 - After open automobile (criterion-4-after-open-automobile.png)



E11 - After add layer (criterion-4-after-add-layer.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: On a standard Automobile map layer, the frequency filter offers the frequencies supplied by the application configuration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E12 - Final (criterion-4-final.png)** 			
5.0.0	On a standard Automobile map layer, opening filters shows network fields for MCC, MNC, LAC, CI, Site, and Cell.	On a standard Automobile map layer, opening filters shows network fields for MCC, MNC, LAC, CI, Site, and Cell.	Network-field execution was prevented by the recorded browser navigation approval-review timeout and unreliable shared browser state. No criterion-specific browser evidence was captured; testing could not be completed. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
6.0.0	On a standard Automobile map layer, the device-group filter offers the groups supplied by the application configuration.	On a standard Automobile map layer, the device-group filter offers the groups supplied by the application configuration.	Device-group execution was prevented by the recorded browser navigation approval-review timeout and unreliable shared browser state. No criterion-specific browser evidence was captured; testing could not be completed. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	When SIM MCC, SIM MNC, MCC, MNC, or LAC is edited, each field accepts numeric digits only.	When SIM MCC, SIM MNC, MCC, MNC, or LAC is edited, each field accepts numeric digits only.	Numeric-input editing was prevented by the recorded browser navigation approval-review timeout and unreliable shared browser state. No criterion-specific browser evidence was captured for SIM MCC, SIM MNC, MCC, MNC or LAC; testing could not be completed. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
8.0.0	When MSISDN, CI, Site, or Cell is edited, each field accepts text input.	When MSISDN, CI, Site, or Cell is edited, each field accepts text input.	Text-input editing was prevented by the recorded browser navigation approval-review timeout and unreliable shared browser state. No criterion-specific browser evidence was captured for MSISDN, CI, Site or Cell; testing could not be completed. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
9.0.0	When one or more filters are applied on a standard Automobile map layer, the displayed map results match the active filter values and are within the user's authorised results.	When one or more filters are applied on a standard Automobile map layer, the displayed map results match the active filter values and are within the user's authorised results.	Applying filters and checking matching authorised results was prevented by the recorded browser navigation approval-review timeout and unreliable shared browser state. No criterion-specific browser evidence was captured; testing could not be completed. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
10.0.0	On a Call layer, the technology filter does not offer 5G NSA.	On a Call layer, the technology filter does not offer 5G NSA.	Call-layer technology execution was prevented by the recorded browser navigation approval-review timeout and unreliable shared browser state. No criterion-specific browser evidence was captured to assess 5G NSA exclusion; testing could not be completed. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked
11.0.0	When device groups are shown, restricted device-segregation options are not offered.	When device groups are shown, restricted device-segregation options are not offered.	Restricted device-segregation execution was prevented by the recorded browser navigation approval-review timeout and unreliable shared browser state. No criterion-specific browser evidence was captured; testing could not be completed. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
12.0.0	On Route Replay, the standard Automobile map filter controls described in this ticket are not available.	On Route Replay, the standard Automobile map filter controls described in this ticket are not available.	Route Replay execution was prevented by the recorded browser navigation approval-review timeout and unreliable shared browser state. No criterion-specific browser evidence was captured to assess the absence of standard-map filters; testing could not be completed. Evidence: Unavailable Browser URL recorded after criterion: Not recorded	Blocked

Supporting setup captures - full attempt evidence remains in the local evidence folder

E13 - After open gis (criterion-1-after-open-gis.png)



E14 - Restart after open gis (criterion-2-restart-after-open-gis.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

