# Automated Test Case Document

Jira Ticket: TEST2-75

| | |
|---|---|
| Document Classification: | Company Confidential |
| Document Ref: | Automated Test Case Document |
| Version: | 1.0 |
| Date: | 12/10/2026 |
| Document Author: | Automated TEST2 Evidence Review |
| Document Owner: | Quality Assurance / Metricell |

*This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".*

## Table of Contents

1 Revision History ..... 2
2 Test Cycle Information ..... 3
3 Test Summary ..... 3
4 Test Cases ..... 5
About Metricell ..... 12

# 1 Revision History

| Version | Date | Revision Author | Summary of Changes |
|---|---|---|---|
| **[1.0]** | 12/10/2026 | TEST2 QA Automation | Generated from TEST2 evidence review |
| | | | |
| | | | |

# 2 Test Cycle Information

| | |
|---|---|
| **Tester:** | **Automated** |
| **Jira Ticket:** | TEST2-75 |
| **Environment:** | o2intelligence-v4-dev.metricell.com |
| **Browser Details:** | Google Chrome 155.0.8059.40 |
| **Date of Test:** | 12/10/2026 |
| **Limitations during Testing:** | Criterion 1: Pre-existing ALL Coverage Gap Candidate Areas panel displayed Unable to load coverage gap candidate areas before and throughout testing. This did not prevent catalogue search verification. Search restored; no layers or saved data changed. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero. |
| **Overall review outcome:** | Passed |
| **Browser URL(s) recorded after criteria:** | https://o2intelligence-v4-dev.metricell.com/gis |

# 3 Test Summary

| Area of test | Pass | Fail | Defects (No.) |
|---|---|---|---|
| **1. With the GIS layer catalogue open, entering Surveyor in the Search layers control keeps the query visible and shows the Surveyor catalogue entry as a matching result.** | Y | N | 0 |
| **2. Clearing the search query leaves the search field empty and restores the original catalogue entries and browsing controls at the recorded catalogue position.** | Y | N | 0 |

| Area of test | Pass | Fail | Defects (No.) |
|---|---|---|---|
| **3. The visible map remains the same as its recorded initial state while searching and after the query is cleared.** | Y | N | 0 |
| **4. The complete active-layer list remains the same as its recorded initial state while searching and after the query is cleared.** | Y | N | 0 |

# 4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


## 4.1 Tests

| ***Preconditions:*** | V4 access and ticket conditions. | ***Associated Requirements:*** | Ticket criteria below. | Automation Notes: | Screenshots below each criterion; full log retained locally. |
|---|---|---|---|---|---|


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **1.0.0** | With the GIS layer catalogue open, entering Surveyor in the Search layers control keeps the query visible and shows the Surveyor catalogue entry as a matching result. | With the GIS layer catalogue open, entering Surveyor in the Search layers control keeps the query visible and shows the Surveyor catalogue entry as a matching result. | criterion-1-before-search.png shows the open catalogue; criterion-1-final.png shows Surveyor retained in Search layers and a matching Surveyor entry under Tests and Measurements.<br>Evidence: E01, E02 | Passed |

**Criterion 1 evidence: With the GIS layer catalogue open, entering Surveyor in the Search layers control keeps the query visible and shows the Surveyor catalogue entry as a matching result.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E01 - Before search (criterion-1-before-search.png)**





**E02 - Final (criterion-1-final.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **2.0.0** | Clearing the search query leaves the search field empty and restores the original catalogue entries and browsing controls at the recorded catalogue position. | Clearing the search query leaves the search field empty and restores the original catalogue entries and browsing controls at the recorded catalogue position. | criterion-2-before-search.png, criterion-2-before-clear.png and criterion-2-final.png show the original top-position catalogue, Surveyor query, then an empty query with the same entries, browsing controls and scrollbar position restored.<br>Evidence: E03, E04, E05 | Passed |


**Criterion 2 evidence: Clearing the search query leaves the search field empty and restores the original catalogue entries and browsing controls at the recorded catalogue position.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E03 - Before search (criterion-2-before-search.png)**




**E04 - Before clear (criterion-2-before-clear.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 2 continued: Clearing the search query leaves the search field empty and restores the original catalogue entries and browsing controls at the recorded catalogue position.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E05 - Final (criterion-2-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **3.0.0** | The visible map remains the same as its recorded initial state while searching and after the query is cleared. | The visible map remains the same as its recorded initial state while searching and after the query is cleared. | criterion-3-baseline-map.png, criterion-3-search-map-before-clear.png and criterion-3-final.png show the same unobscured visible map extent, landmarks, orientation and 300 m scale before search, during search and after clearing. Evidence: E03, E04, E05 | Passed |


**Criterion 3 evidence: The visible map remains the same as its recorded initial state while searching and after the query is cleared.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E03 - Baseline layers (criterion-3-baseline-layers.png)**




**E04 - Search map before clear (criterion-3-search-map-before-clear.png)**




| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 3 continued: The visible map remains the same as its recorded initial state while searching and after the query is cleared.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E05 - Final (criterion-3-final.png)**<br>  | | | | |


| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **4.0.0** | The complete active-layer list remains the same as its recorded initial state while searching and after the query is cleared. | The complete active-layer list remains the same as its recorded initial state while searching and after the query is cleared. | criterion-4-baseline-layers.png, criterion-4-search-layers-before-clear.png and criterion-4-final.png show the complete one-entry ALL Coverage Gap Candidate Areas list with identical controls throughout search and clearing; no list scrolling is needed.<br>Evidence: E03, E04, E05 | Passed |


**Criterion 4 evidence: The complete active-layer list remains the same as its recorded initial state while searching and after the query is cleared.**
**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**

**E03 - Baseline layers (criterion-4-baseline-layers.png)**




**E04 - Search layers before clear (criterion-4-search-layers-before-clear.png)**



| ID / Criterion | Criteria Tested | Expected Result | Actual Result / Evidence Path | Outcome |
|---|---|---|---|---|
| **Criterion 4 continued: The complete active-layer list remains the same as its recorded initial state while searching and after the query is cleared.**<br>**Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis**<br>**E05 - Final (criterion-4-final.png)**<br>  | | | | |

metricell
Better Connected

## About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

