Automated Test Case Document

Jira Ticket: TEST2-78

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	13/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 18

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	13/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-78
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.40
Date of Test:	13/10/2026
Limitations during Testing:	Criterion 3: Captured second launcher initial state and opened GIS; scale wait initially timed out while hidden, then Loading disappeared and screenshot confirmed settled map. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Passed
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. With GIS settled and the catalogue at its top position, entering Surveyor in Search layers keeps that query in the field and shows the matching Surveyor catalogue entry.	Y	N	0

Area of test	Pass	Fail	Defects (No.)
2. After searching for Surveyor from the initial top-of-catalogue view, clearing the query empties the search field and restores the same entries and browsing controls visible in that initial viewport at the same browsing position.	Y	N	0
3. From the settled initial GIS view, the visible map retains its initial extent and scale both while the Surveyor query is present and after it is cleared.	Y	N	0
4. From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	With GIS settled and the catalogue at its top position, entering Surveyor in Search layers keeps that query in the field and shows the matching Surveyor catalogue entry.	With GIS settled and the catalogue at its top position, entering Surveyor in Search layers keeps that query in the field and shows the matching Surveyor catalogue entry.	criterion-1-settled-before-search.png establishes the settled top catalogue; criterion-1-after-search.png shows Surveyor retained in Search layers and the matching Surveyor (1) entry. The earlier criterion-1-before-search.png still shows Loading and is setup only. Evidence: E01, E02, E03	Passed

Criterion 1 evidence: With GIS settled and the catalogue at its top position, entering Surveyor in Search layers keeps that query in the field and shows the matching Surveyor catalogue entry.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Before search (criterion-1-before-search.png)



E02 - Settled before search (criterion-1-settled-before-search.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: With GIS settled and the catalogue at its top position, entering Surveyor in Search layers keeps that query in the field and shows the matching Surveyor catalogue entry. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Final (criterion-1-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	After searching for Surveyor from the initial top-of-catalogue view, clearing the query empties the search field and restores the same entries and browsing controls visible in that initial viewport at the same browsing position.	After searching for Surveyor from the initial top-of-catalogue view, clearing the query empties the search field and restores the same entries and browsing controls visible in that initial viewport at the same browsing position.	criterion-2-before-search.png, criterion-2-after-search.png and criterion-2-after-clear.png show the complete search/clear sequence. Clearing empties the field and restores the same visible entries, expanded group controls and top browsing position; off-screen entries are outside this criterion's scope. Evidence: E04, E05	Passed

Criterion 2 evidence: After searching for Surveyor from the initial top-of-catalogue view, clearing the query empties the search field and restores the same entries and browsing controls visible in that initial viewport at the same browsing position.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E04 - Before search (criterion-2-before-search.png)




E05 - Final (criterion-2-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	From the settled initial GIS view, the visible map retains its initial extent and scale both while the Surveyor query is present and after it is cleared.	From the settled initial GIS view, the visible map retains its initial extent and scale both while the Surveyor query is present and after it is cleared.	Decisive second sequence: criterion-3-second-baseline-map.png, criterion-3-second-after-search-map.png and criterion-3-second-restored-map.png show matching coastline, landmarks and overlays at the same extent and 1 km scale before, during Surveyor search and after clearing. The original criterion-3-baseline-map.png still shows Loading and is setup only. Evidence: E06, E07, E05, E04	Passed





Criterion 3 evidence: From the settled initial GIS view, the visible map retains its initial extent and scale both while the Surveyor query is present and after it is cleared.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E06 - Baseline map (criterion-3-baseline-map.png)



E07 - Before clear (criterion-3-before-clear.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: From the settled initial GIS view, the visible map retains its initial extent and scale both while the Surveyor query is present and after it is cleared. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Final (criterion-3-final.png)**  **E04 - Second baseline map (criterion-3-second-baseline-map.png)** 				
Criterion 3 continued: From the settled initial GIS view, the visible map retains its initial extent and scale both while the Surveyor query is present and after it is cleared. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Second before clear (criterion-3-second-before-clear.png)**  **E05 - Second final (criterion-3-second-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states.	From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states.	Decisive second sequence: criterion-4-second-baseline-layers.png, criterion-4-second-after-search-layers.png and criterion-4-second-after-clear-layers.png plus each state's criterion-4-second-baseline-layers-scroll-1.png through criterion-4-second-baseline-layers-scroll-4.png, criterion-4-second-query-layers-scroll-1.png through criterion-4-second-query-layers-scroll-4.png, and criterion-4-second-restored-layers-scroll-1.png through criterion-4-second-restored-layers-scroll-4.png show all 37 initial rows in the same order, from Network Information to fully visible Unwind Polygons, with no added row. criterion-4-final.png confirms the cleared bottom state and criterion-4-cleanup.png restores list scroll to top. The first sequence omits the last row in its final baseline scroll capture and is setup only. Evidence: E04, E08, E09, E10, E11, E07, E12, E13, E14, E15, E05, E16, E17, E18, E19, E20	Passed




Criterion 4 evidence: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E04 - Baseline layers (criterion-4-baseline-layers.png)









E08 - Baseline layers scroll 1 (criterion-4-baseline-layers-scroll-1.png)











ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Baseline layers scroll 2 (criterion-4-baseline-layers-scroll-2.png)**  **E10 - Baseline layers scroll 3 (criterion-4-baseline-layers-scroll-3.png)** 				
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Baseline layers scroll 4 (criterion-4-baseline-layers-scroll-4.png)**  **E04 - Before search (criterion-4-before-search.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - After search layers (criterion-4-after-search-layers.png)**  **E12 - Query layers scroll 1 (criterion-4-query-layers-scroll-1.png)** 				
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Query layers scroll 2 (criterion-4-query-layers-scroll-2.png)**  **E14 - Query layers scroll 3 (criterion-4-query-layers-scroll-3.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Query layers scroll 4 (criterion-4-query-layers-scroll-4.png)**  **E07 - Before clear (criterion-4-before-clear.png)** 				
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - First after clear (criterion-4-first-after-clear.png)**  **E04 - Second baseline layers (criterion-4-second-baseline-layers.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Second baseline layers scroll 1 (criterion-4-second-baseline-layers-scroll-1.png)**  **E09 - Second baseline layers scroll 2 (criterion-4-second-baseline-layers-scroll-2.png)** 				
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Second baseline layers scroll 3 (criterion-4-second-baseline-layers-scroll-3.png)**  **E16 - Second baseline layers scroll 4 (criterion-4-second-baseline-layers-scroll-4.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E04 - Second before search (criterion-4-second-before-search.png)**  **E07 - Second after search layers (criterion-4-second-after-search-layers.png)** 				
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E12 - Second query layers scroll 1 (criterion-4-second-query-layers-scroll-1.png)**  **E13 - Second query layers scroll 2 (criterion-4-second-query-layers-scroll-2.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E14 - Second query layers scroll 3 (criterion-4-second-query-layers-scroll-3.png)**  **E15 - Second query layers scroll 4 (criterion-4-second-query-layers-scroll-4.png)** 				
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Second before clear (criterion-4-second-before-clear.png)**  **E05 - Second after clear layers (criterion-4-second-after-clear-layers.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Second restored layers scroll 1 (criterion-4-second-restored-layers-scroll-1.png)**  **E18 - Second restored layers scroll 2 (criterion-4-second-restored-layers-scroll-2.png)** 				
Criterion 4 continued: From the settled initial GIS view, the complete active-layer list retains its actual initial entries and order both while the Surveyor query is present and after it is cleared, with no new layer added; if the initial list is empty, it remains empty at both later states. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E19 - Second restored layers scroll 3 (criterion-4-second-restored-layers-scroll-3.png)**  **E20 - Final (criterion-4-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

