Automated Test Case Document

Jira Ticket: TEST2-67

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	09/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 10

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	09/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-67
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.40
Date of Test:	09/10/2026
Limitations during Testing:	Criterion 4: Settled GIS basemap and controls rendered at /gis. A pre-existing ALL Coverage Gap Candidate Areas layer/panel displayed 'Unable to load coverage gap candidate areas.' This ancillary layer data error did not prevent the map/navigation assertion; no layer was added or changed. Existing GIS state was preserved and cleanup ended on launcher. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Passed
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/launcher; https://o2intelligence-v4-dev.metricell.com/api-request-audit; https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. Starting from the authorised V4 launcher, the page displays GIS and API Request Audit cards, each with an Open module control.	Y	N	0

Area of test	Pass	Fail	Defects (No.)
2. After selecting Open for API Request Audit, the module displays identifiable audit content, such as request metrics or the Requests and errors over time chart, rather than a sign-in or application error page; specific metric values are not required.	Y	N	0
3. After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available.	Y	N	0
4. From the returned launcher, selecting Open for GIS displays the settled map and map controls rather than a sign-in or application error page.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Starting from the authorised V4 launcher, the page displays GIS and API Request Audit cards, each with an Open module control.	Starting from the authorised V4 launcher, the page displays GIS and API Request Audit cards, each with an Open module control.	Initial and final launcher images show GIS and API request audit cards with arrow Open controls; the browser-derived URL is the authorised /launcher address. Evidence: E01	Passed

Criterion 1 evidence: Starting from the authorised V4 launcher, the page displays GIS and API Request Audit cards, each with an Open module control.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/launcher


E01 - Final (criterion-1-final.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	After selecting Open for API Request Audit, the module displays identifiable audit content, such as request metrics or the Requests and errors over time chart, rather than a sign-in or application error page; specific metric values are not required.	After selecting Open for API Request Audit, the module displays identifiable audit content, such as request metrics or the Requests and errors over time chart, rather than a sign-in or application error page; specific metric values are not required.	The criterion-owned sequence shows the launcher followed by API request audit metrics and the Requests and errors over time chart, with the browser-derived URL on the authorised /api-request-audit destination. Evidence: E02	Passed

Criterion 2 evidence: After selecting Open for API Request Audit, the module displays identifiable audit content, such as request metrics or the Requests and errors over time chart, rather than a sign-in or application error page; specific metric values are not required.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/api-request-audit


E02 - Final (criterion-2-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available.	After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available.	The criterion-owned sequence shows launcher, populated audit content, and the launcher after browser Back, with GIS and its Open control visible; the final browser-derived URL is the exact authorised /launcher address. Evidence: E03, E04, E05	Passed


Criterion 3 evidence: After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/launcher

E03 - After open audit before back (criterion-3-after-open-audit-before-back.png)



E04 - After back (criterion-3-after-back.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: After viewing API Request Audit, using browser Back returns to the launcher and GIS remains available. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/launcher** **E05 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	From the returned launcher, selecting Open for GIS displays the settled map and map controls rather than a sign-in or application error page.	From the returned launcher, selecting Open for GIS displays the settled map and map controls rather than a sign-in or application error page.	The criterion-owned sequence shows launcher, audit, returned launcher, then a settled GIS basemap with streets, labels and map controls at the browser-derived /gis destination. The coverage-gap layer panel reports a data load error, but the map and controls render. Evidence: E04, E06	Passed

Criterion 4 evidence: From the returned launcher, selecting Open for GIS displays the settled map and map controls rather than a sign-in or application error page.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E04 - After back before open gis (criterion-4-after-back-before-open-gis.png)



E06 - Final (criterion-4-final.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

