Automated Test Case Document

Jira Ticket: TEST2-86

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	26/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 5
About Metricell 32

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	26/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-86
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 156.0.8078.48
Date of Test:	26/10/2026
Limitations during Testing:	Blocked criterion(s): 1, 6, 7, 9. See the assessment below each criterion. Unverified criterion(s): 8. See the assessment below each criterion. Criteria 8, 10 used simulated UI conditions; see their assessments. Inconclusive evidence is reported as Failed, but is not a confirmed application defect.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass (Y/N)	Fail (Y/N)	Blocked (Y/N)	Defect No
1. Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	N	N	Y	0
2. Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	Y	N	N	0
3. Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	Y	N	N	0
4. Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Y	N	N	0
5. Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Y	N	N	0
6. Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	N	N	Y	0
7. Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	N	N	Y	0
8. While Upload details are loading, the detail presentation shows the standard loading state.	N	Y	N	0
9. When Upload details are unavailable, the detail presentation shows the standard no-data state.	N	N	Y	0
10. When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	Y	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.	criterion-1-summary-top.png, criterion-1-summary-middle.png and criterion-1-final.png show test 131921554: technology 5G NSA, service 5G NSA, serving cell 2591_110_4, duration 7.005 s, tested technologies 4G, Upload Rate 0.78 Mbps and Wi-Fi Connected No. User, handset and indoor/outdoor fields are absent from the supplied fixture according to the recorded genuine Automobile responses; their required values cannot be assessed. This is a fixture blocker, not a demonstrated rendering defect. Evidence: E01, E02, E03, E04, E05, E06, E07	Blocked



Criterion 1 evidence: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis



E01 - Test type choices (criterion-1-test-type-choices.png)






E02 - Upload config (criterion-1-upload-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Upload points (criterion-1-upload-points.png)**  **E04 - Zoomed map (criterion-1-zoomed-map.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Summary top (criterion-1-summary-top.png)**  **E06 - Summary middle (criterion-1-summary-middle.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a completed Upload test is selected and its details have loaded, the summary shows the reported technology, user, handset, service, serving cell, duration, tested technologies, indoor/outdoor status, Upload Rate, and Wi-Fi connection status. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Final (criterion-1-final.png)** 				
2.0.0	Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration.	criterion-2-final.png shows both Signal strength and Upload Rate series with dBm and Mbps axes over Seconds 0–7; the recorded 7.005 s test duration is consistent with this extent. The repaired Automobile Upload sequence supplies the proof; the earlier selector error does not establish a product defect. Evidence: E08, E09, E10	Passed
Criterion 2 assessment: Testing notes: A genuine 28-sample response for completed Automobile Upload test 131921554 rendered two series labelled Signal strength and Upload Rate, dBm/Mbps axes and Seconds 0–7 matching 7.005 s duration. Corrected setup selector failure within this criterion; earlier misnamed pre-repair captures are excluded from proof.				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 evidence: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E08 - Repaired upload config (criterion-2-repaired-upload-config.png)**  **E09 - Repaired before select (criterion-2-repaired-before-select.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given Upload samples are available, a time-series chart shows Signal Strength in dBm and Upload Rate in Mbps across the test duration. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Final (criterion-2-final.png)** 


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.	criterion-3-final.png readably shows all 28 rows and seven columns for the bounded test 131921554 dataset, including two 08:17:34 rows, four 08:17:35, three 08:17:36, four 08:17:37, four 08:17:38, four 08:17:39, four 08:17:40 and three 08:17:41. This reconciles the complete returned-sample scope recorded in the result. Signal strength dBm, Upload Rate Mbps and Size MB are readable; no aggregate or sampled subset substitutes for these rows. Evidence: E11, E12, E09, E10, E13	Passed



Criterion 3 evidence: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E11 - Test type choices (criterion-3-test-type-choices.png)



E12 - Upload config (criterion-3-upload-config.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Before select (criterion-3-before-select.png)**  **E10 - Loaded (criterion-3-loaded.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 3 continued: Given per-sample Upload data is available, each returned sample is shown in a table with its relevant units.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E13 - Final (criterion-3-final.png)

Time	Signal strength	Upload Rate	Technology	Cell	Size	Mobile Data State
10/08/2026, 08:17:34	-114 dBm	0.00 Mbps	4G	2591_110_4	0.00 MB	Device is connected to a mobile data network
10/08/2026, 08:17:34	-113 dBm	4.26 Mbps	4G	2591_110_4	0.13 MB	Device is connected to a mobile data network
10/08/2026, 08:17:35	-113 dBm	0.13 Mbps	4G	2591_110_4	0.13 MB	Device is connected to a mobile data network
10/08/2026, 08:17:35	-113 dBm	0.33 Mbps	4G	2591_110_4	0.14 MB	Device is connected to a mobile data network
10/08/2026, 08:17:35	-113 dBm	0.29 Mbps	4G	2591_110_4	0.15 MB	Device is connected to a mobile data network
10/08/2026, 08:17:35	-113 dBm	0.39 Mbps	4G	2591_110_4	0.16 MB	Device is connected to a mobile data network
10/08/2026, 08:17:36	-113 dBm	0.20 Mbps	4G	2591_110_4	0.17 MB	Device is connected to a mobile data network
10/08/2026, 08:17:36	-113 dBm	0.13 Mbps	4G	2591_110_4	0.17 MB	Device is connected to a mobile data network
10/08/2026, 08:17:36	-113 dBm	0.16 Mbps	4G	2591_110_4	0.18 MB	Device is connected to a mobile data network
10/08/2026, 08:17:37	-116 dBm	0.23 Mbps	4G	2591_110_4	0.18 MB	Device is connected to a mobile data network
10/08/2026, 08:17:37	-116 dBm	0.07 Mbps	4G	2591_110_4	0.19 MB	Device is connected to a mobile data network
10/08/2026, 08:17:37	-116 dBm	0.10 Mbps	4G	2591_110_4	0.19 MB	Device is connected to a mobile data network
10/08/2026, 08:17:37	-116 dBm	0.00 Mbps	4G	2591_110_4	0.19 MB	Device is connected to a mobile data network
10/08/2026, 08:17:38	-116 dBm	0.26 Mbps	4G	2591_110_4	0.20 MB	Device is connected to a mobile data network
10/08/2026, 08:17:38	-116 dBm	0.59 Mbps	4G	2591_110_4	0.21 MB	Device is connected to a mobile data network
10/08/2026, 08:17:38	-116 dBm	0.95 Mbps	4G	2591_110_4	0.24 MB	Device is connected to a mobile data network
10/08/2026, 08:17:38	-116 dBm	0.39 Mbps	4G	2591_110_4	0.25 MB	Device is connected to a mobile data network
10/08/2026, 08:17:39	-116 dBm	0.88 Mbps	4G	2591_110_4	0.28 MB	Device is connected to a mobile data network
10/08/2026, 08:17:39	-116 dBm	1.57 Mbps	4G	2591_110_4	0.33 MB	Device is connected to a mobile data network
10/08/2026, 08:17:39	-116 dBm	1.14 Mbps	4G	2591_110_4	0.36 MB	Device is connected to a mobile data network
10/08/2026, 08:17:39	-116 dBm	1.24 Mbps	4G	2591_110_4	0.40 MB	Device is connected to a mobile data network
10/08/2026, 08:17:40	-116 dBm	0.95 Mbps	4G	2591_110_4	0.43 MB	Device is connected to a mobile data network
10/08/2026, 08:17:40	-116 dBm	1.83 Mbps	4G	2591_110_4	0.48 MB	Device is connected to a mobile data network
10/08/2026, 08:17:40	-116 dBm	1.17 Mbps	4G	2591_110_4	0.52 MB	Device is connected to a mobile data network
10/08/2026, 08:17:40	-116 dBm	2.37 Mbps	4G	2591_110_4	0.59 MB	Device is connected to a mobile data network
10/08/2026, 08:17:41	-116 dBm	2.10 Mbps	4G	2591_110_4	0.65 MB	Device is connected to a mobile data network
10/08/2026, 08:17:41	-116 dBm	3.28 Mbps	4G	2591_110_4	0.75 MB	Device is connected to a mobile data network
10/08/2026, 08:17:41	-116 dBm	2.71 Mbps	4G	2591_110_4	0.83 MB	Device is connected to a mobile data network


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.	criterion-4-before-sort.png shows 28 rows beginning with Upload Rates 0.00, 4.26, 0.13 and 0.33 Mbps. criterion-4-final.png shows the Upload Rate ascending indicator and all 28 rates in nondecreasing numeric order from two 0.00 values through 3.28 to 4.26 Mbps. The settled order changes according to the displayed target column. Evidence: E14, E15, E16, E10, E17, E18	Passed



Criterion 4 evidence: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E14 - Test type choices (criterion-4-test-type-choices.png)



E15 - Upload config (criterion-4-upload-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Before select (criterion-4-before-select.png)**  **E10 - Loaded (criterion-4-loaded.png)** 				
Criterion 4 continued: Given the per-sample table contains multiple rows, sorting by a displayed column changes their visible order according to that column. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Before sort (criterion-4-before-sort.png)**  **E18 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	Given per-sample data is available, filtering the table shows only rows matching the selected filter.	criterion-5-before-filter.png shows all 28 rows with an empty filter. criterion-5-final.png shows filter 08:17:41 and exactly its three matching rows, with rates 2.10, 3.28 and 2.71 Mbps; every other baseline row is excluded. criterion-5-filter-restored.png shows the empty filter and restored 28-row table. Evidence: E19, E20, E09, E10, E21, E22, E23	Passed

Criterion 5 evidence: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E19 - Test type choices (criterion-5-test-type-choices.png)




E20 - Upload config (criterion-5-upload-config.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome

Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E09 - Before select (criterion-5-before-select.png)




E10 - Loaded (criterion-5-loaded.png)



Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E21 - Before filter (criterion-5-before-filter.png)




E22 - Final (criterion-5-final.png)

Measurements

Filter measurements

08:17:41

Time	Signal strength	Upload Rate	Technology	Cell	Size	Mobile Data State
10/08/2026, 08:17:41	-116 dBm	2.10 Mbps	4G	2591_110_4	0.65 MB	Device is connected to a mobile data network
10/08/2026, 08:17:41	-116 dBm	3.28 Mbps	4G	2591_110_4	0.75 MB	Device is connected to a mobile data network
10/08/2026, 08:17:41	-116 dBm	2.71 Mbps	4G	2591_110_4	0.83 MB	Device is connected to a mobile data network

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given per-sample data is available, filtering the table shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E23 - Filter restored (criterion-5-filter-restored.png)** 				

Measurements


Filter measurements

Time	Signal strength	Upload Rate	Technology	Cell	Size	Mobile Data State
10/08/2026, 08:17:34	-114 dBm	0.00 Mbps	4G	2591_110_4	0.00 MB	Device is connected to a mobile data network
10/08/2026, 08:17:34	-113 dBm	4.26 Mbps	4G	2591_110_4	0.13 MB	Device is connected to a mobile data network
10/08/2026, 08:17:35	-113 dBm	0.13 Mbps	4G	2591_110_4	0.13 MB	Device is connected to a mobile data network
10/08/2026, 08:17:35	-113 dBm	0.33 Mbps	4G	2591_110_4	0.14 MB	Device is connected to a mobile data network
10/08/2026, 08:17:35	-113 dBm	0.29 Mbps	4G	2591_110_4	0.15 MB	Device is connected to a mobile data network
10/08/2026, 08:17:35	-113 dBm	0.39 Mbps	4G	2591_110_4	0.16 MB	Device is connected to a mobile data network
10/08/2026, 08:17:36	-113 dBm	0.20 Mbps	4G	2591_110_4	0.17 MB	Device is connected to a mobile data network
10/08/2026, 08:17:36	-113 dBm	0.13 Mbps	4G	2591_110_4	0.17 MB	Device is connected to a mobile data network
10/08/2026, 08:17:36	-113 dBm	0.16 Mbps	4G	2591_110_4	0.18 MB	Device is connected to a mobile data network
10/08/2026, 08:17:37	-116 dBm	0.23 Mbps	4G	2591_110_4	0.18 MB	Device is connected to a mobile data network
10/08/2026, 08:17:37	-116 dBm	0.07 Mbps	4G	2591_110_4	0.19 MB	Device is connected to a mobile data network
10/08/2026, 08:17:37	-116 dBm	0.10 Mbps	4G	2591_110_4	0.19 MB	Device is connected to a mobile data network
10/08/2026, 08:17:37	-116 dBm	0.00 Mbps	4G	2591_110_4	0.19 MB	Device is connected to a mobile data network
10/08/2026, 08:17:38	-116 dBm	0.26 Mbps	4G	2591_110_4	0.20 MB	Device is connected to a mobile data network
10/08/2026, 08:17:38	-116 dBm	0.59 Mbps	4G	2591_110_4	0.21 MB	Device is connected to a mobile data network
10/08/2026, 08:17:38	-116 dBm	0.95 Mbps	4G	2591_110_4	0.24 MB	Device is connected to a mobile data network
10/08/2026, 08:17:38	-116 dBm	0.39 Mbps	4G	2591_110_4	0.25 MB	Device is connected to a mobile data network
10/08/2026, 08:17:39	-116 dBm	0.88 Mbps	4G	2591_110_4	0.28 MB	Device is connected to a mobile data network
10/08/2026, 08:17:39	-116 dBm	1.57 Mbps	4G	2591_110_4	0.33 MB	Device is connected to a mobile data network
10/08/2026, 08:17:39	-116 dBm	1.14 Mbps	4G	2591_110_4	0.36 MB	Device is connected to a mobile data network
10/08/2026, 08:17:39	-116 dBm	1.24 Mbps	4G	2591_110_4	0.40 MB	Device is connected to a mobile data network
10/08/2026, 08:17:40	-116 dBm	0.95 Mbps	4G	2591_110_4	0.43 MB	Device is connected to a mobile data network
10/08/2026, 08:17:40	-116 dBm	1.83 Mbps	4G	2591_110_4	0.48 MB	Device is connected to a mobile data network
10/08/2026, 08:17:40	-116 dBm	1.17 Mbps	4G	2591_110_4	0.52 MB	Device is connected to a mobile data network
10/08/2026, 08:17:40	-116 dBm	2.37 Mbps	4G	2591_110_4	0.59 MB	Device is connected to a mobile data network
10/08/2026, 08:17:41	-116 dBm	2.10 Mbps	4G	2591_110_4	0.65 MB	Device is connected to a mobile data network
10/08/2026, 08:17:41	-116 dBm	3.28 Mbps	4G	2591_110_4	0.75 MB	Device is connected to a mobile data network
10/08/2026, 08:17:41	-116 dBm	2.71 Mbps	4G	2591_110_4	0.83 MB	Device is connected to a mobile data network


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.	criterion-6-after-upload-rate.png shows Band immediately after Upload Rate; criterion-6-final.png shows the lower summary. The recorded genuine analysis for test 131921554 returns none of the three average signal metrics, so the required returned-metric fixture is unavailable. Their display and immediate ordering remain Blocked; this is not proof that supplied averages render incorrectly. Evidence: E24, E25, E16, E10, E26	Blocked



Criterion 6 evidence: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E24 - Test type choices (criterion-6-test-type-choices.png)




E25 - Upload config (criterion-6-upload-config.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Before select (criterion-6-before-select.png)**  **E10 - After upload rate (criterion-6-after-upload-rate.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given average signal metrics are returned, Average Signal Strength, Average Signal Quality, and Average SNR appear in the summary immediately after Upload Rate. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E26 - Final (criterion-6-final.png)**				




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.	criterion-7-failed-point-details.png and criterion-7-final.png show the sole test 131921687 with matching displayed start/end 08:26:39 and N/A Upload Rate. The result records testDurationMs=0 and a disabled row with title 'Test details require a positive test duration.' Selection of individual details was unavailable, so its standard no-data detail state could not be exercised. The PNG's seconds precision alone does not independently establish exact zero duration, and a failed measurement does not establish a failed detail request. Evidence: E27, E28, E16, E10, E29, E30	Blocked


Criterion 7 assessment: Testing notes: A genuine zero-duration Automobile Upload test exists (131921687: testDurationMs=0; equal start/end 2026-08-10T08:26:39.507; measurement error Socket TimeOut). The supplied UI presents it in the Upload tests list as an aria-disabled row, preventing selection/opening the detail presentation. Thus its standard no-data detail state cannot be exercised; a failed measurement is not a failed detail request. Row title: 'Test details require a positive test duration.' Loaded normal test 131921554 as setup; closed owned detail. Selected genuine failed aggregate 1152930318416630853 at 52.251346,0.362549.





Criterion 7 evidence: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E27 - Test type choices (criterion-7-test-type-choices.png)









E28 - Upload config (criterion-7-upload-config.png)






ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Before select (criterion-7-before-select.png)**  **E10 - Loaded (criterion-7-loaded.png)** 				
Criterion 7 continued: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - Before failed point (criterion-7-before-failed-point.png)**  **E29 - Failed point details (criterion-7-failed-point-details.png)** 				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given the selected Upload point has no measurable duration, the detail presentation shows the standard no-data state instead of an empty detail view. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E30 - Final (criterion-7-final.png)** 				
8.0.0	While Upload details are loading, the detail presentation shows the standard loading state.	While Upload details are loading, the detail presentation shows the standard loading state.	The evidence was inconclusive; see the assessment below. Evidence: E31, E32, E10, E16	Failed
Criterion 8 assessment: SIMULATED UI STATE: On https://o2intelligence-v4-dev.metricell.com, the tester held only the original POST /api/platform/automobile/upload/test-analysis for pointId 131921554; unmatched traffic fell through. Contract provenance was the normally observed genuine read, with no fabricated response status/body. criterion-8-loaded.png and criterion-8-before-simulated-loading.png establish the criterion-owned baseline and reopening transition; criterion-8-final.png directly shows the Analysis progress bar and 'Loading Automobile test analysis...' with the current record summary. The recorded held-request helper error did not invalidate that visible loading state. The original request was released and recorded as genuine HTTP200 with 28 samples; criterion-8-recovery.png visibly proves recovered chart and matching target summary, but its viewport does not show recovered table rows. The retained tester assertion of chart/table recovery is therefore Unverified for the table portion. The result records exact handler removal in finally and deletion/verification of owned state; criterion-8-cleanup.png shows cleared details/layer. This establishes the analysis-panel loading UI, with incomplete visual proof of the asserted table recovery; it is not an end-to-end backend loading guarantee or evidence for every dialog component. Testing notes: Closed own detail, captured baseline map, selected same test and held its original analysis read. A timeout-helper ReferenceError occurred after request was held; inspected actual persisted state instead of repeating action.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 evidence: While Upload details are loading, the detail presentation shows the standard loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Final (criterion-8-final.png)**  **E32 - Recovery (criterion-8-recovery.png)** 				
Criterion 8 continued: While Upload details are loading, the detail presentation shows the standard loading state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Loaded (criterion-8-loaded.png)**  **E16 - Before simulated loading (criterion-8-before-simulated-loading.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	When Upload details are unavailable, the detail presentation shows the standard no-data state.	When Upload details are unavailable, the detail presentation shows the standard no-data state.	criterion-9-final.png shows populated Automobile Upload analysis for test 131921554, not a no-data state. The recorded genuine HTTP200 supplied 28 samples; no actual unavailable-details fixture or authoritative empty-response schema was established. Required no-data coverage is Blocked by the missing fixture/contract. A fabricated empty array would not resolve that contract gap. Evidence: E33, E34, E35, E05, E36	Blocked
Criterion 9 assessment: Testing notes: Unavailable Upload details could not be reproduced with the supplied fixture: genuine Automobile Upload test 131921554 returns populated summary and 28 samples (HTTP200). No actual empty analysis response or project empty-response schema is supplied/established. The authoritative no-data response contract is missing, so no synthetic arrays/null response was invented. Inspected actual populated detail presentation; this does not prove unavailable-details handling. No safe unavailable-data fixture or authoritative empty-response contract was established in complete supplied inputs or observed response.				
Criterion 9 evidence: When Upload details are unavailable, the detail presentation shows the standard no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Test type choices (criterion-9-test-type-choices.png)**  **E34 - Upload config (criterion-9-upload-config.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: When Upload details are unavailable, the detail presentation shows the standard no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E35 - Before select (criterion-9-before-select.png)**  **E05 - Loaded (criterion-9-loaded.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 continued: When Upload details are unavailable, the detail presentation shows the standard no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E36 - Final (criterion-9-final.png)**  				
10.0.0	When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data.	The recorded check satisfied the criterion; see the assessment below. Evidence: E37, E38, E39, E40	Passed
Criterion 10 assessment: SIMULATED UI STATE: On https://o2intelligence-v4-dev.metricell.com, the tester locally fulfilled only POST /api/platform/automobile/upload/test-analysis for pointId 131921554 with one HTTP503 application/json response {message:'QA simulated analysis failure'}; unmatched requests fell through. Scope and successful-contract provenance came from the genuine observed Automobile Upload read; this synthetic error asserts no empty-response contract and no naturally occurring backend failure. criterion-10-distinct-record-baseline.png and criterion-10-before-simulated-error.png show distinct previously loaded test 132301449, cell 70478_110_4 and rate 0.43 Mbps. criterion-10-final.png shows active target 131921554, cell 2591_110_4 and rate 0.78 Mbps, with 'Unable to load Automobile test analysis.' and Retry; the prior chart/table is absent from the active panel. The prior record's inactive tab remains intentionally visible and is not stale active content. The result records exact owned handler removal in finally, Retry and genuine HTTP200 with 28 samples. criterion-10-recovery.png directly shows the target chart recovering; criterion-10-cleanup.png shows both test tabs and layer cleared, and the result records verified absence of owned simulation state. This passes the scoped analysis-error UI and incorrect-data comparison; it does not prove a failure of every point-detail component or an actual backend error.				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 10 evidence: When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E37 - Final (criterion-10-final.png)**  **E38 - Recovery (criterion-10-recovery.png)** 				
Criterion 10 continued: When loading Upload details fails, the detail presentation shows the standard error state and does not display incorrect data. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E39 - Distinct record baseline (criterion-10-distinct-record-baseline.png)**  **E40 - Before simulated error (criterion-10-before-simulated-error.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Supporting setup captures - full attempt evidence remains in the local evidence folder				

E41 - Automobile config (criterion-1-automobile-config.png)



E42 - Before select point (criterion-1-before-select-point.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

