



Automated Test Case Document

Jira Ticket: TEST2-69

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	09/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell



This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution or reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History.....2

2 Test Cycle Information3

3 Test Summary.....3

4 Test Cases5

About Metricell20

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	09/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review



2 Test Cycle Information

Tester:	Automated
Jira Ticket:	TEST2-69
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.40
Date of Test:	09/10/2026
Limitations during Testing:	Criterion 1: Opened GIS and waited for the map to settle. Recorded one Map layers entry: ALL Coverage Gap Candidate Areas, visible, in position 1; single-map view around West Hove Golf Club / Brighton & Hove Bypass at 300 m scale, with map feedback position /-0.19456/50.85221/13.67. Existing layer showed 'Unable to load coverage gap candidate areas.' Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Passed
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. Starting from the authorised V4 launcher, open GIS, record the settled map view and complete Map layers entries/order, then open Surveyor configuration without changing existing layers or settings.	Y	N	0

Area of test	Pass	Fail	Defects (No.)
2. In the open Surveyor configuration, entering TEST2-unsaved-first leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.	Y	N	0
3. Reopening Surveyor configuration after the first cancellation shows an empty Username field with no part of TEST2-unsaved-first retained.	Y	N	0
4. Entering TEST2-unsaved-second leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.	Y	N	0
5. Reopening Surveyor configuration after the second cancellation shows an empty Username field, with both Cancel and Add layer available.	Y	N	0
6. After cancelling the final reopened dialog, the original map view and Map layers entries/order are unchanged and no new Surveyor layer is present.	Y	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.


4.1 Tests

Preconditions:		V4 access and ticket conditions.	Associated Requirements:	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.
ID / Criterion	Criteria Tested	Expected Result		Actual Result / Evidence Path	Outcome	
1.0.0	Starting from the authorised V4 launcher, open GIS, record the settled map view and complete Map layers entries/order, then open Surveyor configuration without changing existing layers or settings.	Starting from the authorised V4 launcher, open GIS, record the settled map view and complete Map layers entries/order, then open Surveyor configuration without changing existing layers or settings.		Criterion-1 initial shows the authorised launcher; before-open-surveyor records the settled 300 m map and sole visible ALL Coverage Gap Candidate Areas entry; final shows Surveyor open over the same baseline. The browser-derived URL is https://o2intelligence-v4-dev.metricell.com/gis. Evidence: E01, E02	Passed	


Criterion 1 evidence: Starting from the authorised V4 launcher, open GIS, record the settled map view and complete Map layers entries/order, then open Surveyor configuration without changing existing layers or settings.

Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Initial (criterion-1-initial.png)



E02 - Final (criterion-1-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	In the open Surveyor configuration, entering TEST2-unsaved-first leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.	In the open Surveyor configuration, entering TEST2-unsaved-first leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.	Criterion-2 after-enter-first and before-cancel-first show the complete TEST2-unsaved-first value; after-cancel-first and final show the dialog closed with no Surveyor layer added. Evidence: E03, E04, E05	Passed


Criterion 2 evidence: In the open Surveyor configuration, entering TEST2-unsaved-first leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E03 - Before enter first (criterion-2-before-enter-first.png)



E04 - Before cancel first (criterion-2-before-cancel-first.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: In the open Surveyor configuration, entering TEST2-unsaved-first leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis E05 - Final (criterion-2-final.png)				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Reopening Surveyor configuration after the first cancellation shows an empty Username field with no part of TEST2-unsaved-first retained.	Reopening Surveyor configuration after the first cancellation shows an empty Username field with no part of TEST2-unsaved-first retained.	Criterion-3 before-cancel-first shows TEST2-unsaved-first, after-cancel-first shows the closed dialog, and final shows the reopened Username entirely empty in this criterion's own sequence. Evidence: E03, E04, E05, E06	Passed


Criterion 3 evidence: Reopening Surveyor configuration after the first cancellation shows an empty Username field with no part of TEST2-unsaved-first retained.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E03 - Before enter first (criterion-3-before-enter-first.png)



E04 - Before cancel first (criterion-3-before-cancel-first.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------


Criterion 3 continued: Reopening Surveyor configuration after the first cancellation shows an empty Username field with no part of TEST2-unsaved-first retained.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E05 - Before reopen first (criterion-3-before-reopen-first.png)



E06 - Final (criterion-3-final.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	Entering TEST2-unsaved-second leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.	Entering TEST2-unsaved-second leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.	Criterion-4 records the first edit, cancellation and empty reopening, then before-cancel-second shows the complete TEST2-unsaved-second value; after-cancel-second and final show the dialog closed with no Surveyor layer added. Evidence: E07, E03, E04, E05, E06, E08	Passed


Criterion 4 evidence: Entering TEST2-unsaved-second leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E07 - After open surveyor (criterion-4-after-open-surveyor.png)



E03 - Before enter first (criterion-4-before-enter-first.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------


Criterion 4 continued: Entering TEST2-unsaved-second leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E04 - Before cancel first (criterion-4-before-cancel-first.png)




E05 - Before reopen first (criterion-4-before-reopen-first.png)




Criterion 4 continued: Entering TEST2-unsaved-second leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E06 - Before enter second (criterion-4-before-enter-second.png)



E08 - Before cancel second (criterion-4-before-cancel-second.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: Entering TEST2-unsaved-second leaves the complete value visibly present in Username, and selecting Cancel closes the dialog without saving the edit. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis E05 - Final (criterion-4-final.png)				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	Reopening Surveyor configuration after the second cancellation shows an empty Username field, with both Cancel and Add layer available.	Reopening Surveyor configuration after the second cancellation shows an empty Username field, with both Cancel and Add layer available.	Criterion-5 records both complete usernames, both closed-dialog cancellations and the intervening empty reopening; final shows Username empty after the second reopening, with Cancel and Add layer available. Evidence: E03, E04, E05, E09, E10, E08, E06	Passed


Criterion 5 evidence: Reopening Surveyor configuration after the second cancellation shows an empty Username field, with both Cancel and Add layer available.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E03 - Before enter first (criterion-5-before-enter-first.png)




E04 - Before cancel first (criterion-5-before-cancel-first.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 5 continued: Reopening Surveyor configuration after the second cancellation shows an empty Username field, with both Cancel and Add layer available.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E05 - After cancel first (criterion-5-after-cancel-first.png)




E09 - Before reopen first (criterion-5-before-reopen-first.png)




Criterion 5 continued: Reopening Surveyor configuration after the second cancellation shows an empty Username field, with both Cancel and Add layer available.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E10 - Before enter second (criterion-5-before-enter-second.png)



E08 - Before cancel second (criterion-5-before-cancel-second.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------


Criterion 5 continued: Reopening Surveyor configuration after the second cancellation shows an empty Username field, with both Cancel and Add layer available.


Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E09 - After cancel second (criterion-5-after-cancel-second.png)



E05 - Before reopen second (criterion-5-before-reopen-second.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
	Criterion 5 continued: Reopening Surveyor configuration after the second cancellation shows an empty Username field, with both Cancel and Add layer available. Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis E06 - Final (criterion-5-final.png)			
				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
6.0.0	After cancelling the final reopened dialog, the original map view and Map layers entries/order are unchanged and no new Surveyor layer is present.	After cancelling the final reopened dialog, the original map view and Map layers entries/order are unchanged and no new Surveyor layer is present.	Criterion-6 records both edits, cancellations and reopenings; before-final-cancel shows the clean reopened dialog, and after-final-cancel/final show it closed. Compared with its own before-open-surveyor baseline, the sole ALL Coverage Gap Candidate Areas entry/order/visibility, map landmarks and 300 m scale are unchanged, with no Surveyor layer. The existing coverage-gap loading alert is unchanged. Evidence: E03, E04, E05, E10, E08, E06	Passed


Criterion 6 evidence: After cancelling the final reopened dialog, the original map view and Map layers entries/order are unchanged and no new Surveyor layer is present.

Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E03 - Before enter first (criterion-6-before-enter-first.png)




E04 - Before cancel first (criterion-6-before-cancel-first.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 6 continued: After cancelling the final reopened dialog, the original map view and Map layers entries/order are unchanged and no new Surveyor layer is present.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E05 - Before reopen first (criterion-6-before-reopen-first.png)




E10 - Before enter second (criterion-6-before-enter-second.png)




Criterion 6 continued: After cancelling the final reopened dialog, the original map view and Map layers entries/order are unchanged and no new Surveyor layer is present.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E08 - Before cancel second (criterion-6-before-cancel-second.png)




E05 - Before reopen second (criterion-6-before-reopen-second.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
----------------	-----------------	-----------------	-------------------------------	---------

Criterion 6 continued: After cancelling the final reopened dialog, the original map view and Map layers entries/order are unchanged and no new Surveyor layer is present.
 Browser URL recorded after criterion: <https://o2intelligence-v4-dev.metricell.com/gis>

E06 - Before final cancel (criterion-6-before-final-cancel.png)




E05 - Final (criterion-6-final.png)




Supporting setup captures - full attempt evidence remains in the local evidence folder

E11 - After open gis (criterion-1-after-open-gis.png)



E12 - After open gis (criterion-2-after-open-gis.png)





About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

