Automated Test Case Document

Jira Ticket: TEST2-77

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	13/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 3
4 Test Cases 5
About Metricell 17

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	13/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-77
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.40
Date of Test:	13/10/2026
Limitations during Testing:	1 blocked; 0 inconclusive criterion(s). Evidence assessment completed for all five criteria; populated active-layer preservation is blocked by the missing active-layer fixture. Criterion 3: First GIS selector failed on launcher; located actual Open GIS button and opened GIS. Criterion 4: Unobscured map baseline, both query states and cleared map retain landmarks, extent, 500 m scale and feedback position /-0.18994/50.84314/12.3. A wait for Clear timed out because this independent baseline had no selected layers; map and catalogue remained available. Criterion 4: Opened GIS; Clear wait timed out, then verified available map and catalogue. Criterion 5: Independent criterion began with no active layers: no selected-layer panel or Reorder layer/Remove from selected controls existed. This remained empty through both queries and clearing, and no new layer appeared, but retention and ordering of populated entries could not be tested. Earlier criteria's Network Information layer evidence was not reused. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Pass	Fail	Defects (No.)
1. From the initial top-of-catalogue view, entering TEST2-no-match-rehearsal-20261013 leaves that exact query in the search field and shows no matching catalogue entries, including no Surveyor result.	Y	N	0
2. Replacing the unmatched query with Surveyor without reloading leaves Surveyor in the search field and displays its matching catalogue entry.	Y	N	0
3. Clearing the search field after the Surveyor result leaves it empty and restores the same catalogue entries and browsing controls visible in the initial top-of-catalogue viewport, at the same browsing position.	Y	N	0
4. The visible map retains its initial extent and scale during both query changes and after clearing.	Y	N	0
5. The complete active-layer list retains its initial entries and order during both query changes and after clearing, with no new layer added.	N	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests


Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	From the initial top-of-catalogue view, entering TEST2-no-match-rehearsal-20261013 leaves that exact query in the search field and shows no matching catalogue entries, including no Surveyor result.	From the initial top-of-catalogue view, entering TEST2-no-match-rehearsal-20261013 leaves that exact query in the search field and shows no matching catalogue entries, including no Surveyor result.	criterion-1-restart-before-query.png shows the initial top catalogue; criterion-1-restart-after-query.png and criterion-1-final-assertion.png show the exact TEST2-no-match-rehearsal-20261013 query and no matching entries, including no Surveyor. The restarted final assertion resolves the reported earlier cleanup capture. Evidence: E01, E02, E03	Passed


Criterion 1 evidence: From the initial top-of-catalogue view, entering TEST2-no-match-rehearsal-20261013 leaves that exact query in the search field and shows no matching catalogue entries, including no Surveyor result.


Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Restart before query (criterion-1-restart-before-query.png)



E02 - Restart after query (criterion-1-restart-after-query.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: From the initial top-of-catalogue view, entering TEST2-no-match-rehearsal-20261013 leaves that exact query in the search field and shows no matching catalogue entries, including no Surveyor result. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Final assertion (criterion-1-final-assertion.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
2.0.0	Replacing the unmatched query with Surveyor without reloading leaves Surveyor in the search field and displays its matching catalogue entry.	Replacing the unmatched query with Surveyor without reloading leaves Surveyor in the search field and displays its matching catalogue entry.	criterion-2-before-replace.png shows the unmatched query and no results; criterion-2-after-replace.png and criterion-2-final.png show Surveyor retained in the field with its matching entry. This criterion's recorded steps replace the query without navigation or reload. Evidence: E04, E05, E06, E07	Passed



Criterion 2 evidence: Replacing the unmatched query with Surveyor without reloading leaves Surveyor in the search field and displays its matching catalogue entry.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E04 - Before unmatched (criterion-2-before-unmatched.png)



E05 - Before replace (criterion-2-before-replace.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Replacing the unmatched query with Surveyor without reloading leaves Surveyor in the search field and displays its matching catalogue entry. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E06 - After replace (criterion-2-after-replace.png)**  **E07 - Final (criterion-2-final.png)**  				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
3.0.0	Clearing the search field after the Surveyor result leaves it empty and restores the same catalogue entries and browsing controls visible in the initial top-of-catalogue viewport, at the same browsing position.	Clearing the search field after the Surveyor result leaves it empty and restores the same catalogue entries and browsing controls visible in the initial top-of-catalogue viewport, at the same browsing position.	criterion-3-baseline-catalogue.png establishes the initial top viewport; criterion-3-before-replace.png shows no match and criterion-3-before-clear.png shows Surveyor. criterion-3-after-clear.png and criterion-3-final.png show an empty field and the same visible entries, expanded groups, entry controls and Snapshots control at the same top scrollbar position. Only the initial visible viewport is assessed; the recovered launcher interaction does not contradict the restored catalogue. Evidence: E08, E09, E10, E11, E12	Passed


Criterion 3 evidence: Clearing the search field after the Surveyor result leaves it empty and restores the same catalogue entries and browsing controls visible in the initial top-of-catalogue viewport, at the same browsing position.



Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E08 - Baseline catalogue (criterion-3-baseline-catalogue.png)



E09 - Before replace (criterion-3-before-replace.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Clearing the search field after the Surveyor result leaves it empty and restores the same catalogue entries and browsing controls visible in the initial top-of-catalogue viewport, at the same browsing position. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E10 - Before clear (criterion-3-before-clear.png)**  **E11 - After clear (criterion-3-after-clear.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Clearing the search field after the Surveyor result leaves it empty and restores the same catalogue entries and browsing controls visible in the initial top-of-catalogue viewport, at the same browsing position. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E12 - Final (criterion-3-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
4.0.0	The visible map retains its initial extent and scale during both query changes and after clearing.	The visible map retains its initial extent and scale during both query changes and after clearing.	criterion-4-baseline-map.png provides the unobscured baseline; criterion-4-after-unmatched-before-replace.png and criterion-4-after-replace-before-clear.png retain the same coastline, landmarks and extent. criterion-4-after-clear.png and criterion-4-final.png preserve those positions and the 500 m scale. The Clear wait timeout reflects an empty active-layer baseline, not a visible map defect. Evidence: E01, E02, E13, E14, E15	Passed



Criterion 4 evidence: The visible map retains its initial extent and scale during both query changes and after clearing.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis


E01 - Baseline map (criterion-4-baseline-map.png)



E02 - After unmatched before replace (criterion-4-after-unmatched-before-replace.png)




ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: The visible map retains its initial extent and scale during both query changes and after clearing. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - After replace before clear (criterion-4-after-replace-before-clear.png)**  **E14 - After clear (criterion-4-after-clear.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 continued: The visible map retains its initial extent and scale during both query changes and after clearing. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Final (criterion-4-final.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
5.0.0	The complete active-layer list retains its initial entries and order during both query changes and after clearing, with no new layer added.	The complete active-layer list retains its initial entries and order during both query changes and after clearing, with no new layer added.	criterion-5-baseline-layers.png shows no active-layer panel or populated entries. criterion-5-after-unmatched-before-replace.png, criterion-5-after-replace-before-clear.png and criterion-5-final.png remain empty with no new layer or visible alert, but populated entry and order retention could not be tested because the active-layer fixture was unavailable. Earlier criteria's Network Information layer is not reused. Evidence: E01, E02, E16, E15	Blocked



Criterion 5 evidence: The complete active-layer list retains its initial entries and order during both query changes and after clearing, with no new layer added.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis

E01 - Baseline layers (criterion-5-baseline-layers.png)



E02 - After unmatched before replace (criterion-5-after-unmatched-before-replace.png)



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: The complete active-layer list retains its initial entries and order during both query changes and after clearing, with no new layer added. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E16 - After replace before clear (criterion-5-after-replace-before-clear.png)**  **E15 - Final (criterion-5-final.png)** 				

metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

