Automated Test Case Document

Jira Ticket: TEST2-83

Document Classification:	Company Confidential
Document Ref:	Automated Test Case Document
Version:	1.0
Date:	21/10/2026
Document Author:	Automated TEST2 Evidence Review
Document Owner:	Quality Assurance / Metricell

This document and its content is copyright of Metricell Limited @ 2026 all rights reserved. All information contained herein is the intellectual property of Metricell Limited and should be treated as confidential. Any external redistribution of reproduction of part or all of the contents in any form is prohibited unless expressly agreed with Metricell Limited in writing. Any reproduced content must include the following statement; "Part or all of the content contained herein is copyright of Metricell Limited @ 2026 all rights reserved".

Table of Contents

1 Revision History 2
2 Test Cycle Information 3
3 Test Summary 4
4 Test Cases 6
About Metricell 28

1 Revision History

Version	Date	Revision Author	Summary of Changes
[1.0]	21/10/2026	TEST2 QA Automation	Generated from TEST2 evidence review

2 Test Cycle Information

Tester:	**Automated**
Jira Ticket:	TEST2-83
Environment:	o2intelligence-v4-dev.metricell.com
Browser Details:	Google Chrome 155.0.8059.85
Date of Test:	21/10/2026
Limitations during Testing:	Blocked criterion(s): 5, 6, 8. See the assessment below each criterion. Unverified criterion(s): 4. See the assessment below each criterion. SIMULATED UI STATE: criterion(s) 7, 9 use browser-local conditions, not backend integration tests. Method and recovery are disclosed with their evidence. Inconclusive evidence is reported as Failed, but is not a confirmed application defect. Defects (No.) counts directly contradicted criteria, not unique Jira bugs; blockers and inconclusive evidence count as zero.
Overall review outcome:	Blocked
Browser URL(s) recorded after criteria:	https://o2intelligence-v4-dev.metricell.com/gis

3 Test Summary

Area of test	Outcome	Fail	Defects (No.)
1. Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	Passed	N	0
2. Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	Failed	Y	1
3. Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	Failed	Y	1
4. Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	Failed (inconclusive)	Y	0
5. Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	Blocked	N	0
6. Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	Blocked	N	0
7. Given Service point details are loading, the detail presentation shows a loading state.	Passed	N	0
8. Given Service point details are unavailable, the detail presentation shows a no-data state.	Blocked	N	0

Area of test	Outcome	Fail	Defects (No.)
9. Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	Passed	N	0

4 Test Cases

Each test maps to a criterion and decisive browser evidence. Inconclusive results are reported as Failed.

4.1 Tests


Preconditions:	V4 access and ticket conditions.	***Associated Requirements:***	Ticket criteria below.	Automation Notes:	Screenshots below each criterion; full log retained locally.

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
1.0.0	Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.	criterion-1-final.png shows loaded Surveyor Service serving-cell information, including 4G, Cell ID 510633_124_4, RSRP -97 dBm and LTE 2100, consistent with the returned values recorded in the result. Evidence: E01, E02, E03, E04	Passed


Criterion 1 assessment: criterion-1-final.png shows loaded Surveyor Service serving-cell information, including 4G, Cell ID 510633_124_4, RSRP -97 dBm and LTE 2100, consistent with the returned values recorded in the result.



Criterion 1 evidence: Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information.
Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis





E01 - Before search (criterion-1-before-search.png)








E02 - After search (criterion-1-after-search.png)









ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 1 continued: Given a Service point's details have loaded in the shared point-detail dialog, the standard detail presentation shows the returned serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E03 - Cluster (criterion-1-cluster.png)**  **E04 - Final (criterion-1-final.png)** 				
2.0.0	Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information.	criterion-2-loaded-neighbours.png / criterion-2-final.png show three neighbours as rows in one table beside the serving-cell information, rather than distinct sections beneath it. Evidence: E05, E06, E07, E08, E09	Failed
Criterion 2 assessment: criterion-2-loaded-neighbours.png / criterion-2-final.png show three neighbours as rows in one table beside the serving-cell information, rather than distinct sections beneath it.				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 evidence: Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E05 - Before remove restored layer (criterion-2-before-remove-restored-layer.png)**  **E06 - Removed restored layer (criterion-2-removed-restored-layer.png)** 				
Criterion 2 continued: Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Cluster (criterion-2-cluster.png)**  **E08 - Loaded neighbours (criterion-2-loaded-neighbours.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 2 continued: Given the loaded Service point details include neighbour-cell data, each returned neighbour appears in its own distinct section beneath the serving-cell information. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E09 - Final (criterion-2-final.png)**  				
3.0.0	Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears.	criterion-3-event-6-loaded.png / criterion-3-final.png show populated serving-cell information for 11:02:01 / -99 dBm alongside an empty Neighbours region reading 'No neighbours are available.' The result records a genuine empty neighbour response. Evidence: E07, E10, E11, E12, E13, E14, E15, E16, E17, E18, E19	Failed
Criterion 3 assessment: criterion-3-event-6-loaded.png / criterion-3-final.png show populated serving-cell information for 11:02:01 / -99 dBm alongside an empty Neighbours region reading 'No neighbours are available.' The result records a genuine empty neighbour response.				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 evidence: Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Cluster (criterion-3-cluster.png)**  **E10 - Second event loaded (criterion-3-second-event-loaded.png)** 				
Criterion 3 continued: Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E11 - Before third event (criterion-3-before-third-event.png)**  **E12 - Third event loaded (criterion-3-third-event-loaded.png)** 				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E13 - Before event 4 (criterion-3-before-event-4.png)**  **E14 - Event 4 loaded (criterion-3-event-4-loaded.png)** 				
Criterion 3 continued: Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E15 - Before event 5 (criterion-3-before-event-5.png)**  **E16 - Event 5 loaded (criterion-3-event-5-loaded.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E17 - Before event 6 (criterion-3-before-event-6.png)**  **E18 - Event 6 loaded (criterion-3-event-6-loaded.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 3 continued: Given the loaded Service point details contain no neighbour-cell data, serving-cell information remains visible and no empty neighbour section appears. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E19 - Final (criterion-3-final.png)** 				
4.0.0	Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter.	criterion-4-loaded-details.png and criterion-4-final.png show populated detail rows and no visible sorting/filtering controls, but the serving-cell list extends below the captured viewport. No complete scrolled inspection or attempted sort/filter state is captured, so absence throughout the presentation and the required behaviour cannot be established. Evidence: E07, E20	Failed
Criterion 4 assessment: criterion-4-loaded-details.png and criterion-4-final.png show populated detail rows and no visible sorting/filtering controls, but the serving-cell list extends below the captured viewport. No complete scrolled inspection or attempted sort/filter state is captured, so absence throughout the presentation and the required behaviour cannot be established.				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 4 evidence: Given displayed Service point detail rows are available, sorting the rows changes their visible order according to the selected sort, and filtering them shows only rows matching the selected filter. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E07 - Cluster (criterion-4-cluster.png)**  **E20 - Final (criterion-4-final.png)** 				
5.0.0	Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation.	criterion-5-selected-2g-3g-sa.png shows the correct Surveyor Service technology selection; criterion-5-final.png shows no Service points in the wide view. The result records successful empty point responses for the tested date range/extents. 4G was checked, but 2G/3G/5G SA fixtures were unavailable and 5G NSA was not independently exercised; the full generation assertion remains blocked. Evidence: E21, E22, E23, E07, E20, E24, E25, E26, E27	Blocked
Criterion 5 assessment: criterion-5-selected-2g-3g-sa.png shows the correct Surveyor Service technology selection; criterion-5-final.png shows no Service points in the wide view. The result records successful empty point responses for the tested date range/extents. 4G was checked, but 2G/3G/5G SA fixtures were unavailable and 5G NSA was not independently exercised; the full generation assertion remains blocked. Testing notes: 4G labels were directly checked. No 2G, 3G or 5G SA records were available in the tested date range and map extents, so the required multi-generation assertion cannot be decided. 5G NSA was not independently exercised in this criterion. Empty point retrieval is a fixture limitation, not a product failure.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 evidence: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E21 - Before surveyor (criterion-5-before-surveyor.png)**  **E22 - Service config (criterion-5-service-config.png)** 				
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E23 - Service added (criterion-5-service-added.png)**  **E07 - Cluster (criterion-5-cluster.png)** 				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E20 - 4g details (criterion-5-4g-details.png)**  **E24 - Before missing generation filter (criterion-5-before-missing-generation-filter.png)** 				
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E25 - Selected 2g 3g sa (criterion-5-selected-2g-3g-sa.png)**  **E26 - Filtered map (criterion-5-filtered-map.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 5 continued: Given a Service point's reported radio generation is 2G, 3G, 4G, 5G NSA, or 5G SA, the visible KPI names are appropriate to that generation. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E27 - Final (criterion-5-final.png)**  				
6.0.0	Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state.	criterion-6-5g-sa-selected.png establishes Service with only 5G SA selected. The result records a successful empty Service points response, leaving no SA record to open. criterion-6-final.png includes unrelated Network Information/RPO layers whose markers do not prove SA Service detail behaviour. Evidence: E28, E29, E30	Blocked
Criterion 6 assessment: criterion-6-5g-sa-selected.png establishes Service with only 5G SA selected. The result records a successful empty Service points response, leaving no SA record to open. criterion-6-final.png includes unrelated Network Information/RPO layers whose markers do not prove SA Service detail behaviour. Testing notes: No 5G SA Service point was returned for 2026-09-22 through 2026-10-21, preventing opening an SA detail record. The successful empty point response is not evidence of a detail-load error or success.				



ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 evidence: Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E28 - Before technology (criterion-6-before-technology.png)**  **E29 - 5g sa selected (criterion-6-5g-sa-selected.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 6 continued: Given 5G SA is selected and the user opens a Service point in the shared point-detail dialog, the Service point detail presentation loads without an error state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E30 - Final (criterion-6-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
7.0.0	Given Service point details are loading, the detail presentation shows a loading state.	Given Service point details are loading, the detail presentation shows a loading state.	SIMULATED UI STATE: browser-only delay of POST https://o2intelligence-v4-dev.metricell.com/api/platform/surveyor/service/event-analysis for pointId 9533500 / surveyId 1101, established from a genuine populated read. criterion-7-genuine-baseline.png and criterion-7-before-delayed-open.png establish the record and reopening; criterion-7-loading.png / criterion-7-final.png visibly show Analysis progress and 'Loading...' with the current record summary. criterion-7-recovery.png shows populated recovery and criterion-7-cleanup.png closes details/removes the layer. Results record release of the unchanged request, HTTP 200 recovery and exact-handler removal. This proves the explicit loading UI state only, not backend performance or a wholly blank dialog. Evidence: E31, E32, E33	Passed
Criterion 7 assessment: SIMULATED UI STATE: browser-only delay of POST https://o2intelligence-v4-dev.metricell.com/api/platform/surveyor/service/event-analysis for pointId 9533500 / surveyId 1101, established from a genuine populated read. criterion-7-genuine-baseline.png and criterion-7-before-delayed-open.png establish the record and reopening; criterion-7-loading.png / criterion-7-final.png visibly show Analysis progress and 'Loading...' with the current record summary. criterion-7-recovery.png shows populated recovery and criterion-7-cleanup.png closes details/removes the layer. Results record release of the unchanged request, HTTP 200 recovery and exact-handler removal. This proves the explicit loading UI state only, not backend performance or a wholly blank dialog.				





ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 evidence: Given Service point details are loading, the detail presentation shows a loading state. **SIMULATED UI STATE: browser-local condition; recovery uses the genuine service.** **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E31 - Final (criterion-7-final.png)**  **E32 - Recovery (criterion-7-recovery.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 7 continued: Given Service point details are loading, the detail presentation shows a loading state. **SIMULATED UI STATE: browser-local condition; recovery uses the genuine service.** **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E33 - Genuine baseline (criterion-7-genuine-baseline.png)** 				
8.0.0	Given Service point details are unavailable, the detail presentation shows a no-data state.	Given Service point details are unavailable, the detail presentation shows a no-data state.	criterion-8-populated-baseline.png / criterion-8-final.png show available populated details. No real unavailable-details fixture or authoritative empty-response contract for the Service event-analysis POST was established; the populated response cannot justify inventing a no-data simulation. Evidence: E34, E35, E36	Blocked
Criterion 8 assessment: criterion-8-populated-baseline.png / criterion-8-final.png show available populated details. No real unavailable-details fixture or authoritative empty-response contract for the Service event-analysis POST was established; the populated response cannot justify inventing a no-data simulation. Testing notes: No unavailable-details fixture or authoritative empty-response contract for POST /api/platform/surveyor/service/event-analysis was established. The real populated response cannot establish how unavailable detail data must be represented; a no-data simulation would be unsupported. The selected record was available; no real unavailable-details response was observed. The supplied authoritative inputs do not document an empty details-response contract.				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 evidence: Given Service point details are unavailable, the detail presentation shows a no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E34 - Cluster (criterion-8-cluster.png)**  **E35 - Populated baseline (criterion-8-populated-baseline.png)** 				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 8 continued: Given Service point details are unavailable, the detail presentation shows a no-data state. **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E36 - Final (criterion-8-final.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
9.0.0	Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data.	SIMULATED UI STATE: browser-only HTTP 503 with JSON message on POST https://o2intelligence-v4-dev.metricell.com/api/platform/surveyor/service/event-analysis for target pointId 9532398 / surveyId 1101; a synthetic failed read, not a naturally occurring backend failure. criterion-9-first-record-baseline.png, criterion-9-target-genuine-details.png, criterion-9-first-record-before-error.png and criterion-9-before-error-open.png establish distinct prior/target records and the owned sequence. criterion-9-error-state.png shows 'Unable to load details.' / Retry with target 11:02:01 / -102 dBm and no previous -97 dBm three-neighbour analysis. criterion-9-genuine-recovery.png restores the target's one neighbour; criterion-9-cleanup-restored-map.png shows no layers/details. Results verify exact-handler cleanup and genuine HTTP 200 retry. This proves the explicit Service analysis error UI and absence of stale detail data only, not backend failure handling end to end. Evidence: E37, E38, E39, E40	Passed
Criterion 9 assessment: SIMULATED UI STATE: browser-only HTTP 503 with JSON message on POST https://o2intelligence-v4-dev.metricell.com/api/platform/surveyor/service/event-analysis for target pointId 9532398 / surveyId 1101; a synthetic failed read, not a naturally occurring backend failure. criterion-9-first-record-baseline.png, criterion-9-target-genuine-details.png, criterion-9-first-record-before-error.png and criterion-9-before-error-open.png establish distinct prior/target records and the owned sequence. criterion-9-error-state.png shows 'Unable to load details.' / Retry with target 11:02:01 / -102 dBm and no previous -97 dBm three-neighbour analysis. criterion-9-genuine-recovery.png restores the target's one neighbour; criterion-9-cleanup-restored-map.png shows no layers/details. Results verify exact-handler cleanup and genuine HTTP 200 retry. This proves the explicit Service analysis error UI and absence of stale detail data only, not backend failure handling end to end.				


ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Criterion 9 evidence: Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data. **SIMULATED UI STATE: browser-local condition; recovery uses the genuine service.** **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E37 - Final (criterion-9-final.png)**  **E38 - Genuine recovery (criterion-9-genuine-recovery.png)** 				
Criterion 9 continued: Given loading Service point details fails, the detail presentation shows an error state and does not show incorrect detail data. **SIMULATED UI STATE: browser-local condition; recovery uses the genuine service.** **Browser URL recorded after criterion: https://o2intelligence-v4-dev.metricell.com/gis** **E39 - First record baseline (criterion-9-first-record-baseline.png)**  **E40 - Target genuine details (criterion-9-target-genuine-details.png)** 				

ID / Criterion	Criteria Tested	Expected Result	Actual Result / Evidence Path	Outcome
Supporting setup captures - full attempt evidence remains in the local evidence folder				

E41 - Surveyor config (criterion-1-surveyor-config.png)



E42 - Service config (criterion-7-service-config.png)



metricell
Better Connected

About Metricell

Metricell is on a mission to deliver connectivity. We work with our customers to design, deliver and manage wireless communication networks – with a shared ambition of achieving flawless network experience. We've been responsible for many first-to-market products, and our technology is characterised by the relentless pursuit of automation and digitalisation.

Our geospatial intelligence tools traverse a wide variety of business processes – from Test & Measurement to Customer Experience Management – and we're pioneers in Crowdsourcing and Digital Self Care. Our technology is today in use by a range of customers; thousands of their personnel; and millions of subscribers worldwide.

Find out more at www.metricell.com

